

40p EVERY WEEK • No 82 • Oct 13 1984

Now  
**40p**

**PERSONAL**

# Computer

**NEWS**

## 64 SYMPHONY

Play music with  
a real keyboard - p39

## SPECTRUM LISTER

Make sense of  
your programs - p26

## AMSTRAD SPRITES

Part 2 of PCN's  
powerful utility - p22

## ATARI GRAPHICS

Super-smooth  
scrolling - p18

# BBC ELITE

## The best computer game ever ?





**MEMOTECH MTX500**

# The Ultimate. Only £199.

OVER  
£35.00  
WORTH OF  
**FREE  
SOFTWARE**

## MEMOTECH MTX500 MAJOR FEATURES

### STANDARD I/O PORTS

- Variable rate cassette port (up to 2400 baud)
- Two joystick ports using Atari configuration
- Centronics-type parallel printer port
- ROM cartridge port
- Uncommitted parallel input/output port
- Internal ROM board port
- Hi-Fi output port
- 4-channel sound through TV speaker
- PAL composite video colour Monitor port

### THE RS232 COMMUNICATIONS BOARD

(required for disc expansions)

- Two independent RS232 ports
- 60-way Disc Drive Bus supporting up to four 5.25 and/or 8 inch floppy disc drives, plus instant access Memotech Silicon Discs, and Hard Discs with capacities up to 32 Megabytes

### USER RAM

- Optionally expandable to 512K in increments of 64, 128, or 256K

### 24K OF ROM which includes:

- MTX BASIC
- Noddy, a simple, text-handling language
- A powerful Assembler/Dissassembler – sections of machine code can be created and run by calling the Assembler from within BASIC
- The sophisticated Front Panel, which displays the contents of all registers (including the F flag register) and pointers during program execution
- All four languages can be used interactively with each other, and with the user

### ROM EXPANSIONS

- MTX NewWord, a 32K word processing package
- Hisoft PASCAL, written specially for the MTX Series

### THE KEYBOARD

- Full size, 79-key, full-stroke professional quality keyboard incorporating:
- Main Block with typewriter-style layout
- A separate 12-key numeric/editor keypad
- Eight programmable function keys (16 with shift)

### HI-RES GRAPHICS MODE

- 256 × 192 pixel resolution plus
- 32 × 24 Text in 16 foreground and background colours
- All 16 colours (i.e. 15 colours plus transparent) are available on the screen together
- 32 user-definable easily controllable sprites
- 128 separate GENPAT statements providing a huge range of user-defined characters

### TEXT MODE

- Text resolution is 40 × 24 characters plus
- 128 user-defined characters
- Eight user-definable virtual screens or "windows" (available in all modes)

For further information, please contact:

## MEMOTECH

MEMOTECH LIMITED STATION LANE INDUSTRIAL ESTATE  
WITNEY OXON OX8 6BX

TELEPHONE: (0993) 2977 TELEX: 83372 MEMTEC G





## COVER STORY

**BBC Elite**

**47**

PCN's writers have been fighting to play it. Find out what makes Acornsoft's space odyssey such a brilliant game.



## OUTPUT

**Model B Modes**

**12**

A superb graphics utility for your BBC gives on-screen control of colour and drawing facilities.

**Atari graphics**

**18**

Another powerful graphics tutorial explains how to make use of display list interrupts.

**Amstrad Sprites**

**22**

In part two of PCN's utility program for the Amstrad we take you further down the road to creating your own games.

**Spectrum lister**

**26**

Make sense of your listings with this program for Spectrum and Microdrives.

## HARDWARE

**H-P's portable**

**32**

The US giant steps into the portable arena with the stylish 110.

## PERIPHERALS

**64 symphony**

**39**

Music at your fingertips with a full piano keyboard that plugs into your Commodore.

**Bigger Vic**

**43**

The good old Vic hasn't the biggest memory in the world. Check out this expansion cartridge that solves that problem, and others too.

## SOFTWARE

**Apricot files**

**50**

A new database system for ACT's glamorous micro offers a few new ideas on information management.

**Spectrum kit**

**54**

Ultrakit offers the Basic programmer a host of tools.

**IBM ideas**

**56**

Fresh from the US — the Ideas Processor makes some big claims.

**Gameplay**

**47**

Elite will make you drool with envy — but we've plenty of offerings for other machines.

## REGULARS

**Monitor**

**1**

MSX rift opens, this page; Sharks in the Compunet Jungle, page 2; QL faces testing time, page 3; A shot in the Spectrum's arm, page 4.

**PCN Charts**

**5**

Ups and downs in the micro-world as newcomers challenge your old favourites. It's Britain's only weekly chart.

**Random Access**

**7**

Your letters — on any computer-related subject. And there's £15 in store for the week's best.

**Microwaves**

**10**

Hints and tips from the best brains in the country — PCN's readers.

**Routine Enquiries**

**9**

Whatever your problem, whatever your machine, PCN's team of experts is ready and waiting to come to the rescue.

**Dungeon**

**30**

Dragons, trolls, hobbits, deserted cities, vampire castles. All this and more in our weekly excursion into the adventure maze.

**Software Preview**

**45**

A sneak peek at what you can expect to see in your local software store 'real soon now'.

**Billboard**

**58**

The place to be for bargain hunters or traders in old micros.

Wherever it happens, if it affects you, we report it in the Monitor pages. Home news, events and analyses, with regular columns from where technology makes waves — the USA and Japan. Plus a regular look at the British micro scene in Home Front.

## Rift threatens MSX impact

The impact of MSX micros in the UK may be fatally weakened following a rift between Microsoft UK and the Japanese micro manufacturers.

'Basically, Microsoft has thrown a spanner in the works,' said a spokesman for Toshiba, one of the MSX companies.

Microsoft had not always turned up to meetings at the MSX working group, sending its apologies instead, he added.

And when the working group needed advice or information from Microsoft, it has had to go to Ascii Microsoft in Japan, causing further delays.

Several of the MSX companies have expressed concern at the lack of support from Microsoft in promoting the MSX standard in the crucial run up to the all important Christmas sales season.

For its part, Microsoft is denying any suggestions of a rift.


'Microsoft in the UK was never intended to play a major part in the promotion of MSX,' said a Microsoft spokesman.

However, it is widely believed that Microsoft's lack of enthusiasm in working with the Japanese companies stems from the fact that all the royalties and licence fees go directly to Ascii Microsoft.

A contributory factor is that Microsoft spent a lot of money trying to sign up two UK companies to produce MSX machines.

One of these was Dragon Data, whose MSX project on behalf of GEC bit the dust when the company crashed earlier this year. It may yet re-appear under GEC's banner.

First out is Toshiba with its HX-10 — featured last week in Currys' adverts which said that the micro was available in selected stores but could be ordered from any branch. It is priced at £279.99.



**QL VIEW** — QL users who've been waiting to hook up to a Sinclair-recommended monitor can now do so for £299. The Sinclair Vision QL from Data Efficiency (0442-60155), is a 12in RGB colour monitor with an 85-column text display. The monitor comes with a cable that plugs into the RGB outlet at the back of the machine and has a 12 month warranty. Sinclair also intends to produce a 'QL printer' early next year — this ties in with its plans to supply a range of add-ons for the QL.





## Danger lurks in Compunet Jungle

There are more dangers than the legal traps we reported last week lurking in the Compunet Jungle. There are also sharks, out of place maybe, not no less vicious for that.

With the free form of the Jungle and Compunet's decision to leave users largely in charge of what appears, there is nothing to stop a subscriber making a few quid by simply uploading a few pages of garbage and charging a king's ransom for access.

Unfortunately, it is not possible to examine the contents of a page before you purchase it, though it is possible for information providers to produce a free page that will tell you what you are about to buy.

Even though the system is in its early days and charges aren't being made yet to users a few rip-off pages have already appeared. For example, it is possible to pay £20 to examine two pages that say: 'There isn't a lot here for the amount it costs' and: 'I don't think much of the colour scheme either'.

A spokesman for Compunet said that it was recommending that users of the system should never buy a page until they actually knew what they were purchasing, either through an information page or recommendation by another user. He added that if anyone was ripped off by another user they should get in touch with Compunet and action would be taken against the offender, who would have his number erased and be left with an unusable modem.



Compunet — sharks in the Jungle.

## CTA weeds out cowboy retailers

By this time next year you should be able to walk into a computer shop certain in the knowledge that it is staffed by people who know what they are talking about.

And if you decide to buy something, you should be able to pay for it with a special credit card accepted in hundreds of similar shops around the country.

This vision, almost too good to be true, belongs to the Computer Trade Association, which launched two new schemes for computer dealers last week.

The first is a certification scheme to sort out the cowboys from professional retailers.

Under this a dealer — whether a CTA member or not — would have to satisfy the CTA that its staff have adequate knowledge and are able to give correct advice on the type of equipment it sells.

If it passes the CTA's tests it will be able to describe itself as a 'certified computer dealer'.

The credit card, which will probably be called simply 'The Card' is aimed at shops that want to rival the multiples.

## Hitachi machine comes down in price

Dixons has halved the price of the Hitachi MBE 16002.

Selling at £1,489 the IBM compatible machine comes with 128K RAM, two disk drives with 320K each, keyboard and eight colour monitor.

In addition, you get £900-worth of free software which includes packages like Wordstar, Nucleus Generator and Calcmaster. With MSDOS as its operating system and Microsoft Basic it will also run some IBM packages.

● As PCN went to press last week, Dixons had made a £182m bid for the Currys chain.

## Gavilan micro bites the dust

The Great Computer Shakeout has claimed another victim. Gavilan Computers is the latest US company to seek protection from creditors at the door by hiding behind Chapter 11 of the US's bankruptcy laws.

Gavilan burst on to the market last year when it announced what was then an innovative lap-held micro. Design and manufacturing problems held up its release until March this year.


By then several other manufacturers had managed to get similar products on to the market. According to one of Gavilan's investors, the company owes about \$10 million.

## Juki wheels out a pair of printers


The Juki family of daisywheel printers (issue 10) has been extended with two additions.

The cheaper of the two is the Juki 2200 at £309. Running at 10 cps, this keyboard-printer-terminal comes with an internal receive-only RS232C interface and works with micros using the same connection.

At £918, IBM PCs and look-alikes can hook up to the Juki 6300. With a 3K buffer expandable to 15K, the printer has auto-underscore, proportional spacing, auto-justify, bold printing, shadow printing and auto-centring. For further information contact Micro Peripherals on 0256 47232.



Hitachi — star exhibit at Dixons.



**PLAY ON** — If you ever fancied yourself as Rick Wakeman The Music System (TMS) may realise your dream. At £24.95, it comes on two floppies which hold the system and a Song & Sound Library, and you get a 96-page manual. In all, there are five modules on the

package to choose from; the editor, the keyboard, the linker, printout and the Synthesiser module, which creates sounds for the editor and the keyboard to use. TMS will also be available as two cassette packages each selling at £12.95 for the BBC.



## QL Microdrive 2 faces stern test

Just when Sinclair must have thought it was safe to show its face again, another question mark hangs over the QL — failure rates.

With the machine's first appearance in shops being so recent it is too early to talk about return rates, but with Christmas approaching it can hardly be too soon. One caller to PCN last week was on his fourth QL after a succession of Microdrive and overheating problems — checking around the retailers revealed that this is an extreme case, but also that problems with Microdrives aren't uncommon.

A Sinclair spokesman admitted: 'Problems are quite often related to the Microdrive in one way or another.' Microdrive 2 seems to be the weak link, and one dealer reported loading difficulties.

During the summer Sinclair's Nigel Searle promised that 'significant bugs' would be dealt with as they arose. He declined at the time to define a significant bug, but according to the spokesman some have been attended to. On the Microdrives he said: 'Everything can be overcome. The Microdrive, like a lot of other things, has had a lot of development attention.'

It's also had a bad press and is seen by many software sup-

pliers as too unreliable to be a medium for their products. With a pair of them built in to the QL their reliability becomes crucial. Terse messages like 'Incomplete file transfer' and 'bad media' could spell a lot of frustration, especially if the QL does sell as well to small businesses as the Spectrum did to home micro users.

## dBase II takes off with dB Compiler

dBase II is well on the way to full language status with the release last week of the dB Compiler.

International committees, compiler validation suites and all the rest of it are still some time off but the first compiler takes dBase II up a division. Anybody who wondered whether dBase II was fish or fowl can now rest assured — it's fowl.

P&P (0902 43913) is distributing the product in this country. It comes originally from Wordtech of California and supports all versions of dBase II up to 2.4. The advantages of compilation are mainly in speed and efficiency, but dB Compiler also offers some transportability — when the compiled programs are linked to produce executable code cross-environment linkers can adjust the object code for different operating systems.

P&P says that to get the most out of the compiler you'll need more than a 64K machine.

You can use it under CP/M-80, PC DOS or MSDOS, and versions for CP/M-86 and Unix are on the way. It costs £675 plus VAT.

## IN BRIEF

**Digital Research** has given the world a look at the shape of disks to come, and not surprisingly, they're round.

But the company revealed more details last week of its interactive videodisc technology, Vidlink, which connects a Commodore 64 to a videodisc player (issue 72). DR's aim is to make the link available to IBM, Apple, ACT and Acorn users, with a cheap hardware interface and software for each.


**Not a leader** in the budget games market, Activision has demonstrated a streak of generosity by offering free membership to the Activision Software Club.

You'll get a full colour quarterly magazine, access to a worldwide pen-pal network, and prizes for high scores. To join ring Activision on Maidenhead (0628) 75171.

**A company that** makes its living from one of the micro business's thorniest problems — Commodore peripheral interfaces — has released a hard disk subsystem for the BBC Micro.

Intelligent Interfaces (0789 296879) has lined up the Motor Shark range of Winchester disk units for the BBC.

**To wean you off** Franglais, Silversoft is about to launch French on the Run. The £9.95 BBC program combines elements of an adventure game with its educational aspect — you're cast as a war-time British pilot shot down over occupied France. Using your knowledge of French, you make your way back to Blighty.



QL — many unhappy returns?

## VIEW FROM AMERICA



### US market leaders battle it out

Atari boss Jack Tramiel attended an electronics show in Holland recently and on seeing the Japanese MSX hordes declared: 'We kept them out of the US, we will keep them out of Europe. We will fight them off, and we will fight them on the beaches.'

Partly as a result, there is a strong rumour here that MSX chips will be enclosed in the new low-priced Atari promised for early 1985.

If Tramiel is concerned with international struggles, Americans are involved with their own. This is the most combative part of the year. While the sound of young football players hitting each other resounds through the suburbs and the leaves fall, US business grapples for position in the Christmas sales surge.

One report claims that 50 per cent of all home micros are sold between September 1 and November 30.

Apple and IBM are making aggressive moves and the nation is getting ready for Mac-Newsweek. The November 7 special election issue of Newsweek will have 40 of its 114 pages devoted to Apple ads for Mac and Lisa. Newsweek generally sells three million copies around the world, and Apple will be the sole advertiser in that issue. This exclusive deal is reputed to have cost

between \$2 million and \$3 million.

Macintosh softwares are getting into the shops at last, with games, communications packages and graphics in the lead.

Few rivals to MacWrite have appeared, nor are there many spreadsheets to compete with Microsoft's Multiplan. Perhaps the knowledge that Lotus is preparing an integrated Mac spreadsheet/word processor for next year has dampened the software industry's competitive urge.

But products such as Dilithium Press's PC-to-Mac-and-Back for comms with an IBM PC, and Winterhalter's Data Talker/Mac, which lets a Mac emulate an IBM 3270 terminal, may be seized on eagerly by executives who want Mac but work where the law is Big Blue.

IBM was also in the news this summer when it announced

Topview for \$149. 'Topview is a strategic product,' says Bob Markell, IBM's vice-president of software development at Boca Raton. Existing software for the PC will run under Topview but won't take full advantage of the systems features.

Now IBM has brought out 31 of its own programs for the PC, grouped under two headings. There are the IBM Business Management Series, \$695 apiece, basically offering accounts functions, and the IBM Personal Decision Series, aimed at spreadsheet and graphics users but with price tags of \$150 to \$200, considerably more expensive than the competition, moving analysts to note that firms such as Lotus have hundreds of thousands of happy customers who won't be budged too easily from what they already know and like.

Chris Rowley



# MONITOR

## Fourth bridge for Timex/Spectrum?

Strong evidence from Sinclair quarters indicates that a version four of the Spectrum may be in the pipeline.

Sinclair Research has denied any plans for a fourth, but on past experience of its handling of version three Spectrums there's room for doubt (issue 28).

When issue three Spectrums appeared some software written for earlier Spectrum models wouldn't run on the revised version. This was due to a redesigned uncommitted logic array (ULA).

One Sinclair software supplier admitted last week that there's a good chance of a version four surfacing. But its lips were sealed as the original information came from Sinclair sources.

The manager of Micromega, more forthcoming, threw some light on the subject. He said: 'Distributors of the Timex TS2000 in the US have included a plug-in module to reconfigure the Timex machine — so it looks like a Spectrum.'

'Presently, this reconfigured machine exists in abundance in the US — and it's on this basis that we're marketing software over there.' The implication is that version four could owe a lot

to the Timex machine.

The Spectrum has survived fierce competition over the past two-and-a-half years. Perhaps it's time for it to undergo some cosmetic surgery.

The TS2000 is a better looking machine and has a similar spec to its English counterpart — running a Z80A processor, 48K RAM, 24K ROM but with a space bar on the keyboard.

## ITL cures hitches on Hybrid for Oric

The Oric 1/Atmos upgrade has caused some head-scratching at ITL Kathmill, maker of disk drives and cabling systems for Oric machines.

ITL has had to produce a new version of its Hybrid cable, originally designed for the Oric 1. The Hybrid (enthusiastically Pro-Tested in issue 52) comes complete with disk interface and Basic enhancements, and with a master disk holding the Oric DOS, utility programs and demonstration software.

When the Atmos appeared earlier this year, users of the Hybrid started to report problems booting the DOS.

The differences between the ROMs in the Oric 1 and the Atmos caused the problem, which ITL has cured by altering the circuitry of the Hybrid 'to a

small extent'. It is now selling an Atmos version at the same price (about £100) with the same DOS working at a different frequency.

## ACT program offers multi-dialling

Act has become the first company to let you dial up viewdata services like Prestel as well as standard 'teletype' services like Telecom Gold from a single program.

The program, called Com-

muniqué, has been packaged with ACT's on-board modem for the Apricot for an all inclusive price of £395.


Telephone numbers, passwords and user IDs can be saved to disk allowing you to dial-up automatically and log-on to the service of your choice at the press of a single button.

■ ACT has bought 50 per cent of Swire Systems, the Hong Kong based distributor in the Far East of Sirius and Apricot micros. ACT and Swire were unsuccessful joint bidders earlier this year for Victor Technologies.



Window on the world from ACTmaking a communique.

# HOME FRONT



## Bill and Ben weed out piracy cash from the industry

A chance encounter at the PCW show revealed one facet of piracy, the dark side of the computer industry.

On the ACT stand, we met two 11-year-olds from the Midlands who, for the purposes of this story, shall be known as Bill and Ben. Their purpose amid the Apricots was to borrow from the company one of ACT's infra-red mice-cum-tracker balls. Intrigued by this display of juvenile enterprise, we escorted the duo to a nearby

hospitality suite and plied them with iced cokes. The ensuing conversation makes fascinating reading for anyone interested in the computer black market.

Bill and Ben reckon they have about 200 games programs at home. They were understandably hazy on the details but seemed to remember buying about seven of those titles. Bill is a Commodore 64 owner, Ben a BBC Micro enthusiast.

With a short combined time in the software field, they have deprived the software industry of a couple of thousand pounds. Even more interesting is the background to this nefarious operation.

Bill's mum is a teacher and through her Bill and Ben met a man known only as Tim (real name, for what it's worth). Tim proceeded to recruit our dynamic duo into the business of software copying. The system works like this:

Bill and Ben pass the word around their friends that they know a man who wants original tapes. In return for their contributions they get a few copies — one to keep and the rest to give, sell or swap. Bill and Ben

act as the middlemen.

These two software wizards first try to copy the stuff the hard way, reading tape headers or wriggling around software protection devices. They reckon most tapes succumb to their schoolboy charms without too much effort on their part. If the going gets really tough, they resort to the tried and trusted method of tape-to-tape copying. Enter Bill's mum again. Courtesy of the local education authority, she borrows a tape recorder from her school and the copying business gets into full swing for an evening.



PCW Show — Watch out, there's a pirate about.

Bill and Ben reckon there are others like them working for Tim, and Tim in turn is just one of several working for the boss of the operation, a man they know as The Master.

So in return for a few blank tapes, The Master has a nicely organised distribution net-

work, and a ready supply.

Charles Dickens wrote a book about this man. Among software dealers at the show, another interesting facet of copying became apparent. After first asking for Bill and Ben's real names and addresses (we didn't ask, they didn't tell us) the dealers launched into a tirade against that sort of activity. After some probing by PCN's newshounds, to a man they admitted to music piracy — copying records onto tapes.

But then, as they all agreed, 'that's different, isn't it?'

The show was also marked by another sort of underhand activity — this time straightforward theft. Quicksilver reported a couple of joysticks missing, Mirrorsoft had a higher class of customer who walked away with two Spectrum Microdrives, but the most audacious theft of the week happened at the Virgin Games stand. Although all the machines there were enclosed in arcade-type housings, some determined character had unscrewed a panel and nicked a Commodore 64. Left all the cables though — must have been a Vic owner on the upgrade.

Peter Worlock



# CHARTS



As featured in Radio 1's  
Chip Shop Saturday morning.

## GAMES

| TW | LW | TITLE             | PUBLISHER     | MACHINE     | PRICE  |
|----|----|-------------------|---------------|-------------|--------|
| 1  | 1  | Daley's Decathlon | Ocean         | SP, C64     | £7.90  |
| 2  | 9  | Sherlock Holmes   | Melbourne     | SP, C64     | £14.95 |
| 3  | 3  | Beach Head        | US Gold       | SP, C64     | £9.95  |
| 4  | 14 | Kokotoni Wilf     | Elite         | SP, C64     | £6.95  |
| 5  | 2  | Monty Mole        | Gremlin       | SP, C64     | £7.95  |
| 6  | 4  | Full Throttle     | Micromega     | SP          | £6.95  |
| 7  | 17 | Elite             | Acornsoft     | AC          | £15.00 |
| 8  | —  | Avalon            | Hewson        | SP          | £7.95  |
| 9  | 9  | Sabre Wulf        | Ultimate      | SP          | £9.95  |
| 10 | 5  | Lords of Midnight | Beyond        | SP          | £9.95  |
| 11 | 10 | Decathlon         | Activision    | C64         | £9.99  |
| 12 | 8  | Jet Set Willy     | Soft Projects | SP          | £5.95  |
| 13 | 12 | Int Soccer        | Commodore     | C64         | £9.99  |
| 14 | 6  | Match Point       | Psion         | SP          | £7.95  |
| 15 | —  | Football Manager  | Addictive     | SP, C64, AC | £6.95  |
| 16 | 18 | Scrabble          | Leisure Games | SP, C64, AC | £14.95 |
| 17 | 20 | Death Star Intr.  | System 3      | C64         | £7.95  |
| 18 | 19 | Frank N Stein     | PSS           | SP          | £6.95  |
| 19 | —  | Chiller           | Mastertronic  | C64         | £1.95  |
| 20 | —  | Zim Sala Bim      | Melbourne     | C64         | £9.95  |

### SPECTRUM

| TW | TITLE             | PRICE  |
|----|-------------------|--------|
| 1  | Beach-Head        | £9.95  |
| 2  | Sherlock Holmes   | £14.95 |
| 3  | Daley's Decathlon | £7.90  |
| 4  | Kokotoni Wilf     | £6.95  |
| 5  | Full Throttle     | £7.95  |
| 6  | Avalon            | £7.95  |
| 7  | Monty Mole        | £7.95  |
| 8  | Sabre Wulf        | £7.95  |
| 9  | Lords of Midnight | £9.95  |
| 10 | Jet Set Willy     | £5.95  |

### COMMODORE

| TW | TITLE                  | PRICE |
|----|------------------------|-------|
| 1  | Daley's Decathlon      | £7.90 |
| 2  | Kokotoni Wilf          | £6.95 |
| 3  | Monty Mole             | £7.95 |
| 4  | Decathlon              | £9.99 |
| 5  | Int Soccer             | £9.99 |
| 6  | Death Star Interceptor | £7.95 |
| 7  | Chiller                | £1.95 |
| 8  | Zim Sala Bim           | £9.95 |
| 9  | Astro Chase            | £8.95 |
| 10 | Pitfall II             | £6.95 |

## MICROS

### OVER £1,000

| TW | MACHINE           | PRICE  |
|----|-------------------|--------|
| 1  | IBM PC            | £2,390 |
| 2  | Apricot           | £1,760 |
| 3  | Televideo TS1603  | £2,640 |
| 4  | Compaq            | £1,795 |
| 5  | Apple III         | £2,755 |
| 6  | Sirius            | £2,525 |
| 7  | Wang Professional | £3,076 |
| 8  | HP 85             | £1,917 |
| 9  | NCR Dec. Mate V   | £1,984 |
| 10 | Kaypro            | £1,604 |

### UP TO £1,000

| TW | MACHINE      | PRICE |
|----|--------------|-------|
| 1  | Spectrum     | £99   |
| 2  | Commodore 64 | £199  |
| 3  | Electron     | £199  |
| 4  | Amstrad      | £349  |
| 5  | BBC B        | £399  |
| 6  | Vic 20       | £140  |
| 7  | Amstrad      | £299  |
| 8  | Atari 800XL  | £199  |
| 9  | Memotech     | £199  |
| 10 | Oric         | £99   |

These charts are compiled from both independent and multiple sources across the nation. They reflect what's happening in high streets during the week up to October 4. The games chart is updated every week. The prices quoted are for the no-frills model and include VAT. Information for the top-selling micros is culled from retailers and dealers throughout the country and is updated every month. PCN Charts are compiled exclusively for us by RAM/C, who can be contacted on 01-892 6596.

## BUYING A DISC?

## FIRST CONSIDER THE

## ULTRADRIVE

No DFS required

ONLY  
**£79.95**  
inc. VAT

\* Provides all the facilities of a disc at a fraction of the cost.

\* Available for BBC, Dragon & Nascom computers.



COMPUTER PRODUCTS

Tel. Laugharne (099 421) 515

KILN LAKE  
LAUGHARNE  
CARMARTHEN  
DYFED  
SA33 4QE

Designed to accommodate Home Computers and their associated peripherals. Adequate work space allows convenient positioning of display and keyboard units enabling sensible positioning of source and other reference documents. Working surfaces and back panel in beige, teak or mahogany finish laminate.

Also available optional side extensions that fit easily and quickly to left and right hand side frame giving additional working surfaces. Size 285 x 250mm. Price £6.00 (inc. P. & P.) per pair. Also available single level desk unit. £47.50 (plus P. & P.)

## APOLLO Unit Desk/Table for Home Computer £49.50 (plus P. & P.)

Money refunded if not completely satisfied and goods returned undamaged within 14 days.



## HOME COMPUTER FURNITURE CORPORATION

The environment your computer deserves

Post to: Home Computer Furniture Corporation Alliance House, 12 Baldwin Street, Bristol BS1 1SA Tel. (0272) 213444 Please send me:

..... Split-level Desk/Table Unit/s at £55.50 each (inc. P. & P.)  
☐ Beige ☐ Mahogany ☐ Teak ☐ Beige Frame ☐ Brown Frame  
..... Single Level Desk/Table Unit/s at £53.50 each (inc. P. & P.)  
☐ Beige ☐ Mahogany ☐ Teak ☐ Beige Frame ☐ Brown Frame  
..... Side Extensions at £6.90 per pair (inc. P. & P.) ☐ Beige ☐ Mahogany ☐ Teak

I enclose cheque for ..... Allow up to 28 days for delivery

Name ..... Tel. ....

Address .....

Post Code ..... Signature .....





# UNBELIEVABLE SAVINGS

## \*\* COMPUTERS \*\*

|                                   | EX VAT   |
|-----------------------------------|----------|
| APRICOT F1 - from                 | £675.00  |
| APRICOT Point 7 from              | £2950.00 |
| APRICOT PORTABLE from             | £1445.00 |
| APRICOT 256K 315Kx2 MONITOR       | £1395.00 |
| APRICOT 256K 720Kx2 MONITOR       | £1545.00 |
| APRICOT Xi 256k 10MB MONITOR      | £2195.00 |
| BBC B                             | £320.00  |
| CIFER 9000 Multi User 21MB        | £5095.00 |
| COMMODORE 8250 DISK DRIVE         | £785.00  |
| COMMODORE 8296                    | £695.00  |
| COMMODORE SX-64 PORTABLE          | £675.00  |
| COMMODORE 64                      | £156.51  |
| COMMODORE DISK 1541               | £165.21  |
| COMMODORE PARALLEL INTERFACE      | £59.50   |
| COMMODORE 1530 C2N CASSETTE       | £32.00   |
| COMPAQ 2X360K                     | £1795.00 |
| COMPAQ Plus(10MB)                 | £3195.00 |
| IBM PC List less 17.5%            | PHONE    |
| OLIVETTI M20 160KB 2x320KB Drives | £1295.00 |
| OLIVETTI M24 128KB 2x360KB Drives | £1658.00 |
| OLIVETTI M24 128KB 10MB Hard Disk | £3195.00 |
| SAGE II & IV                      | POA      |
| SANYO MBC 555 128K 2x160K Drives  | £795.00  |
| SIRIUS 256K 10MB                  | £2850.00 |
| SIRIUS 256K 2.4MB                 | £2095.00 |
| SIRIUS 128K 1.2MB                 | £1645.00 |
| ACT/IBM Memory Expansions from    | £222.00  |
| PLUS 5 External Hard Disk Drives  | POA      |

## \*\* SOFTWARE \*\*

ALL MAJOR SOFTWARE PROGRAMS SUPPLIED AT LOW COST

|             |         |
|-------------|---------|
| WORDSTAR    | £195.00 |
| OPEN ACCESS | £360.00 |
| LOTUS 123   | £295.00 |
| SYMPHONY    | £490.00 |
| MULTIMATE   | £240.00 |
| D BASE II   | £280.00 |
| DMS DELTA   | £395.00 |
| FRIDAY      | £135.00 |
| FRAMEWORK   | £345.00 |

Not only do we offer top quality products at low prices. We also support and develop Software with the assistance of our long established software dept. NEW RELEASE — UNIX MULTI USER ACCOUNTS SOFTWARE.

## \*\* MATRIX PRINTERS \*\*

|                               | EX VAT   |
|-------------------------------|----------|
| ANADEx DP-6500 500cps         | £2019.00 |
| ANADEx WP-6000                | £1808.00 |
| BROTHER EP44                  | £189.00  |
| BROTHER HR5                   | £125.00  |
| BROTHER M1009 50cps           | £149.00  |
| CANON PW1080A 160cps (NLQ)    | £274.00  |
| CANON PW1156A 160cps (NLQ)    | £339.00  |
| EPSON RX 80T 100cps           | £195.00  |
| EPSON RX 80F/T 100cps         | £220.00  |
| EPSON FX 80 160cps            | £324.00  |
| EPSON FX 100F/T 160cps        | £430.00  |
| EPSON LQ 1500 200cps (NLQ)    | £895.00  |
| HONEYWELL From                | £375.00  |
| MANNESMANN MT80 80cps         | £177.00  |
| MANNESMANN MT180 160cps (NLQ) | £579.00  |
| NEC PINWRITER P2(P)(NLQ)      | £535.00  |
| NEWBURY DRE 8850 300lpm       | £2095.00 |
| NEWBURY DRE 8925 240cps       | £1385.00 |
| OKI 84A 200cps                | £625.00  |
| OKI OKI 92P 160cps            | £360.00  |
| OKI OKI 2410P 350cps          | £1535.00 |
| OLIVETTI DM4100E 120cps       | £520.00  |
| PANASONIC KP1091 120cps + NLQ | £249.00  |
| SHINWA CP80 Model II FT       | £165.00  |
| STAR DELTA 10 160cps          | £299.00  |
| STAR DELTA 15 160cps          | £399.00  |
| STAR GEMINI 10X 120cps        | £189.00  |
| STAR GEMINI 15X 120cps        | £269.00  |
| STAR RADIX 10 200cps (NLQ)    | £419.00  |
| STAR RADIX 15 200cps (NLQ)    | £525.00  |
| TOSHIBA TH2100H 192cps        | £1275.00 |
| TREND 930 200cps NLQ 80cps    | £1350.00 |

## MAYFAIR MICROS

BLENHHEIM HOUSE, PODMORE ROAD, LONDON SW18 1AJ

TEL: 01-870 3255 / 871 2555

We accept official orders from UK Government and Educational Establishments. Mail Order and Export Enquiries welcome. Callers by appointment.

## \*\* DAISYWHEEL \*\*

### \*\* PRINTERS \*\*

|                               | EX VAT   |
|-------------------------------|----------|
| BROTHER HR1                   | £265.00  |
| BROTHER HR15                  | £329.00  |
| BROTHER HR15 Keyboard         | £135.00  |
| BROTHER HR15 Sheetfeeder      | £185.00  |
| BROTHER HR25                  | £549.00  |
| DAISYSTEP 2000 20cps          | £219.00  |
| DIABLO 630 API                | £1295.00 |
| DIABLO Sheet Feeder           | £490.00  |
| FUJITSU SP320 48cps           | £795.00  |
| JUKI 6100 18cps               | £325.00  |
| NEC 2010 Serial 20cps         | £545.00  |
| NEC 2030 Parallel 20cps       | £545.00  |
| NEC 3510 Serial 35cps         | £1049.00 |
| NEC 3530 Parallel 35cps       | £1049.00 |
| NEC 7710 Serial 55cps         | £1440.00 |
| NEC 7730 Parallel 55cps       | £1440.00 |
| OLIVETTI DY450 45cps          | £880.00  |
| QUME 11/40 RO                 | £1185.00 |
| QUME 9/45 RO                  | £1550.00 |
| QUME LETTERPRO 12/20          | £475.00  |
| RICOH RP1300S                 | £895.00  |
| RICOH RP1600S                 | £1190.00 |
| RICOH RP1600S FLOWWRITER 8k   | £1249.00 |
| RICOH RP1600S FLOWWRITER 8k   | £1249.00 |
| IBM PC                        | £1299.00 |
| RICOH RP1600S Sheet Feeder    | £459.00  |
| RICOH RP1600S Tractor         | £138.00  |
| SMITH TP1 12cps               | £154.00  |
| CORONA STARWRITER F1040 40cps | £895.00  |
| TEC STARWRITER F5055 55cps    | £1235.00 |
| TEC Sheetfeeder               | £459.00  |
| TEC Tractor                   | £138.00  |

## \*\* VDU's & TERMINALS \*\*

|                                 |         |
|---------------------------------|---------|
| CIFER T4                        | £760.00 |
| HAZELTINE ESPRIT Fixed Keyboard | £395.00 |
| QUME QVT 103 (VT100 VT131)      | £895.00 |
| TELEVIDEO 910                   | £489.00 |

## \* MEMORY EXPANSIONS \*

AST, HERCULES, QUADRAM, SIMONS  
ALL AT BIG SAVINGS

POA

### SPECTRUM

| GAME                      | RRP   | OUR PRICE |
|---------------------------|-------|-----------|
| DALEY THOMPSON DECATHLON  | 6.90  | 5.25      |
| BEACHHEAD                 | 7.95  | 5.99      |
| WHITE LIGHTNING           | 14.95 | 10.50     |
| SHERLOCK HOLMES           | 14.95 | 10.50     |
| HOBBIT                    | 14.95 | 9.99      |
| HULK                      | 9.95  | 7.99      |
| MUGSY                     | 6.95  | 5.50      |
| SABRE WOLF                | 9.95  | 7.99      |
| LORDS OF MIDNIGHT         | 9.95  | 6.99      |
| JACK & BEANSTALK          | 5.95  | 4.50      |
| MICRO OLYMPICS            | 5.95  | 4.75      |
| PSYTRON                   | 7.95  | 5.99      |
| CODENAME MAT              | 6.95  | 4.99      |
| SCUBA DIVE                | 6.95  | 5.25      |
| GILLIGANS GOLD            | 5.90  | 4.50      |
| OTHER OCEAN ONLY          | 5.90  | 4.50      |
| JET SET WILLY             | 5.95  | 4.50      |
| FRANK N. STEIN            | 5.95  | 4.50      |
| WAR OF THE WORLDS         | 7.95  | 5.99      |
| TORNADO LOW LEVEL         | 5.95  | 4.60      |
| TRASHMAN                  | 5.95  | 4.40      |
| ALL IMAGINE               | 5.50  | 2.99      |
| FIGHTER PILOT             | 7.95  | 5.99      |
| NIGHT GUNNER              | 6.95  | 5.25      |
| PENETRATOR                | 6.95  | 5.50      |
| MILLIONAIRE               | 5.50  | 4.25      |
| WORLD CUP                 | 6.95  | 5.99      |
| CLASSIC ADVENTURE         | 6.95  | 5.50      |
| VALHALLA                  | 14.95 | 9.99      |
| FOOTBALL MANAGER          | 6.95  | 5.25      |
| H.U.R.G.                  | 14.95 | 9.99      |
| MONTY MOLE                | 6.95  | 5.50      |
| FULL THROTTLE             | 6.95  | 5.75      |
| MATCHPOINT                | 7.95  | 6.75      |
| OLYMPICON                 | 5.95  | 4.75      |
| TWIN KINGDOM VALLEY       | 9.50  | 7.50      |
| DANGER MOUSE              | 6.95  | 4.99      |
| FOREST AT WORLDS END      | 5.50  | 3.99      |
| TILER                     | 7.95  | 5.50      |
| AVALON                    | 7.95  | 5.50      |
| HERO                      | 7.95  | 5.50      |
| ZENJI                     | 7.95  | 5.50      |
| RIVER RAID                | 7.95  | 5.50      |
| ENDURO                    | 9.95  | 6.95      |
| HAMPSTEAD                 | 7.95  | 5.50      |
| PSYTRAX                   | 6.95  | 4.99      |
| GIANTS REVENGE            | 6.95  | 4.99      |
| SCRABBLE                  | 15.95 | 11.99     |
| EDDIE KIDD JUMP CHALLENGE | 6.95  | 4.99      |
| COMBAT LYNX               | 7.95  | 5.50      |



### COMMODORE 64

| GAME                      | RRP   | OUR PRICE |
|---------------------------|-------|-----------|
| ZIM SALA BIM              | 9.95  | 6.99      |
| STRIP POKER               | 9.95  | 7.50      |
| BLACK HAWK                | 7.95  | 5.50      |
| PSYTRON 64                | 7.95  | 5.50      |
| ASTEC                     | 8.95  | 7.25      |
| ANKH                      | 8.95  | 7.25      |
| MR ROBOT                  | 8.95  | 7.25      |
| HOBBIT                    | 14.95 | 9.99      |
| TALES OF ARABIAN NIGHTS   | 7.00  | 5.50      |
| DALEY THOMPSON DECATHLON  | 7.95  | 6.50      |
| LOCO                      | 7.95  | 5.50      |
| BEACH HEAD                | 9.95  | 7.75      |
| ASTRO CHASE               | 8.95  | 7.50      |
| DECATHLON                 | 9.99  | 7.95      |
| MICRO OLYMPICS            | 5.95  | 4.75      |
| FLIP AND FLOP             | 8.95  | 7.50      |
| SCUBA DIVE                | 6.95  | 5.50      |
| PIT FALL I                | 9.99  | 7.95      |
| MONTY MOLE                | 7.95  | 6.50      |
| ALL INTERCEPT AT          | 7.00  | 5.50      |
| SOLO FLIGHT               | 14.95 | 11.00     |
| TRASHMAN 64               | 7.95  | 6.50      |
| VALHALLA                  | 14.95 | 10.99     |
| DEATH STAR (INTERCEPTOR)  | 9.95  | 8.50      |
| PITFALL II                | 9.95  | 7.95      |
| RIVER RAID                | 9.95  | 7.95      |
| HERO                      | 9.95  | 7.95      |
| DALLAS OUEST (DISC ONLY)  | 14.95 | 12.00     |
| BRUCE LEE                 | 9.95  | 7.95      |
| NATO COMMANDER            | 9.95  | 7.95      |
| SPITFIRE ACE              | 9.95  | 7.95      |
| F15 STRIKE EAGLE          | 14.95 | 11.00     |
| EDDIE KIDD JUMP CHALLENGE | 7.95  | 5.50      |
| COMBAT LYNX               | 8.95  | 7.25      |
| STUNT BIKE                | 6.90  | 4.99      |
| MY CHESS II               | 8.95  | 7.25      |
| BATTLE FOR MIDWAY         | 9.95  | 7.50      |

### TRADE ENQUIRIES

DO YOU SELL SOFTWARE?

PHONE 01-405 1270

FOR DETAILS OF TRADE PRICES

### SPECIAL OFFER

|                         | OUR PRICE |
|-------------------------|-----------|
| SPECTRUM 48K            | 129.95    |
| SOFTWARE PACKAGE WORTH  | 56.00     |
| KEMPSTON TYPE INTERFACE | 14.95     |
| QUICKSHOT II JOYSTICK   | 11.95     |
| TOTAL VALUE             | 212.85    |
| OUR PRICE               | £145.00   |

### BBC GAMES

| GAME                | RRP   | OUR PRICE |
|---------------------|-------|-----------|
| OLD FATHER TIME     | 9.50  | 7.50      |
| CITY DEFENCE        | 7.50  | 5.95      |
| MUSIC SYNTHESISER   | 9.50  | 7.50      |
| TWIN KINGDOM VALLEY | 9.50  | 7.50      |
| HULK                | 7.95  | 6.50      |
| AVIATOR             | 14.95 | 11.00     |
| BLAGGER             | 7.95  | 6.95      |
| JCB BIGGER          | 9.95  | 8.50      |
| HOBBIT              | 14.95 | 9.99      |
| VOODOO CASTLE       | 9.95  | 8.50      |

### ELECTRON GAMES

| GAME                | RRP  | OUR PRICE |
|---------------------|------|-----------|
| MICRO OLYMPICS      | 5.95 | 4.75      |
| TWIN KINGDOM VALLEY | 9.50 | 7.50      |
| HULK                | 7.95 | 6.50      |
| ALL ACORN SOFT      | 9.20 | 7.50      |
| CHUCKIE EGG         | 7.90 | 6.50      |
| BLAGGER             | 7.95 | 6.50      |

### ALL PRICES INCLUDE P&P

QUICKSHOT II ONLY £8.99

PLEASE NOTE IF YOUR ORDER EXCEEDS £50 YOU GET 10% FURTHER DISCOUNT


SEND CHEQUES/P.O. TO

GOODBYE PCN

94 LEATHER LANE, LONDON EC1

PLEASE STATE WHICH MICRO





If something we've said has outraged, amused or impressed you, this is your chance to answer back. To celebrate the new-look PCN we decided to give our 'star' contributors a pay rise — the best letter of the week will now earn you £15. So send in your contributions to: Random Access, Personal Computer News, Evelyn House, 62 Oxford Street, London W1A 2HG.

## BT is taking the wrong line on modems



News of British Telecom's promise that it is stepping up the checks on the use of illegal modems has prompted me to write again to Random Access.

It strikes me that BT is wasting its time hunting down the culprits. BT is not losing money by people connecting 'unapproved' modems to the telephone network through lost sales. And it is certainly not having trouble with the modems damaging the system electronically. So why is BT wasting money, and our money at that, monitoring the lines?

My second thought is that the best way to stop people connecting 'bad' modems up is surely to remove the temptation. To do that means incorporating modems into the standard telephone connection box that everyone has in their house.

There must be hundreds of companies out there making modems capable of user selectable baud rates, auto-dialling and auto-answering. BT could then install these in place of the old master telephone socket quite easily for a service charge of £20, which is BT's rate for putting in extension phone points. The householder could then simply wire up the computer by means of an RS232 cable. The rental charge for the modem should be in the region of £8 per quarter.

C Haine,  
Rugby, Warwicks.

That seems to put the ball in BT's court — Ed.

## Nice ideas — pity about the binders

The 'new look' PCN is a step in the right direction. More and more computer magazines seem to either put their prices up or cut down the amount of pages, but PCN manages to cut the price as well as increase both the quality and quantity — amazing!

Now the bad news... Buying a PCN binder by mail order is, in a word, diabolical. Earlier this year I decided to

purchase a binder. So, after sending off £3.50 of hard earned cash, I sat back and waited... and waited.

It took no less than ten weeks to arrive — six weeks after my cheque was cashed. And people say Sinclair are slow. S Parnell,  
Benfleet, Essex.

*Shamefaced, we must admit to difficulties in the binders department. Hopefully, we have solved the problems and binders should be going out within days of receiving the orders — Ed.*

## Last word on 600XL data processing

In Routine Enquiries (issue 79) you make several misleading statements about word processing for the 600XL.

First, it is possible to link four disk drives to the machine — surely enough for most serious applications.

Second, it is possible to obtain an upgrade to 64K for the 600XL — they are readily available in the local store here.

In summary I think your conclusion, 'You have to think in terms of a new machine' is totally unjustified. A Anderson will be well served by upgrading the existing machine.

By the way I have no connection with Atari except as a satisfied customer.

Gregory Kuopp,  
Gillingham, Kent.

*Four 100K disk drives are not a real alternative to two 320K drives — even if you can find software that will easily allow you to use four drives. Besides, how much would four drives cost? — Ed.*

## MSX could be a white elephant

I see that with MSX comes a whole barrage of manufacturers new to the home computer market — Sanyo, Sony, JVC, Mitsubishi, Toshiba, Hitachi etc. All are probably more used to making televisions and other electrical goods.

So why computers? And why all bunch together under one big MSX roof?

I don't know about any other PCN readers but it seems as if someone is trying to make a

clean sweep or a quick profit. Weren't some of these companies involved in the great FM CB purge of 1981 when FM was launched to wipe out AM and succeeded in wiping out itself as well?

Obviously we're not all going to go MSX — at least, I think not. Yet many will probably convert to it — but why? It is no better than any other computer on the market, most of them reliable. MSX looks like a white elephant. Compatibility might be a big attraction for business machines but not for the majority of home computers.

Andy Clarke,  
Atherstone, Warks.

## What tune do the pirates dance to?

Nick Alexander claims (issue 80) that piracy costs the industry about £100 million a year. Really? So how much are these companies making in profit? Whatever the reasons for Imagine's collapse, we all know it wasn't piracy.

The second point concerns changes in the law. It appears to me that adequate protection already exists if one of these companies were prepared to act on it. Copyright laws are well established in this country — surely all that's needed is a test case to set the precedent for software.

People selling copied software as originals must be in hot water under the Fraud Act.

Finally, the music business has suffered the problem of home copying for years and seems to have survived, despite

the fact that it is now suffering at the hands of commercial software companies.

How many games now feature music soundtracks ripped off from music artists?

How many software companies are paying royalties to those artists?

John Holt,  
Basildon, Essex.

*For another slant on the issue, see Home Front in this week's Monitor section — Ed.*

## Newbrain owner's plea for help

I am the owner of a Newbrain. Last month the micro broke down — it is as if the computer has decided to ignore the keyboard.

As I am severely physically handicapped I am totally dependent on my computer for any writing I may need to do.

When I turn it on, everything happens as it should but it won't respond to the keyboard so I can't load programs etc.

As I'm unemployed a new system is out of the question.

All I am asking for is some help in the way of addresses where I may be able to get it repaired cheaply.


G Bland,  
Preston, Lancs.

*We have two phone numbers you might try: Angela Enterprises on Stevenage 812439, and Elstree Computer Centre on 01-953 6921. If any PCN readers in the Preston area can offer any help, please write to us and we'll forward your letters — Ed.*



Well, there was no bounce on that keyboard, Sir!





# Read all about *your* micro —with SAMS computing books

SAMS books will tell you all you want to know about your micro

## APPLE

### 88 Apple LOGO Programs

Waite, Martin and Martin

88 business, educational and fun programs to help you learn structured programming and LOGO syntax — fast!

**Book:** 336 pages/ISBN 0 672 22343 0/£14.50

**Book with program disc:** ISBN 0 672 26224 X/£26.50 + VAT

### Apple IIe Programmer's Reference Guide

David Heiserman

An outstanding guide which encourages you to explore new programming ideas and procedures by providing all the relevant information at your fingertips.

416 pages/ISBN 0 672 22299 X/£17.95

### Introducing the Apple Macintosh

Connolly and Lieberman

Explores all aspects of the Mac's features and capabilities, including its display, keyboard, mouse, software, accessories and more.

192 pages/ISBN 0 672 22361 9/£10.50

## ATARI

### Atari for Kids from 8 to 80

Zabinski and Scheck

A fun guide which quickly and easily explains all the important programming concepts.

200 pages/ISBN 0 672 22294 9/£14.50

### Programmer's Reference Guide for the Atari 400/800 Computers

David Heiserman

An invaluable guide covering all aspects of programming. Contains two large chapters on graphics.

496 pages/ISBN 0 672 22277 9/£19.50

## COMMODORE

### Commodore 64 Programmer's Reference Guide

Commodore Computer

The bestselling book on the 64, packed with professional tips to help you program successfully and creatively.

486 pages/ISBN 0 672 22056 3/£9.95

### Vic 20 Programmer's Reference Guide

Commodore Computer

An easy-to-use manual on VIC 20 hardware and software, to help you get the most from your micro.

298 pages/ISBN 0 672 21948 4/£9.95

## IBM

### PC DOS Companion

Murtha and Petrie

A clearly written and well illustrated introduction to PC DOS commands and IBM PC hardware/software/DOS relationships.

208 pages/ISBN 0 672 22039 3/£14.50

### Graphics for the IBM PC

Illowski and Abrash

Shows you how to do animation, create business graphs, design video games, and otherwise make practical use of graphics.

**Book:** 192 pages/ISBN 0 672 22191 8/£13.50

**Book with program disc:** ISBN 0 672 26189 8/£26.50 + VAT

Available from all good booksellers

SAMS books are distributed in the UK by Pitman Publishing, 128 Long Acre, London WC2E 9AN.  
For further information contact Helen Kitson on 01 379 7383.

**Pitman**



# ROUTINE ENQUIRIES



Here's an end to the hair-tearing nail-biting keyboard-pounding frustration of programming your computer. Whatever your problem call on PCN's panel of experts and we'll come up with an answer. Remember we cannot reply personally, so no stamped addressed envelopes please. Address your problems to *Routine Enquiries, PCN, Evelyn House, 62 Oxford Street, London W1A 2HG.*

## Should I link my Pet to my 64?

**Q** I own a Commodore Pet 2001 and a Commodore 64 and I would like to be able to choose, if I wanted, Pet or CMB Basic, to connect the Pet monitor to the 64, and use the 64's 64K RAM without disturbing the Pet's 8K RAM. What would I have to do?

Anon,  
Hendon, London NW4.

**A** What you describe is possible — just — but it's hardly worth the effort except as an interesting exercise.

The answer to all of the questions is to connect the two machines either via an RS232 or IEEE interface. The problem here is that although you could use the Pet's screen, the time lapse would make the system unworkable. The same problem goes for using the 64's RAM.

You could use the 64 to hold programs or data but you'd then have to download it to the Pet before the Pet could use it. Even then you'd be limited to 8K at a time because the Pet won't hold any more.

The simplest solution to the Basic issue is to buy one of the numerous Basic extension packages for the 64.

## Adding colour to my Melbourne Draw

**Q** Could you please help me with a few problems? Despite a letter to Melbourne House, I still can't find out how to add a new colour to my Melbourne Draw screens — I always have to change everything.

I also can't write a successful loader that enables me to write a SCREENS and a main program together. No matter what I try, the same thing always happens. The SCREENS loads OK, but as the main program starts to load the SCREENS will scroll up two lines, even if I don't use the bottom two lines.

K Norton,  
Stavely, Chesterfield

**A** The Melbourne Draw problem is relatively easy to solve. The program is designed to change colours in accordance with the way the Spectrum's screen is designed, so it changes INK and PAPER colours one character position at a time.

All you have to do is switch to the mode for setting attributes

and change the INK and PAPER colours to the ones of your choice. Passing the cursor over a character position will then set the colours you've specified. Obviously, if you don't want to change the attributes of a character position then you switch to skip mode, and if you want a different set of INK and PAPER colours you just change them.

Your SCREENS problem stems from the fact that the Spectrum will refer to the last print position used when it's going to print something new. So all you have to do is arrange for the last print position to be somewhere convenient:

```
10 LOAD" " SCREENS
13 INK A
15 PRINT AT X,Y;
20 LOAD" " CODE
```

In this example you have to select a blank area of your screen, set INK A in 13 to the PAPER colour of this area, then assign x and y so it prints here. Your program name will appear, but you won't see it because of the colour the INK is set to. If you're using Melbourne Draw it would be useful to use the screen grid to work out the coordinates of x and y before you save it.

## Printing pictures on the Commodore

**Q** I purchased a Commodore SX 64 computer and a Shinwa CP80 printer. I would like to draw pictures on the screen of my Commodore and then reproduce them on the printer.

Unfortunately, I have no idea of how to produce pictures, or how to dump them out.

Is there an easy way that I can do it without having to resort to poking the diagrams onto the screen?

WH Lovelock,  
Bangor

**A** You are in luck, having purchased a printer that is compatible with an Epson. There are a number of utilities that will allow you to dump out the contents of a screen on to a printer of this type. One such listing was published in PCN (issue 79). All that is required is for you to get the diagrams onto the screen. The simplest way to do this is by means of a drawing package. You may find that using a light pen will make it even easier.

Quite a number of such pro-

ducts have been reviewed by PCN in the past and we are currently looking at a light pen and software from Stack (051-933 5511) which includes the software to drive an Epson printer.

Unfortunately this is supplied on cassette and the SX64 has no cassette port, but Stack may be able to help you.

## Attaching disk drives to the Electron

**Q** I wish to know if an Electron Plus 1 interface can handle disk drives and if not, are there any interfaces that can?

James McCallum,  
Balmoak, Glasgow

**A** No... the Plus 1 interface cannot, unfortunately, handle disk drives. To attach disk drives to your Electron, you will need to get in touch with Pace or Acorn.

Both companies are expecting their efforts to be available in the next couple of months. The Acorn version will, most probably, be Sony 3.5in drives with a similar operating system to the BBC. The Pace alternative will be a little more standard with 5.25in disks, it is expected.

Both plug into the system port at the back and both should be capable of allowing other gadgets to be stuck onto the back.

## Accessing Prestel with modems

**Q** Could you please give details of modems and adaptors for accessing Prestel from a BBC B? I know about the Acorn adaptor, but how do others compare?

Also, how can I use the teletext service? At home we have a teletext TV, but when I look at page 700 on Ceefax, the software looks very strange, although certain words are recognisable.

Daniel Margolin,  
Salisbury, Wilts.

**A** There are a number of modems that can connect directly with the BBC micro. Indeed, any modem with an RS232c interface can, with an appropriate connecting lead, plug straight in to the RS432 port on the Beeb.

As usual, you pay your money and takes your choice. Let's examine the options.

The Acorn Prestel Adaptor is a little overpriced at £113.85 (see Issue 71), but viewdata software, connecting lead and an auto-dial capability is included in the price.

On the minus side, there is no 1200/1200 half duplex capability — or the requisite software — for user-to-user communication. Nor is there a 300/300 full duplex rate for communication with many of the hobbyist bulletin boards. Finally, there is no auto-answer facility (useful if you want to leave your micro on line so that friends can ring up while you are out of the house.)

A modem that can offer all these facilities is the Miracle Technology (0473-50304) WS2000 World Modem. The basic modem costs £129.95 and offers all the baud rates mentioned above, together with 75/1200 (reverse viewdata).

The catch is that the connecting lead will cost you £10.35 and ROM-based viewdata software from £22.94 upwards.

In addition, auto-dial and auto-answer facilities each cost £34.50 extra and have yet to obtain official BABT approval (but this won't be long coming).

At the cheaper end of the scale is the Protek (0506-415353) modem. It costs £59.95 plus £14.95 for the viewdata and user-to-user software. Its disadvantage is that it's acoustically coupled (you plug your telephone handset into the rubber cups provided rather than plug it directly into the telephone line) and is therefore more likely to pick up faulty transmission from background noise. There is no ability to add auto-dial/auto-answer capabilities.

In the middle range is the BBC comms pack from Prism (01-253 2277). Costing £89.95, you get a 1200/75 modem, connecting lead and software on ROM. It can also be used at 1200/1200 for user-to-user communication.

Regarding teletext software on Ceefax, you will need to buy a completely different interface which is known as the Acorn Teletext Adaptor and costs an arm and a leg. For all the free software on Ceefax it's not really worth wasting your money on it.





**Tips from readers to make programming easier or open up new avenues of possibility. A new look to PCN's pages means a new look to the payments too. Now £10 for every hint in print, and a hefty £50 for the *Microwave of the Month*. Send your hot tips to *Microwaves*, PCN, Evelyn House, 62 Oxford Street, London W1A 2HG.**

## Centre your text on the 64

Here's a machine code routine to produce a command for the Commodore 64 which locates itself at the top of memory, \$C000 in hex or 49152 in decimal. The program replaces the LET command with the new command CEN (This is done by using a system wedge).

CEN "The text to be centred" places the text in the centre of the screen. It centres text up to 38 characters long. The command can also be used with strings as can be seen with the

following example:  
10 A\$="COMMODORE 64"  
20 CEN A\$  
30 END

The following is a short version of the listing in Basic.

```
10 A$="COMMODORE 64"
20 S=INT(40-LEN(A$))/2
30 FOR I=1 TO S
40 PRINT CHR$(32);
50 NEXT I
60 PRINT A$
70 END
```

The routine should prove useful in tidying up many of your programs.

Steven Jonas,  
Thorpe Bay, Essex.

```
10 REM          CENTRE COMMAND
15 REM          FOR THE COMMODORE 64
20 REM          COPYRIGHT 1984 BY S.JONAS
25 REM          TO USE TYPE CEN "TEXT HERE"
30 REM
35 T=0:FOR I=0 TO 169
40 READ A:POKE 49152+I,A
45 T=T+A:NEXT
50 IFT<>24554 THEN PRINT "CHECK SUM ERROR":END
55 PRINT "    CENTRE COMMAND    [C]1984 BY S.JONAS"
60 PRINT "TO USE TYPE CEN "CHR$(34)"TEXT HERE"CHR$(34)
70 SYS 49152:PRINT "CENTRE OK.":END
100 DATA 169,0,133,251,169,160,133,252
110 DATA 160,0,177,251,145,251,200,208
120 DATA 249,230,252,165,252,201,192
130 DATA 208,239,169,38,141,2,3,169
140 DATA 192,141,3,3,76,116,164,169
150 DATA 67,141,190,160,169,69,141,191
160 DATA 160,169,206,141,192,160,169,69
170 DATA 141,28,160,169,192,141,29,160
180 DATA 169,54,133,1,76,131,164,72,162
190 DATA 0,169,0,157,176,192,232,208
200 DATA 248,32,158,173,32,163,182,165
210 DATA 13,208,3,76,8,175,164,25,192
220 DATA 39,176,247,160,0,162,0,177,26
230 DATA 157,176,192,232,200,196,25,144
240 DATA 245,132,251,132,252,169,40,56
250 DATA 229,251,133,251,74,133,251,168
260 DATA 169,32,153,0,193,136,16,248
270 DATA 164,251,162,0,189,176,192,153
280 DATA 0,193,200,232,228,252,208,244
290 DATA 162,0,189,0,193,32,210,255
300 DATA 232,201,0,208,245,104,96,0
```

## MTX assembler code and the VDP

The machine code program below helps to demonstrate how to write to the VDP (Video Display Processor) from the resident assembler in the Memotech MTX series.

This program fills the screen with the character display, and the code is relocatable using the OUT (2) instruction to access the 14-bit auto-incrementing address register.

D England  
Swindon,  
Wilts.

```
LD B,90
LD H,90
LD A,0
OUT (2),A
LD A,28
OUT (2),A
LOOP1:LD A,32
LOOP2:OUT (1),A
INC A
DEC H
JR NZ LOOP2
LD H,90
DJNZ LOOP1
LOOP3:JR LOOP3
```

Load first counter  
Load second counter  
LSB of screen address  
Send it to VDP  
MSB of screen address  
Send it to VDP  
ASCII code for space  
Send it to VRAM  
Increment ASCII code by 1  
Decrement second counter  
If H=0 then run loop2  
Load second counter again  
If B=0 then run loop1  
Preserve screen display

## Clocking on to the Sinclair QL

The QL procedure below is useful as it adds a line 1 containing the date and time to the current program in memory. Of course, the clock in the QL should first have been set with the SDATE command.

When developing programs I tend to use three different cartridges in rotation and save the program with a procedure such as:

```
32100 DEFINE PROCEDURE sprog
32110 DELETE mdv1 _progrname
      _bas
32120 SAVE mdv1 _progrname
      _bas
32120 END DEFINE PROCEDURE
The save sequence is then:
datestamp (ENTER)
sprog (ENTER)
```

It is easy, at a later date, to find the latest version by examining the first line of each program.

Peter Edwards,  
Headington Quarry, Oxford.

```
1 REMark 1984 Sep 13 19:22:46
32000 DEFINE PROCEDURE datestamp .
32010 OPEN_NEW#15,mdv1_datestamp_temp
32020 PRINT#15,"1 REMark"!DATE$
32030 CLOSE#15: CLEAR
32040 MERGE mdv1_datestamp_temp
32050 DELETE mdv1_datestamp_temp
32060 END DEFINE datestamp
```

## Comparing files on your Beeb

The BBC's DFS contains a number of useful commands for examining the files on disk. Perhaps the most useful is \*DUMP <fsp>.

In Mode 0 and (3) this produces a 40-column dump of the file and uses only one half of the screen. Using the windowing facilities of the Beeb, it is possible to display portions of two files at the same time, thereby allowing them to be compared.

On running the program, you will be asked for two file names, one for the left and one for the right. After entering these, the first one will be displayed down the left-hand side of the screen.

To pause the listing, simply press the space bar. To obtain the second listing, press escape and again use the space bar to pause the listing.

The pause routine, assembled with PROCASSEM is a general purpose pause, switched on with \*FX14,4 and off with \*FX13,4. It could be used in other

```
10 ON ERROR GOTO 70
20 MODE 0
25 PROCASSEM
30 INPUT "FILE LEFT"
" L#
40 INPUT "FILE RIGHT"
" R#
50 VDU 30
55 *FX 14,4
60 OSCLI ("DUMP "+L#)
70 VDU 28,40,31,79,0
75 ON ERROR OFF
80 OSCLI ("DUMP "+R#)
90 VDU 26
100 END
1000DEFPROCASSEM
1010FOR T=0 TO 2 STEP 2
1020PX=&A00
1030EOPT T
1040PHP:PHA:TXA:PHA:TYA
:PHA
1050.STRT LDA £81
1060LDX £256-99
1065LDY £256-99
1070JSR &FFF4
1090CPX £255
1100BEQ STRT
1120.FIN
1130PLA: TAY: PLA: TAX: PLP
:PLA
1140RTS
1150J
1160NEXT
1170?&220=0
1180?&221=&0A
1190ENDPROC
```

circumstances such as listing programs.

Kenn Garroch,  
Peripherals Editor.

## Commodore 64 double helpings

I have found a way of doubling the amount of storage space on almost all of my 5¼in floppies for use with my CBM 64.

All you need do is reproduce the write protect notch on the left-hand side of the disk, so

there's a notch on both sides, then insert the disk upside down into your 1541 and format it. This may in some cases need to be done twice but I have been able to do this to all but a few of my disks. So now you have double-sided disks for half the cost.

Chris Moody,  
BFPO 43, W Germany.



# ATARI XL

## THE NEW ATARI 64K 800XL £169

### EVERYTHING YOU WANT FROM A HOME COMPUTER

**1. ATARI 64K 800XL - £169:** The Atari 800XL has many facilities and includes such advanced specifications that you will be amazed by its performance. At the new retail price of only £169 for a full specification 64K computer with a proper full stroke keyboard, we believe that the 800XL cannot be beaten. Just look at the following specifications:-

**COLOUR CAPABILITIES:** 16 colours and 16 intensities giving 256 different colours (all of the 256 colours can be displayed at the same time).

**OPERATING SYSTEM:** 24K ROM including Atari Basic programming language and a self diagnostic test program.

**KEYBOARD:** Full stroke design with 62 keys including help key and 4 special function keys, international character set and 29 graphics keys.

**SOUND:** 4 independent sound synthesizers each capable of producing music across a 3½ octave range or a wide variety of special sound effects. (Additional programming can achieve an octave range of up to nine octaves!)

**DISPLAY:** 11 graphic modes and 5 text modes. Up to 320x192 resolution. Maximum text display 24 lines by 40 columns.

**SPECIAL ATARI INTEGRATED CIRCUITS:** GTIA for graphics display. Pokey for sound and controller ports. Antic for screen control and I/O (Input/Output).

**CPU:** 6502C microprocessor - 0.50 microsecond cycle and a clock speed of 1.79 Mhz.

**EXTENDED GRAPHICS FUNCTIONS:** High resolution graphics. Multi-coloured character set. Software screen switching. Multiple redefined character sets. Player missile (sprite) graphics. Fine screen scrolling. Changeable colour registers. Smooth character movement. Simple colour animation facilities.

**PROGRAMMING FEATURES:** Built in Atari Basic programming language supporting peek, poke and USR plus at least 8 other languages available. The help key will provide additional information and menu screens with certain software. Full on-screen editing is available as well as syntax checking on entry.

**INPUT/OUTPUT:** External processor bus for expansion with memory and peripherals. Composite video monitor output. Peripheral port for direct connection to Atari standard peripherals. Software cartridge slot is included as well as 2 joystick controller ports.

**SOFTWARE:** Over 1,500 items of software are available including self teaching programs with unique voice over. The range of programs includes Education, Home Management & Programming aids. There is also APX (Atari Program Exchange) and of course Atari's famous entertainment software now at only £9.95. In addition there is a host of support and help available from specialist Atari magazines like Antic and Analog and from over 75 Atari books/manuals.

**2. ATARI 800 48K COMPUTER - £69:** We have a limited number of the Mk1 model 800 computer with 48K. The price is £69 (as a games machine) or £99 with the Basic Programmer Kit (Basic cartridge & 2 manuals). Both come with a full 12 months guarantee.

**3. ATARI 1010 PROGRAM RECORDER - £34:** For low cost storage and retrieval capability. Data transmission 600 baud. Storage capability 100K bytes on a sixty minute cassette. Track configuration four track, two channels (digital and audio). Auto record/playback/pause control/unique soundthrough facility. Also included is built in accidental erasure prevention and automatic shutoff after each program as well as a 3 digit tape counter.

**4. ATARI 1050 DUAL DENSITY DISK DRIVE - £199:** 5¼" disks holding 127K randomly accessible bytes provide both expansion and flexibility for your 400/800 or XL system with new 'helpful' DOS 3. All customers who purchase a Disk Drive from Silica Shop will be automatically given a FREE set of 100 programs on 3 Disks recorded on both sides.

**5. ATARI 1020 COLOUR PRINTER - £99:** Printer and Plotter with four colour graphic print capability. 40 column width printing at 10 characters per second. Can print 5, 10 and 20 characters per inch. 64 character sizes. Prints text in 4 directions. Choice of line types.

**6. ATARI 1027 LETTER QUALITY PRINTER - £249:** For word processing letters in professional type. Print speed of 20 chars per second. control/unique soundthrough facility. Also included is built in accidental erasure prevention and automatic shutoff after each program as well as a 3 digit tape counter.

**7. ATARI TOUCH TABLET - £49:** Enables you to draw and paint pictures on your T.V. screen, with the touch of a stylus.

**8. ATARI TRAK BALL CONTROLLER - £19.95:** Enables cursor movement in any direction and adds arcade realism to your games.

**9. ATARI SUPER CONTROLLER - £14.95:** The ultimate joystick with double fire button to give you a greater competitive edge in your games.

### SILICA SHOP ARE THE No1 ATARI SPECIALIST

Silica Shop are now firmly established as the No 1 Atari retail/mail order and wholesale specialist in the U.K. We already offer our service to over 120,000 customers, 10,000 of whom have purchased Atari Home Computers. Because we specialise (and with a turnover of £1.5 million), we are able to keep prices low by bulk purchases. Ring one of our 45 staff and we will be glad to be of service to you. Complete the coupon below and we will send you our Atari pack with price list and colour catalogue.

**EXTENDED TWO YEAR GUARANTEE:** We are an Atari Service Centre, able to service and repair Atari equipment and have added a 12 month guarantee to the year offered by Atari, giving you a full 2 year guarantee on your computer if you buy it from us.

**SPECIALIST SUPPORT:** Our technical staff are always available on the telephone to help and advise you. We endeavour to hold stocks of every Atari compatible item available in the U.K. and we stock over 75 Atari books and manuals.

**AFTER SALES SERVICE:** Your name will automatically be added to our mailing list and you will receive price lists, newsletters and details of new releases and developments as well as special offers which are exclusive to Silica Atari Computer Owners.

**LOW PRICES:** Our prices are extremely competitive and we will normally match any lower price offered by our competitors.

**FREE COMPUTER OWNERS CLUB:** This is open to all Atari computer owners irrespective of where you purchased your equipment. Membership is FREE and entitles you to receive bulletins giving details of new releases and developments. Send now for your FREE information pack, price list & colour catalogue.

**PAYMENT:** We accept cash, cheques, postal orders and all Credit Cards. We also offer credit facilities over 1, 2 or 3 years, please write for a written quotation.

**NEXT DAY DELIVERY - FREE:** All goods despatched from Silica Shop are normally sent by first class post or parcel post FREE OF CHARGE. As a special introductory offer for a limited period only we will be sending all Computers and Disk Drives by a next day delivery service at our expense.

So fill in the coupon below with a literature enquiry or order and begin to experience a specialist Atari service that is second to none.

**SILICA SHOP LTD, 1-4 The Mews, Hatherley Road, Sidcup, Kent, DA14 4DX Tel: 01-309 1111**  
**ORDER NOW-OR SEND FOR A FREE COLOUR BROCHURE**

To: SILICA SHOP LTD, Dept WMI 1184, 1-4 The Mews, Hatherley Road,  
 Sidcup, Kent, DA14 4DX Telephone: 01-309 1111

#### LITERATURE REQUEST:

☐ Please send me your FREE colour brochures and 16 page price list on Atari Computers.

☐ I own a ..... Videogame ☐ I own a ..... Computer

Mr/Mrs/Ms: ..... Initials: ..... Surname: .....

Address: .....

Postcode: .....

#### ORDER REQUEST:

Please send me:

☐ 800XL 64K Computer ..... £169  
☐ 800 48K Computer ..... £69  
☐ 1010 Program Recorder ..... £34  
☐ 1050 127K Disk Drive ..... £199

☐ 1020 4 Colour Printer ..... £99  
☐ Letter Quality Printer ..... £249  
☐ Touch Tablet + Cartridge ..... £49  
☐ Trak Ball ..... £19.95  
☐ Super Controller ..... £14.95

☐ I enclose Cheque/P.O. payable to Silica Shop Limited for the following amount £.....

☐ CREDIT CARD - Please debit my Access/Barclaycard/Visa/American Express/Diners Club

Card Number ..... P.C.W. 11.84








UTPUT: BBC

# GRAPHIC ROUTINE

Plotting graphics on the BBC can be a time consuming process. In this excerpt from the PCN/Pan book *Invaluable Utilities for the BBC Micro*, Jeff Aughton explains how you can create graphics where they are most at home — on the screen.



It is generally agreed that the BBC computer offers excellent graphics facilities, although they can sometimes be difficult to use. Essentially, all of the graphics commands are (or can be) VDU commands and a sequence of VDU codes may be used to draw any shape, however complex. This looks great in listings, but it can be difficult to read and — more important, from our point of view — tedious to write.

Suppose you want to draw a red rectangle, of some size, halfway down the right-hand side of the screen — what should you do? What often happens, mostly due to a lack of planning, is a time-consuming process of trial and error. Rather than get out the squared paper and the eight times tables it seems easier to draw any old rectangle, check it, draw it again (bit closer that time), and again ... by the third or fourth attempt, the result may be passable. Even if the figure is designed carefully beforehand, it is often necessary to see a shape on the screen to know if it is correct, however it looks on paper. Again, not everyone is expert on such things as 'relative plotting', 'colour masks', 'fill with logical inverse colour', and some means of experimenting with these new ideas should be welcome.

This routine is halfway between being a utility and a fun program (by definition, utilities are not fun). It is a greatly

extended version of the 'etch-a-sketch' type of program that allows you to draw on the screen using simple controls. In this routine we include a number of useful (and some quite advanced) plotting techniques and a status line that tells you what you are doing at any time. In the example of the red rectangle quoted earlier, you would draw the shape using the routine's drawing facilities and then read off the GCOLS and coordinates that defined the shape. When you have finished the screen you would then be able to save it using the screen save utility given elsewhere in this section, print it out, or simply stand back and admire it.

Having chosen a mode, the top line of the screen is reserved as a status line containing useful information, while the rest is defined as graphics window where you can play around to your heart's content. The basic actions consist of moving the cursor (a small dot) and selecting various options by pressing the function keys. Some of the facilities provided on the function keys are essential, while others are really a matter of personal choice. Those we have provided vary from the necessary 'join two points' to the frivolous 'Moiré mode'. All ten function keys are used.

Unless you are using this to doodle (yes, it's great for messing about on too!) you may need to refer to the status line to

see what is going on. This line consists of seven fields and looks like this:

808 66 F 1 3 3 M

Notice that this is only given as an example. The significance of each field (starting with the one on the left) is as follows:

- Cursor horizontal position. This is the horizontal displacement of the dot-cursor from the left hand edge of the screen. Its range is 0-1278.
- Cursor vertical position. This is the vertical displacement of the dot-cursor from the bottom edge of the screen. Its range is 0-982 (slightly less than the maximum 1023 as the top line of the screen is reserved). Each of these co-ordinates is measured in suitable units for subsequent PLOT and DRAW commands.
- Cursor speed. F stands for 'fast' and S stands for 'slow'. The S position is very useful for fine movement and high definition, while F is handy for zooming around the screen quickly.
- Number of fixed points. You are allowed to 'fix' up to two points and this displays the number fixed at any time.
- GCOL mode. The foreground colour (which is used for all your drawing) is indicated by the colour of this character, while the number indicates which GCOL effect is being used. For foreground plotting, the official range is 0 to 4 — see description in the user guide.



● **Palette change.** This field is used during a palette change to indicate the 'from' and 'to' colours. At any time it shows the result of the latest palette change.

● **Moiré mode.** An M in this field indicates that the plotting is being done in a special way, loosely related to moiré patterns. Otherwise the field will be blank.

### Features available

The program is in Basic and can be run. It is short enough to be able to operate on a disc machine and in all modes, so it should run on any (32K) system.

Once you have selected the mode, the function keys come into effect and we shall look at those shortly. The only non-function keys that are relevant are the cursor keys, Q and DELETE. The cursor keys are used to move the cursor around – the movement features full wrap-around and auto-repeat. DELETE will delete the last fixed point if there was one, otherwise it will do nothing. This is necessary as certain functions set their own fixed points which you may not require. Finally, Q is used to quit the program, and to reset the cursor and function keys to their normal modes of operation.

You can press a function key at (almost) any time to select an effect as follows:

**f0: Speed select.** This key toggles the speed setting between F and S.

**f1: Fix point.** If you have not used both fixed points, this will fix one for you. The point is left behind when you move the cursor away and will appear in the current foreground colour.

**f2: Join.** Joins the previous fixed point to the current cursor position with a straight line. Notice that, if there are two fixed points when you do the join, the first will be lost and the current cursor position is inserted at the top of the list of

fixed points.

This means that you can move around and 'join' to create a polygon without having to specifically save any of the vertices – that is done for you. If you do not want to remember the last point joined as a fixed point, use DELETE to get rid of it.

**f3: Triangle.** Draws a (filled) triangle using the last two fixed points and the current cursor position as vertices. This implies, of course, that you must have two points already fixed before you can draw the triangle. If not, the request is ignored. The current cursor position is saved as the latest fixed point and the one saved before that will also be remembered. Consequently, after a 'triangle' command, there will still be two fixed points (as there were before), but they will be the last two points visited. This scheme makes it easy to draw rectangles and other shapes composed of triangles because it has a chaining effect analogous to that of the 'join' command.

**f4: Circle.** Draws a (filled) circle centred at the latest fixed point so that the current position lies on the circumference. The centre is held as the last fixed point so that a series of concentric circles is easily drawn. If there are no fixed points the request is ignored.

**f5: Moiré.** Selects moiré mode – the key acts as a toggle between moiré on and off. As the cursor moves, straight lines are continually drawn to the last fixed point. Because of the relatively low resolution, even in MODE 0, the slight imperfections in the lines give the appearance of a moiré pattern. Strictly speaking, a moiré pattern consists of two almost identical patterns overlayed to give 'interference' effects, but the results in this mode are very similar.

An example of the display in this mode is reproduced below. In this diagram, the frame around the graphics area was


drawn using 'join'; normally, no such boundary is used unless you draw one yourself.

**f6: Text.** Allows you to type in text to label diagrams and plans. The cursor position will be the top left hand corner of the first text character and the colour of the print is the same as the current foreground colour. To exit from this mode, press <return>. Notice that DELETE does not work in this mode, neither can you erase letters by overwriting them, as the printing is done using VDU 5, which means that characters will overlay others rather than wipe them out. This is actually a rather useful feature as it enables you to produce different styles of lettering.


**f7: Change colour.** The current GCOL colour can be changed by holding down either the 'cursor up' or 'cursor down' key to step through the available colours. To indicate that you are in this mode, field 5 is replaced by a solid block whose colour indicates the colour you will select by pressing <return>. All subsequent plots will use this colour. When <return> is pressed, the colour is retained, but the field is replaced by the current GCOL mode number.

**f8: Change GCOL.** The cursor up/down keys will step the GCOL mode through the values 0-4. Leave this mode by pressing <return>. Initially this field is set to 0 which means that all plotting will be done in the colour specified, i.e. white.

**f9: Palette.** In modes other than 2, you might like a rest from the rather drab colour scheme, and use of this key enables you to change the palette, thereby introducing new colours. Field 6 will display a logical colour number in the range 0- (maximum number of colours for that mode less 1); step through the range using cursor up/down and press <return> when you reach the logical colour number you wish to amend. 'Cursor up' will now step that






 The IBM logo, consisting of eight horizontal stripes of alternating blue and white, with the letters "IBM" in a bold, sans-serif font to the right.



Write to us for a quotation for the software, the interface and the latest high performance Japanese Dot Matrix Printer — you will find our prices very competitive.

★ ★

[illegible]

★ ★ ★ ★ **UTILITIES** £9.95 ★ ★ ★ ★

TM  
sinclair ZX MICRODRIVE COMPATIBLE

Until stocks reach **WHSMITH** and other retail outlets send cheque or telephone  details to 0753 889055.  
Replacement tapes only available from OCP direct.  
**OXFORD COMPUTER PUBLISHING LTD.**, 4 High Street Chalfont St. Peter, Bucks. SL9 9QB. 



SOFTWARE ★ ★ ★ ★ SIMPLY THE BEST





colour (the logical colour number will change colour) through the full range of colours. Press <return> when you find the one you want.

This sounds very complicated but in practice it is easy to use. For example, if we were in MODE 1, colour 2 would normally appear yellow. To change this to say, magenta, we would select the 'palette' facility and hold down a cursor key until field 6 showed the number '2'. Now press <return>. Holding down 'cursor up' will swap colour 2 for the full paint-box of colours – stop when it turns magenta and press <return>. Notice that anything that appears in yellow will change colour in sympathy with the swapping colours.

These facilities provide a good range of material both for the experimenter and the working programmer. Recently, I have used this routine to design a backgammon board and the task was greatly simplified by the ability to change palettes and to read off the X and Y co-ordinates of key points once the board began to take shape.

On the other hand, it can provide some interesting information about the effects of different GCOL setting and colour changes.

The routine can easily be amended to accommodate other graphic effects, depending on your own requirements.

## How it works

Once the initialisation has been completed, the program enters a large loop (lines 210-380) which checks for any valid key being pressed. Action is taken depending on the key found and, with the exception of Q (quit program) this causes a PROCEDURE to be called to handle the processing of that request. On completing the PROCEDURE, control is returned to the loop.

## Procedures

The bulk of this program is made up of PROCEDURES – for a start, each key option has an associated PROCEDURE. These are:

| Key | PROCEDURE Name |
|-----|----------------|
| f0  | speed          |
| f1  | fix            |
| f2  | join           |
| f3  | tring          |
| f4  | circle         |
| f5  | moiré          |
| f6  | text           |
| f7  | colour         |
| f8  | gcol           |
| f9  | palette        |

The function of each of these PROCEDURES should be obvious – the set is completed by some less obvious ones:

PROCNEWCOL is called PROCCOLOUR to step the foreground colour through a range of values. The parameter indicates whether the step is up (+1) or down (-1).

Similarly, PROCNEWGCO performs the same service for procedure PROCGCOL.

Two such procedures are required by the palette-changing procedure; one to change the logical colour number and one to change the actual colour once the logical colour has been selected. These are denoted by PROCCHCOL and PROCV-DUCOL respectively.

If there are fixed points, pressing the Delete key will remove the latest one and calls PROCDEL to do so.

One very important routine is PROC-MOVE which is used to move the cursor, update the display and draw a new line if 'Moiré' mode is set; this procedure is called each time a cursor key is pressed. It takes two parameters, namely: amount of horizontal and amount of vertical movement in that order.

Last and not least, PROCBEEP does just what the name says.

## Extensions

The number of variations is basically limited to the number of functions you can squeeze out of your function keys. In this utility, the keys are programmed to generate ASCII codes from 200 upwards. To get more from them, you can reprogram the CTRL, SHIFT and CTRL/SHIFT versions of the key (using \*FX 225-228) and extend the program loop by including one or more of the relevant procedures.

As written, the routine falls neatly between 'useful' and 'enjoyable' – if you have more (or less) serious uses for it, then this will be reflected in the modifications you choose to include. For example, if you want to use the program for drafting out plans or mathematical figures a grid of squares would be useful for guidance. One key could be used to switch the grid in or out.

Another useful facility is sometimes known as 'rubber-banding' which means that as you move a line around, the previous copy of the line is deleted giving the illusion of a rubber band fixed at one point with the other being dragged around the screen under your control. This is an easy amendment, as the Moiré facility is itself a simplified version of this technique. To enable the Moiré mode to become a 'rubber-band' mode you will need the following additions to the routine:

```
1765IF moire% MOVE X%,Y%:
GOTO 1780
```

```
1795IF moire% GCOL 3,col%: DRAW
FX%(nf%),FY%(nf%)
```

The effect of this is to EOR the colour of the line you have just drawn with itself, producing black. (Probably – it depends very much on how the colours got onto the screen in the first place. Because this is not a 'pure' effect, and depends on other factors, it has been omitted from the original list of facilities.)

Unless you use a monitor for your display, you have some difficulty in reading MODE 0 screens. At present, the cursor is only the size of the smallest dot possible in the chosen mode and this will not be visible on a television set. One

worthwhile improvement would be to enlarge the cursor – perhaps to a 'crosshair sight' – so that it is easier to see. You might like to do this for yourself by amending lines 1770-1810.

We have already observed that any series of graphics commands can be thought of as a string of VDU statements. In many cases, the instructions that create a screen are far more compact than the screen itself and that set of

## Variables

Variables abound in this program – here is a list of the important ones, together with their meanings.

|         |   |
|---------|---|
| FX%(2)  | The X co-ordinates of the fixed points.   |
| FY%(2)  | The Y co-ordinates of the fixed points.   |
| mx%     | The width of the screen (constant = 1280).  |
| my%     | The height of the screen (constant = 984).  |
| X%      | The current X co-ordinate of the cursor.  |
| Y%      | The current Y co-ordinate of the cursor.  |
| D%      | Displacement of each step in a move. For 'slow' D%=2 and for 'fast' D%=16.  |
| nf%     | The number of fixed points at any time.   |
| gcol%   | The current GCOL mode in the range 0-4.   |
| col%    | The current foreground (plotting) colour.   |
| was%    | The colour of the point 'underneath' the cursor.  |
| fix%    | Set to 1 to indicate that the point beneath the cursor is to be replotted, instead of being blanked out. Otherwise fix % is set to 0.                       |
| white % | The number that represents white in the current mode. With one exception (what is it?), this is one less than the number of colours available in that mode. |

In addition, quite a few 'local' variables are used within PROCEDURES (but not across the program) as temporary storage. The use of these variables is reasonably obvious when you look at how they are used. One variable may serve several functions in the different sections in which it appears, but because of the way it is used, this will not cause any problems.

Instructions is nothing more than a list of VDU codes. This suggests the interesting possibility of remembering significant codes (ones that contribute to the form of the screen, rather than those associated with your wandering around it) and saving them for future use.

As an example, the four bytes:

12,17,1,65

are easily remembered and, when preceded by VDU, they will clear a MODE 2





(say) screen and print a red letter A in the top corner. This may not seem very interesting, but if you want to store that screen (in the normal way with \*SAVE), it will cost you 20,480 bytes! The four single byte codes, together with a small overhead to do the vduing are definitely a better bet. Even fairly complicated screens can be broken down into a shortish list of vdu codes which could be stored and then 'drawn' back onto the screen using vdu commands (or OSWRCH if you are writing in Assembler).

To implement this feature in the utility will require some care. Basically, an area must be set aside to hold the data and important vdu codes (such as those from PLOT or GCOL commands) should be stored there as they are executed. When the screen is complete, saving the table of data is tantamount to saving the instructions for drawing the screen and

those instructions can be implemented by a one-liner as simple as this:

```
MODE 2:X=OPENIN("data");
REPEAT VDU BGET#X:UNTIL
EOF#X
```

This interesting technique would allow many 'screens' to be stored in a much smaller space than would normally be occupied by just one normal high-resolution screen. Furthermore, for certain types of screen, it would be much faster to 'draw' than it would be to \*LOAD it from tape (but probably not disc); and so, for once, we gain on the roundabouts and the swings.

Although this feature is not included in our utility, the program was written with the idea in mind and the amendments should not be too difficult. The best approach would be to take one function at a time and to include in its PROCEDURE the correct instructions for

generating the appropriate vdu codes. Calling a new PROCEDURE would execute that list of codes (thereby updating the screen) and also store them in the table. Before you quit the program, \*SAVE the table to tape or disc.

If you go through with this modification you will need one further PROCEDURE to read the data back into the program, ready for further processing. We have already seen that this is a fairly simple job.

Alternatively, the code could be merged into an entirely different program, for example a game. This could then create the screen from a small amount of data held either within the program (as DATA) or on file outside it. If you decided on the latter approach, then the data would be available to any program that cared to use it, provided it contained the 'drawing' procedure. ▀

## Program listing

```
10 REM GRAPHICS AID
20 REPEAT
30 INPUT "MODE (0,1,2,4,5) "MX
40 acX=VALMID("020416008204",2*MX+1,
2)
50 UNTIL acX>0
60 MODE MX
70 DIM FX(2),FY(2)
80 mx=120:my=984
90 @X=4:XX=0:YX=0:DZ=16:nfX=0
100 gcolX=0:wasX=0:fixX=0:moireX=0
110 whiteX=(acX-1) AND 7
120 colX=whiteX
130 VDU 23,1,0;0;0;0;
140 VDU 24,0;0;0;mx-1;myX-1;
150 VDU 23,224,-1,-1,-1,-1,-1,-1,-1,-1
160 PRINT " 0 0 F 0 0"
170 GCOL 0,7:PLOT 69,0,0
180 *FX 4,1
190 *FX 225,200
200
210 REPEAT
220 FX=INKEY(0)
230 IF FX=200 PROCspeed
240 IF FX=201 AND nfX<2 PROCfix
250 IF FX=202 AND nfX>0 PROCjoin
260 IF FX=203 AND nfX>1 PROCtring
270 IF FX=204 AND nfX>0 PROCcircle
280 IF FX=205 PROCmoire
290 IF FX=206 PROCtext
300 IF FX=207 PROCcolour
310 IF FX=208 PROCgcol
320 IF FX=209 PROCpalette
330 IF FX=127 AND nfX>0 PROCdel
340 IF FX=136 PROCmove(-DX,0)
350 IF FX=137 PROCmove(+DX,0)
360 IF FX=138 PROCmove(0,-DX)
370 IF FX=139 PROCmove(0,+DX)
380 UNTIL FX=0
390 *FX 4,0
400 *FX 225,1
410 END
420
430 DEFPROCspeed
440 PROCbeep(6)
450 DX=10-DX
460 IF DX=2 AS="S" ELSE AS="F"
470 PRINT TAB(10,0)AS
480 ENDPROC
490
500 DEFPROCfix
510 PROCbeep(7)
520 @X=1:fixX=1
530 nfX=nfX+1
540 FXX(nfX)=XX:FYX(nfX)=YX
550 PRINT TAB(12,0)nfX
560 ENDPROC
570
580 DEFPROCjoin
590 PROCbeep(8)
600 GCOL gcolX,colX
610 DRAW FXX(nfX),FYX(nfX)
620 FXX(nfX)=XX:FYX(nfX)=YX
630 ENDPROC
640
650 DEFPROCtring
660 PROCbeep(9)
670 MOVE FXX(1),FYX(1)
680 MOVE FXX(2),FYX(2)
690 GCOL gcolX,colX
700 PLOT 85,XX,YX
710 FXX(1)=FXX(2):FYX(1)=FYX(2)
720 FXX(2)=XX:FYX(2)=YX
730 ENDPROC
740
750 DEFPROCcircle
760 PROCbeep(10)
770 R=SQR((FXX(nfX)-XX)^2+(FYX(nfX)-YX)^2)
780 VDU 29,FXX(nfX);FYX(nfX);
790 S=PI/36:MOVE R,0
800 GCOL gcolX,colX
810 FOR P=S TO 2*PI STEP S
820 MOVE 0,0
830 PLOT 85,R*COSP,R*SINP
840 NEXT
850 VDU 29,0;0;
860 ENDPROC
870
880 DEFPROCmoire
890 PROCbeep(11)
900 moireX=1-moireX
910 IF moireX=1-moireX
920 PRINT TAB(19,0)AS
930 ENDPROC
940
950 DEFPROCtext
960 PROCbeep(12)
970 VDU 5
980 REPEAT
990 WX=GET
1000 IF WX>31 AND WX<127 VDU WX
1010 UNTIL WX=13
1020 VDU 4,23,1,0;0;0;0;
1030 ENDPROC
1040
1050 DEFPROCcolour
1060 PROCbeep(13)
1070 @X=1
1080 REPEAT
1090 FX=INKEY(0)
1100 IF FX=138 PROCnewcol(-1)
1110 IF FX=139 PROCnewcol(+1)
1120 UNTIL FX=13
1130 PRINT TAB(14,0)gcolX
1140 COLOUR whiteX
1150 ENDPROC
1160
1170 DEFPROCnewcol(dyX)
1180 SOUND 1,-9,240,1
1190 colX=(colX+dyX+acX) MOD acX
1200 COLOUR colX
1210 PRINT TAB(14,0)CHR#224
1220 ENDPROC
1230
1240 DEFPROCgcol
1250 PROCbeep(15)
1260 COLOUR colX
1270 REPEAT
1280 FX=INKEY(0)
1290 IF FX=138 PROCnewgcol(-1)
1300 IF FX=139 PROCnewgcol(+1)
1310 UNTIL FX=13
1320 COLOUR whiteX
1330 ENDPROC
1340
1350 DEFPROCnewgcol(dyX)
1360 gcolX=(gcolX+dyX+5) MOD 5
1370 @X=1:PRINT TAB(14,0)gcolX
1380 ENDPROC
1390
1400 DEFPROCpalette
1410 PROCbeep(16)
1420 @X=2:VX=0
1430 REPEAT
1440 FX=INKEY(0)
1450 IF FX=138 PROCchcol(-1)
1460 IF FX=139 PROCchcol(+1)
1470 UNTIL FX=13
1480 VDU 7
1490 REPEAT
1500 FX=INKEY(0)
1510 IF FX=139 PROCvducol
1520 UNTIL FX=13
1530 COLOUR whiteX
1540 ENDPROC
1550
1560 DEFPROCchcol(dyX)
1570 VX=(VX+dyX+acX) MOD acX
1580 PRINT TAB(16,0)VX
1590 ENDPROC
1600
1610 DEFPROCvducol
1620 WX=(WX+1) MOD 16
1630 VDU 19,VX,WX,0,0,0
1640 COLOUR VX:PRINT TAB(16,0)VX
1650 ENDPROC
1660
1670 DEFPROCdel
1680 PROCbeep(3)
1690 GCOL 0,0
1700 PLOT 69,FXX(nfX),FYX(nfX)
1710 nfX=nfX-1
1720 @X=1
1730 PRINT TAB(12,0)nfX
1740 ENDPROC
1750
1760 DEFPROCmove(dxX,dyX)
1770 IF fixX=0 GCOL 0,wasX:PLOT 69,XX,Y
X
1780 XX=(XX+dxX+acX) MOD acX
1790 YX=(YX+dyX+myX) MOD myX
1800 wasX=POINT(XX,YX)
1810 GCOL 0,colX:PLOT 70,XX,YX
1820 @X=4:fixX=0
1830 PRINT TAB(0,0)XX "YX
1840 GCOL gcolX,colX
1850 IF moireX DRAW FXX(nfX),FYX(nfX)
1860 ENDPROC
1870
1880 DEFPROCbeep(NX)
1890 SOUND 1,-9,12*NX,10
1900 ENDPROC
```



# Hey Prestel. A new dimension for the BBC Micro.

Add the new Prestel Adaptor to a BBC Micro and you can download all programs available on the Prestel service.

Which considering Prestel is fast becoming a major software source, is a very attractive proposition indeed.

You can, for example, connect it to the growing Micronet 800 database. This

also enables you to access Prestel information on any TV or monitor. And store the data so that it can be displayed or manipulated how and when you require it.

What's more, the Prestel Adaptor turns your BBC Micro into a terminal that can link with other dial-up computers with 1200/75 baud interface.

So you can, for example, have access to the British Telecom Gold electronic mail and telex service.

In fact, the enormous potential of our Prestel Adaptor, coupled with a surprisingly modest

price of £99 + VAT, make it a most exciting not to mention economical way to get more from your Micro.

The BBC Prestel Adaptor is currently only available via mail order.

You can order it on your credit card by ringing 01-200 0200 at any time, or 0933-79300 during office hours.

Alternatively, send off the coupon below.



gives you an extensive choice of educational and business programs. Other 'closed areas' for private company communications are also available.

And that's in addition to games that range from simple to sophisticated. Plus electronic shopping and banking facilities, and an extremely useful personal 'mailbox' service.

But that's only the beginning. The Adaptor



## Technical Specifications

For use with any BBC Micro 'B' with 1.2 MOS or later issue.

Prestel Language ROM supplied.

Dealer will install ROM together with MOS update if required in the BBC Micro.

Interfaces to any BT connection attached to 1200/75 baud dial up system (eg. Prestel, Micronet, Telecom Gold).

A BT socket outlet of the latest type will be required.

Connection via RS423 serial port.

Height 70mm. Width 210mm. Depth 350mm.

Colour: BBC Computer Cream.

Power in 240v, 50HZ, 15w.

Operating Temperature 10°-35°C.

To: BBC Microcomputers, c/o Vector Marketing, Denington Estate, Wellingborough, Northants NN8 2RL.  
Please send me \_\_\_\_\_ BBC Prestel Adaptor at £113.85 each, inc. VAT and delivery. I enclose PO/cheque payable to Readers A/C, Acorn Computers Ltd, or charge my credit card.

Card Number \_\_\_\_\_

Amex/Diners/Visa/Access (Delete)

Name \_\_\_\_\_

Address \_\_\_\_\_

Postcode \_\_\_\_\_

Signature \_\_\_\_\_

PCN 9  
Registered No. 140 3810 VAT No. 215 400220

## The BBC Microcomputer System.

Designed, produced and distributed by Acorn Computers Limited.





# SCREEN ANTICS

Are you using your Atari's graphics to their fullest? Richard Parkes explains how you can exploit their potential by using the display list controlled by your friendly Antic.

The Atari Computer is noted for the outstanding graphics facilities which it possesses. However, their full potential is, more often than not, unrealised.

This is often the case when it comes to the display list and its applications. For example, the Atari Basic Reference Manual sent out with the 400 and 800 computers lists only 9 out of the 15 graphics modes possible and does not explain how to mix modes.

First, it is necessary to know what the display list is. Inside the Atari computer there is a microchip called Antic which is used to control the graphics. The program that Antic runs is the display list. It governs which graphics mode(s) are to be displayed and any special instructions that are to be carried out.

To understand the display list it is best to consider the Atari's screen as a

number of horizontal lines, each as thick as a graphics mode 8 horizontal line. These are scan lines. Thus, a graphics 0 line is 8 scan lines high and a graphics 2 line is 16 scan lines. The display list just involves telling Antic which mode lines to display to build up a graphics screen.


There are two ways of utilising the features of display lists, either write one from scratch or customise an Operating System display list.

The first consideration when writing a display list from scratch is the number of scan lines; this should not be many more than 192 as this could cause the picture to roll. Less than 192 is all right, in fact it will increase the speed of the program as less time is spent on drawing the screen.

Figure 1 shows a typical display list. It has a graphics 2 heading, graphics 1 subheading, two graphics 0 lines, some graphics 8 lines and finally another

graphics 0 line. To separate the text some blank lines have been inserted, this is not necessary but can give a neater more easily read display.

Figure 2



Before writing the display list the number of scan lines must be worked out using Figure 1. The text at the top will use the following number of scan lines: 16 (for graphics 2) + 2 (blank lines) + 8 (for graphics 1) + 2 (blank lines) + 8 (graphics 0) + 2 (blank lines) + 8 (graphics 0) + 2 (blank lines) = 48. The text at the bottom of the screen uses 2 (blank lines) + 8 (graphics 0) = 10 scan lines. The text modes will, therefore, take up 48 + 10 = 58 scan lines, leaving 192 - 58 = 134 scan lines for graphics 8. It is now possible to start writing the display list.

**112** The vast majority of display lists start off with three blank 8 lines instructions, giving a total of 24 blank lines. This is to prevent overscan.

**71** This is more easily thought of as 64 + 7. The 7 means display Antic mode 7 (graphics 2) and the 64 is a load memory scan instruction, which tells Antic that the next two numbers are where the screen RAM starts.

**8** The address is stored low then high.

**40** So the screen RAM starts at  $40 * 256 + 8 = 10248$ .

**16** Leave two blank lines.

**6** Display Antic mode 6 (Basic mode 1).

**16** Leave two blank lines.

**2** Display Antic mode 2 (graphics 0).

**16** Two blank lines.

**22** Antic mode 2.

**16** Two blank lines.

Then for the graphics 8 part of the screen the next instructions should be 134 lots of 15, right? Wrong! A load memory scan instruction is needed when the screen RAM passes over a 4K boundary. Therefore, the number of bytes used so far needs to be calculated. This is 20 (for Antic 7) + 20 (for Antic 6)

Figure 1

| ANTIC | OS   | MODE | HORIZ. | SCANS    | BYTES    | NO. OF  |
|-------|------|------|--------|----------|----------|---------|
| MODE  | MODE | TYPE | ROWS   | PER LINE | PER LINE | COLOURS |
| 2     | 0    | TEXT | 40     | 8        | 40       | 2       |
| 3     | -    | TEXT | 40     | 10       | 40       | 2       |
| 4     | -    | TEXT | 40     | 8        | 40       | 5       |
| 5     | -    | TEXT | 40     | 16       | 40       | 5       |
| 6     | 1    | TEXT | 20     | 8        | 20       | 5       |
| 7     | 2    | TEXT | 20     | 16       | 20       | 5       |
| 8     | 3    | GR.  | 40     | 8        | 10       | 4       |
| 9     | 4    | GR.  | 80     | 4        | 10       | 2       |
| 10    | 5    | GR.  | 80     | 4        | 20       | 4       |
| 11    | 6    | GR.  | 160    | 2        | 20       | 2       |
| 12    | -    | GR.  | 160    | 1        | 20       | 2       |
| 13    | 7    | GR.  | 160    | 2        | 40       | 4       |
| 14    | -    | GR.  | 160    | 1        | 40       | 4       |
| 15    | 8    | GR.  | 320    | 1        | 40       | 2       |

To enable Display List Interrupt add 128 to instruction.

To enable Load memory scan add 64 to instruction.

To enable vertical scroll add 32 to instruction.

To enable horizontal scroll add 16 to instruction.

$(n - 1) * 16$  : Blank n scan lines, where  $0 \leq n < 8$

1 : Jump over 1K boundary.

65 : Jump to start of display list.



+ 2 \* 40 (for two lines of Antic 2) = 120 bytes. Note — no memory is used up when blank lines are displayed).

As screen RAM starts at 40 \* 256 + 8 = 10248, the first 4K boundary will be at 48 \* 56 = 12288 (ie on page 48, 1K is 4 pages, therefore, 4K boundary at page multiple of 16). As

Line 20 calculates where the display list starts by peeking locations 560 and 561. Lines 30 and 40 insert the different modes. It is important to remember when poking into the display list that the first 6 numbers are blank lines and load memory scan instructions. Care must be taken when PRINTING to the

of all changing the display list. From Figure 1, each mode line that requires fine vertical scrolling must have 32 added to its display list instruction. The number of scan lines to be scrolled up is then poked into location 54277. This should be a number between 0 and 7 for Antic modes 2, 4 and 6; a number

Figure 3

|   |   |   |   |                     |
|---|---|---|---|---------------------|
| 0 | 1 | 2 | 3 | - 00 01 10 11 = 27  |
| 1 | 0 | 1 | 2 | - 01 00 01 10 = 70  |
| 2 | 1 | 0 | 1 | - 10 01 00 01 = 145 |
| 3 | 2 | 1 | 0 | - 11 10 01 00 = 228 |
| 2 | 3 | 2 | 1 | - 10 11 10 01 = 185 |
| 1 | 2 | 3 | 2 | - 01 10 11 10 = 110 |
| 0 | 1 | 2 | 3 | - 00 01 10 11 = 27  |
| 1 | 0 | 1 | 2 | - 01 00 01 10 = 70  |

screen RAM starts at 10248 then 12288 - 10248 = 2040 bytes of memory can be used before crossing a 4K boundary. Because 120 bytes have already been used, 2040 - 120 = 1920 bytes are available for graphics 8 before crossing the 4K boundary, this is 1920 / 40 = 48 lines of graphics 8 (Antic 15).

Therefore, the next numbers in the display list are 48 lots of 15, after which follows an Antic 15 line with a load memory scan, ie 15 + 64 = 79. The next two numbers are where the rest of the screen RAM starts from, low then high. As this is page 48 (address 12288), the next two numbers are 0 and 48. 134 Antic 15 lines are required so there follows 134 - 49 = 85 lots of 15. Finally:

- 16 Blank two lines.
- 2 Display Antic mode 2.
- 65 Jump to start of display list which,
- 0 Starts at page 6, ie 6 \* 256 = 1536
- 6

The display list is poked into RAM — program 1, page 6 is used. The computer is told where to find the new display list by poking the address of the display list, low then high, into 560 and 561 — line 110.

The difficulty arises when PRINTING or PLOTTING to a new display list. However, this is overcome by considering each section of different modes as separate 'graphics windows'. The top left corner of each window is coordinate 0,0. The Basic mode number of the window is poked into location 87, and the address of the start of the screen RAM for the window poked into locations 88 and 89, low then high. This is shown in program 1 lines 120 to 180.

Customising an Operating System display list is probably easier than writing one from scratch as it just involves calling a graphics mode, finding the display list start and then a few simple pokes. For example, program 2 shows a graphics 0 display list customised with a line of graphics 1 (Antic 6) and a line of graphics 2 (Antic 7).

screen because of different byte lengths per line. Experimentation is probably the best idea with display lists to get the display required.

Characters in Antic modes 2, 3, 6, and 7 are defined in the usual way, but Antic modes 4 and 5 offer multicoloured characters and they are defined differently. In these modes each character is in fact four pixels wide, but each pixel can be one of four colours, therefore, unlike Antic modes 6 and 7, the colour is defined by the character and not by the character number.

The best way to define the characters for Antic modes 4 and 5 is to draw a 4 by 8 grid as shown in Figure 2. Then for each of the four colours assign a number 0 to 3, and in each box write the number of the colour as shown in Figure 3. Each of the numbers has a bit pair associated with it as shown in Figure 5, with the colour register used.

The character can then be worked out in binary and this is then converted as shown in Figure 3.


The use of display lists makes scrolling easier, as by changing the values after the load memory scan the display can easily be scrolled up or down — Program 3 illustrates this, the joystick being used to scroll the screen up or down. The display list is set up in lines 30 to 80, and consists of a whole screen of Antic mode 6.

Figure 5

| Number | Bit pair | Colour register character <128 | Colour register character >128 |
|--------|----------|--------------------------------|--------------------------------|
| 0      | 00       | 4                              | 4                              |
| 1      | 01       | 0                              | 0                              |
| 2      | 10       | 1                              | 1                              |
| 3      | 11       | 2                              | 3                              |

As can be seen by running the program, the scrolling is very jerky. To overcome this problem there is a fine scrolling capability built into the Atari. This means that a character can be scrolled a scan line at a time instead of a character at a time as before. Fine vertical scrolling is implemented by first

Figure 4



between 0 and 15 for modes 5 and 7; and a number between 0 and 9 for mode 3.

Fine scrolling can be linked to course scrolling as shown in Figure 4, this is to scroll up — the reverse can be applied to scroll down. By adding the lines in Program 3a to Program 3, this will show the display being fine scrolled. The display list is changed in line 40 to accept fine scrolling. Note the last line is not set for fine scrolling as it acts as a 'buffer' so it does not jump up and down (see later).

The scrolling appears to be a bit flickery. This is because the changing of the screen parameters occurs whilst the screen is being drawn by the television. The way to overcome the problem is to change the parameters between drawing screens. This can be done by using the Vertical Blank Interrupt (VBI) which occurs when the television's electron beam is leaving the bottom of the screen to return to the top.

The VBI should only be a short machine code routine ended with a JMP 58466 instruction. The vectors pointing to the VBI are set up by loading the X register of the 6502 with the high byte of the VBI address, the Y register with the low byte, the accumulator with a 7 and then a JSR 58460.

Program 4 uses a VBI to smooth scroll the display down. The display list is set up in lines 20 to 90. Each mode line being Antic mode 2 with a load memory scan instruction and smooth vertical scrolling set, ie 64 + 32 + 2 = 98. The machine code is entered in lines 110 to 140.

When the program is run the scrolling should appear smooth and flicker free. Looking at the bottom line shows why the buffer was used before. Changing the last number 98 in line 40 to just Antic mode 2 line with a load memory scan will insert the buffer, therefore the 98 should go to a 66 (64 + 2). The scrolling now should be smooth with no unsightly effects.

The game *Time Trial* illustrates how display lists can be applied to programs. Lines 70 to 120 of the program custo-



mises a graphics 18 (16 + 2) display to have a line of Antic mode 2, this screen being used for the title page. The display list used for the game screen is set up in lines 440 to 520, this consists of a line of Antic mode 2 with a load memory scan set, with the rest of the lines Antic mode 4 with a load memory scan and a smooth vertical scrolling instruction (4 + 64 + 32 = 100), apart from the last line which acts as a buffer so does not have a scroll instruction.

The program also shows that by poking display list locations into 560 and 561 it is possible to switch from one screen to another stored in RAM. The

scrolling of the road is handled by the VBI, set up in lines 140 to 280, which is a longer version of the VBI used in Program 4. This one also produces a random road.

All underlined characters should be typed in inverse. After typing in the program it should be saved without running as a mistake could cause it to crash. If the data check routine is then typed at the end of the program and run by typing in GOTO 32000, any data errors should then be displayed. When they have been corrected the data check routine should be deleted (important on 16K models) and the new version saved.

The object of the game is to drive the buggy as far as possible in 60 seconds using the joystick in port 1. Driving over an oil slick will cause the buggy to skid. Moving the joystick forward increases the speed and moving it back decreases the speed.

When the game screen first appears there is a red light at the top of the screen, this will change to green after a random amount of time and only when the joystick is in a central position. When this changes to green, the time immediately starts ticking down and lo and behold, your Time Trial has begun.

## Program listing

```
10 REM *****
20 REM *
30 REM * TIME TRIAL *
40 REM *
50 REM *****
60 CLR
70 GRAPHICS 18
80 POKE 559,0
90 POSITION 5,1: ? #6; "T*TIME*": POSITION
N 5,3: ? #6; "T*TIME*": POSITION
100 POSITION 1,6: ? #6; "best score 00000"
: POSITION 1,8: ? #6; "last score 00000"
110 GR18H=PEEK(561): GR18L=PEEK(560)
120 POKE GR18H*256+GR18L+15,2: POSITION 0
,10: ? #6; "PRESS TRIGGER TO PLAY"
130 REM VBI ROUTINE IN STRING VBI*
140 RESTORE 150: DIM VBI*(391): FOR J=1 TO
391: READ A: VBI*(J,J)=CHR*(A): NEXT J
150 DATA 173,136,6,208,53,206,135,6,208,
43,169,50,141,135,6,206,97,6,173,97,6,20
1,16,240,13,176,26,169,25
160 DATA 141,97,6,206,96,6,56,176,15,173
,96,6,201,16,208,8,169,1,141,136,6,56,17
6,5,173,131,6,208,3,76,98
170 DATA 228,201,1,208,14,169,2,206,133,
6,240,7,162,1,142,133,6,208,235,168,136,
206,132,6,162,6,254,110
180 DATA 6,189,110,6,201,26,208,9,169,16
,157,110,6,202,24,144,237,136,208,229,17
3,132,6,48,15,141,5,212
190 DATA 173,134,6,240,193,169,0,141,134
,6,240,72,24,105,8,141,132,6,141,5,212,1
89,1,141,134,6,173,79,6
200 DATA 141,81,6,173,78,6,141,80,6,173,
74,6,141,79,6,173,73,6,141,78,6,162,66,1
89,5,6,157,8,6,202,189,5
210 DATA 6,157,8,6,202,202,208,239,173,8
,1,6,141,8,6,173,80,6,141,7,6,76,98,228,1
73,78,6,133,207,173,79,6
220 DATA 133,208,160,39,169,64,145,207,1
36,16,251,173,130,6,240,62,16,30,206,129
,6,173,10,210,48,12,173
230 DATA 129,6,201,2,240,5,169,70,56,176
,86,169,0,141,130,6,169,71,56,176,76,238
,129,6,173,10,210,48,12
240 DATA 173,129,6,201,26,240,5,169,67,5
6,176,56,169,0,141,130,6,169,68,56,176,4
6,173,10,210,201,80,144
250 DATA 5,169,65,56,176,34,74,144,17,17
3,129,6,201,2,240,24,169,255,141,130,6,
169,69,56,176,14,173,129
260 DATA 6,201,26,240,224,169,1,141,130,
6,169,66,172,129,6,145,207,24,105,7,170,
152,24,105,10,168,138,145
270 DATA 207,136,162,9,169,0,145,207,136
,202,208,250,173,10,210,162,3,74,176,20,
202,208,250,41,15,240,13
280 DATA 201,10,176,9,24,109,129,6,168,1
69,79,145,207,76,98,228
290 REM CLEAR P/M AREA & PUT CHARACTER
300 REM SET IN RAM & INSERT VBI
310 REM CODE IN STRING SET*
320 RESTORE 330: DIM SET*(70): FOR J=1 TO
70: READ A: SET*(J,J)=CHR*(A): NEXT J
330 DATA 104,169,0,133,203,133,205,173,2
44,2,133,204,165,106,56,233,24,133,106,1
33,206,162,0,160,0,177,203,145
340 DATA 205,200,208,249,230,204,230,206
,202,208,242,230,206,230,206,230,206,162
,5,169,0,160,0,145,205,200
350 DATA 208,251,230,206,202,208,246,160
,0,162,0,169,7,76,92,228
360 VBI=ADR(VBI*): UBH=INT(VBI/256): VBL=V
```

```
BI-UBH*256: SET*(63,63)=CHR*(VBL): SET*(65
,65)=CHR*(UBH)
370 POKE 1672,1: A=USR(ADR(SET*))
380 C=PEEK(106): POKE 756,C: DC=C*256+512:
RESTORE 390: FOR J=DC TO DC+119 STEP 2: RE
AD A: POKE J,A: POKE J+1,A: NEXT J
390 DATA 85,85,85,85,96,96,96,96,86,86,9
6,96,86,86,96,128,96,96,96,128,128,96,96
,96,128,96,86,86
400 DATA 96,96,86,86,37,37,37,37,2,9,37,
37,2,9,37,149,37,37,37,149,149,37,37,37,
149,37,9,2,37,37,9,2
410 RESTORE 420: FOR J=DC+120 TO DC+127: R
EAD A: POKE J,A: NEXT J
420 DATA 12,63,252,252,255,255,60,0
430 REM SET UP DISPLAY LIST
440 RESTORE 450: FOR J=1536 TO 1541: READ
A: POKE J,A: NEXT J
450 DATA 112,112,112,66,84,6
460 DH=PEEK(106)+16: DL=0
470 FOR J=1542 TO 1605 STEP 3: POKE J,100
: POKE J+1,DL: POKE J+2,DH: GOSUB 480: NEXT
J: GOTO 500
480 DL=DL+40: IF DL>255 THEN DL=DL-256: DH
=DH+1
490 RETURN
500 POKE 1608,68: GOSUB 480: POKE 1609,DL:
POKE 1610,DH
510 POKE 1611,65: POKE 1612,0: POKE 1613,6
520 GOSUB 480: POKE 1614,DL: POKE 1615,DH
530 POKE 712,6: POKE 708,22: POKE 709,12: P
OKE 710,0
540 RESTORE 550: DIM ROAD*(60): FOR J=1 TO
60: READ A: ROAD*(J,J)=CHR*(A): NEXT J
550 DATA 104,105,106,24,105,16,133,213,1
69,0,133,212,162,25,160,39,169,64,145,21
2,136,16,251,160,14,169
560 DATA 65,145,212,208,169,0,145,212,20
0,192,24,144,249,169,72,145,212,202,244,
13,169,40,24,101,212,133
570 DATA 212,144,215,230,213,176,211,96
580 RESTORE 590: DIM GAME*(274): FOR J=1 T
O 274: READ A: GAME*(J,J)=CHR*(A): NEXT J
590 DATA 104,169,180,141,195,2,169,0,141
,136,6,173,136,6,240,1,96,173,120,2,174,
138,6,240,8,206,138,6,74
600 DATA 74,24,144,36,74,176,16,174,131,
6,224,5,240,9,238,131,6,174,147,6,142,13
8,6,74,176,14,174,131,6
610 DATA 240,9,206,131,6,174,147,6,142,1
38,6,174,131,6,240,73,74,176,15,162,255,
142,140,6,174,137,6,224
620 DATA 47,144,3,206,137,6,74,176,15,16
2,1,142,140,6,174,137,6,224,190,176,3,23
8,137,6,169,25,141,147,6
630 DATA 173,139,6,240,27,206,139,6,169,
40,141,147,6,24,144,2,144,134,173,137,6,
109,140,6,141,137,6,169
640 DATA 6,24,144,2,169,0,141,3,210,174,
131,6,189,141,6,141,0,210,174,137,6,142,
0,208,142,2,208,232,142
650 DATA 1,208,173,97,6,201,21,208,5,162
,0,142,3,208,172,131,6,190,148,6,160,40,
234,136,208,252,202,208
660 DATA 247,173,4,208,13,5,208,74,176,2
4,74,176,21,162,1,142,154,6,74,144,166,1
69,10,141,139,6,169,0,141
670 DATA 30,208,24,144,153,174,154,6,240
,17,162,0,142,131,6,160,200,234,136,208,
252,202,208,247,142,154
680 DATA 6,142,139,6,142,30,208,232,142,
131,6,162,25,142,138,6,24,144,201
690 PM=PEEK(106)+8: POKE 54279,PM: PM*2
```

```
56: POKE 53277,3
700 POKE 623,1
710 RESTORE 720: FOR J=1 TO 14: READ A: POK
E PM+1135+J,A: NEXT J
720 DATA 28,127,247,247,255,99,99,99,227
,255,255,247,127,62
730 RESTORE 740: FOR J=1 TO 14: READ A: POK
E PM+1391+J,A: NEXT J
740 DATA 0,0,1,1,1,0,0,0,1,1,1,1,0,0
750 RESTORE 760: FOR J=1 TO 14: READ A: POK
E PM+1647+J,A: NEXT J
760 DATA 0,0,8,0,0,28,28,28,28,0,0,8,0,0
770 RESTORE 780: FOR J=1 TO 6: READ A: POK
E PM+1835+J,A: NEXT J
780 DATA 2,7,7,7,2
790 POKE 704,14: POKE 705,14: POKE 706,50
800 DIM LAST*(5),BEST*(5): BEST*="00000"
810 POKE 559,62: GOTO 960
820 POKE 707,50
830 RESTORE 840: FOR J=1620 TO 1660: READ
A: POKE J,A: NEXT J
840 DATA 0,0,0,0,0,0,52,41,45,37,0,22,
16,0,0,0,0,0,36,41,51,52,33,46,35,37,0,1
6,16,16,16,16,0,0,0,0,0
850 DATA 0,0
860 RESTORE 870: FOR J=1665 TO 1689: READ
A: POKE J,A: NEXT J
870 DATA 14,0,0,0,1,0,1,1,120,1,0,0,150,
120,100,90,82,76,0,2,160,140,120,100,80
880 A=USR(ADR(ROAD*)): SOUND 0,0,0: POKE
53761,200: POKE 53760,150: POKE 53762,0
890 POKE 560,0: POKE 561,6: POKE 53251,100
: POKE 53248,120: POKE 53249,121: POKE 5325
0,120
900 FOR J=1 TO 200: NEXT J
910 A=INT(RND(1)*200+200): FOR J=1 TO A: N
EXT J: IF STICK(0)<15 THEN 910
920 A=INT(RND(1)*200+100): FOR J=1 TO A: N
EXT J
930 A=USR(ADR(GAME*))
940 FOR J=1 TO 5: LAST*(J,J)=CHR*(160+PEE
K(J+1647)): NEXT J: IF LAST*>BEST* THEN BE
ST*=LAST*
950 POSITION 13,8: ? #6; LAST*: POSITION 13
,6: ? #6; BEST*
960 POKE 53761,0: POKE 53763,0: FOR J=1 TO
400: NEXT J: FOR J=0 TO 3: POKE J+53248,0:
NEXT J
970 POKE 53278,0
980 POKE 561,GR18H: POKE 560,GR18L
990 IF STRIG(0)=1 THEN 990
1000 POKE 77,0
1010 GOTO 820
32000 REM DATA CHECK ROUTINE FOR
32001 REM TIME TRIAL
32002 RESTORE 150: T=0: FOR J=1 TO 391: REA
D A: T=T+A: NEXT J: IF T<42354 THEN ? "DAT
A ERROR-LINE 150 TO 280"
32003 RESTORE 330: T=0: FOR J=1 TO 70: REA
D A: T=T+A: NEXT J: IF T<10903 THEN ? "DATA
ERROR-LINE 330 TO 350"
32004 RESTORE 390: T=0: FOR J=1 TO 74: REA
D A: T=T+A: NEXT J: IF T<5957 THEN ? "DATA
ERROR-LINE 390 TO 450"
32005 RESTORE 550: T=0: FOR J=1 TO 60: REA
D A: T=T+A: NEXT J: IF T<8288 THEN ? "DATA
ERROR-LINE 550 TO 570"
32006 RESTORE 590: T=0: FOR J=1 TO 274: REA
D A: T=T+A: NEXT J: IF T<30778 THEN ? "DAT
A ERROR-LINE 590 TO 680"
32007 RESTORE 720: T=0: FOR J=1 TO 114: REA
D A: T=T+A: NEXT J: IF T<4531 THEN ? "DATA
ERROR-LINE 720 TO 680"
```



```

1 REM PROGRAM 1
10 GRAPHICS 0
20 POKE 752,1
30 FOR J=40*256 TO 64*256:POKE J,0:NEXT J
J:REM CLEAR SCREEN R.A.M.
40 FOR J=1536 TO 1548:READ A:POKE J,A:NEXT J
50 DATA 112,112,112,71,8,40,16,6,16,2,16,2,16
60 FOR J=1549 TO 1596:POKE J,15:NEXT J
70 POKE 1597,79:POKE 1598,0:POKE 1599,48
80 FOR J=1600 TO 1684:POKE J,15:NEXT J
90 FOR J=1685 TO 1689:READ A:POKE J,A:NEXT J
100 DATA 16,2,65,0,5
110 POKE 560,0:POKE 561,6
120 POKE 67,2:POKE 88,8:POKE 89,40:POSITION 3,0:PRINT "graphics demo"
130 POKE 87,1:POKE 88,28:POKE 89,40:POSITION 6,0:PRINT "SHOWING"
140 POKE 87,0:POKE 88,48:POKE 89,40:POSITION 11,0:PRINT "AN APPLICATION OF" POSITION
150 POKE 87,0:POKE 88,128:POKE 89,40:COLOR 1
160 PLOT 18,1:DRAWTO 18,133:PLOT 10,66:DRAWTO 312,66
170 DEG:FOR X=0 TO 360 STEP 0.5:PLOT 10+X*5,6,66+65*X*SIN(X):NEXT X
180 POKE 87,0:POKE 88,112:POKE 89,61:POSITION 15,0:PRINT "SINE WAVE"
190 GOTO 190

```

```

1 REM PROGRAM 2
10 GRAPHICS 0
20 DL=PEEK(560)+256*PEEK(561):REM DL IS
START OF DISPLAY LIST
30 POKE DL+10,7:REM INSERT ANIC MODE 7
LINE (GRAPHICS 2)
40 POKE DL+12,6:REM INSERT ANIC MODE 6
LINE (GRAPHICS 1)
50 POSITION 15,4:?"GRAPHICS 0"
60 POSITION 15,5:?"GRAPHICS 2"
70 POSITION 35,5:?"GRAPHICS 0"
80 POSITION 25,6:?"GRAPHICS 1"

```

```

1 REM PROGRAM 3
10 GRAPHICS 0:POKE 82,0
20 LIST
30 FOR J=1536 TO 1567:READ A:POKE J,A:NE
XT J
40 DATA 112,112,112,70,0,0,0,6,6,6,6,6,
6,6,6,6,8,6,6,6,6,6,6,6,6,6,0,0,0
50 DL=PEEK(500)+256*PEEK(561):REM FIND
START OF 0.5 DISPLAY LIST
60 L=PEEK(DL+4):H=PEEK(DL+5):REM FIND
LOW & HIGH BYTES OF SCREEN DATA
70 POKE 1540,L:POKE 1541,H:REM START OF
SCREEN DATA POKED IN PAGE 6 DISPLAY LIST
80 POKE 560,0:POKE 561,6:REM ADDRESS OF
NEW DISPLAY LIST
90 LS=L:HS=H
100 A=STICK(0)
110 IF A=13 AND (LS+H*256)>(L+H*256) TH
EN LS=L-256:IF LS<0 THEN LS=L+256:HS=HS
-1
120 IF A=14 AND (LS+H*256)<(L+H*256+400
) THEN LS=L+256:IF LS>256 THEN LS=L-256
:HS=HS+1
130 POKE 1540,LS:POKE 1541,HS
140 FOR J=1 TO 100:NEXT J
150 GOTO 100

```

[illegible]

```

REM PROGRAM 4
10 GRAPHICS 0:POKE 752,1
20 FOR J=1536 TO 1613:READ A:POKE J,A:NE
AT J
30 DATA 112,112,112,98,0,0,98,0,0,98,0,0
,98,0,0,98,0,0,98,0,0,98,0,0,98,0
,0,98,0,0,98,0,0,98,0,0
40 DATA 98,0,0,98,0,0,98,0,0,98,0,0,98
,0,98,0,0,98,0,0,98,0,0,98,0,0,98
,0,0,98,0,0,65,6
50 DL=PEEK(560)+256*PEEK(561)
60 H=PEEK(DL+5):L=PEEK(DL+4)
70 FOR J=0 TO 63 STEP 3:POKE 1540+J,L:PO
KE 1541+J,H
80 L=L+40:IF L>255 THEN L=L-256:H=H+1
90 NEXT J
100 REM READ IN MACHINE CODE ROUTINE FOR
UBI
110 FOR J=1614 TO 1686:READ A:POKE J,A:N
EXT J
120 DATA 104,162,6,160,89,163,7,32,92,22
8,96,206,255,6,173,255,6,16,48,173,73,6
,41,253,6,173,74
130 DATA 6,141,254,6,162,69,189,2,6,157,
5,6,202,189,2,6,157,5,6,202,202,208,239
,173,253,6,141,4,6,173
140 DATA 254,6,141,5,6,169,7,141,255,6,1
41,5,212,76,98,228
150 POKE 560,0:POKE 561,6:REM DISPLAY
LIST IN PAGE 6
160 REM DRAW DISPLAY
170 FOR Y=0 TO 23:READ X,C
180 POSITION X,Y:Y? CHR$(C):FOR J=0 TO 8
:Y? CHR$(160):NEXT J:Y? CHR$(C+120):
190 IF R>0.9 AND X<27 THEN X=X+1:C=138
200 POSITION X,Y
210 NEXT Y
220 DATA 15,32,15,8,14,0,13,32,13,32,13
,0,12,32,12,32,12,32,12,32,13,138,1
4,138,15,138,16,138
230 DATA 16,32,16,32,16,32,17,138,17,32
,17,32,17,8,16,8,15,32
240 A=USR(1614):REM CALL ROUTINE TO SET
UP UBI
250 GOTO 250

```

**COMMODORE 64**

ADVANCED  
MACHINE CODE  
PROGRAMMING FOR  
COMMODORE 64

ADVENTURE GAMES  
FOR THE  
COMMODORE 64

BUSINESS SYSTEMS  
ON THE  
COMMODORE 64

COMMODORE 64  
COMPUTING

INTRODUCING  
COMMODORE 64  
MACHINE CODE  
How to get more speed  
and power!

COMMODORE 64  
DISK SYSTEMS  
AND PRINTERS

IAN SINCLAIR

# COMPUTER

Available through W H Smith & Sons, larger Boots stores and major booksellers.



# EXPANDING

**In part two of his article, Keith Hook explains how you can add those new commands to your Amstrad screen.**

**E**xpanding on the sprite controller, and adding two more commands, will allow us to PEEK at the Amstrad screen, create up to eight pseudo — sprites, and move them about the screen.

For those people who like to get their hands dirty, Listing One is the source problem for the Basic driver.

The method of using the program is as before. The Basic loader program and a demonstration program will be published in next week's issue. Type it in, save it and run the program. The demonstration module will show you what is possible with these routines. But

it is not meant to be an elite piece of programming.

### Driver program notes

The PUT routine has now been extended to include one more parameter. The correct syntax for this command is:

:PUT, <Sprite Number>, <Direction>  
The sprite number can be 1 to 8, and the direction can be 1 to 8 with the sprite moving in exactly the same direction as shown in part one. But if a zero is placed in the <Direction> it will cause the sprite to be cleared from the screen and then place £FF (Sprite Not Created

Marker) & 00 (First time routine entered Flag), in the sprite table.

You must then re-create the sprite before you can display it on the screen. This is helpful when a collision with another object is detected and you wish to blank the sprite and leave the screen as before.

To create a sprite you must use the command, :CRSPR. The routine then stores the information into the correct entry point of the sprite table. The syntax for this command is:

```
:CRSPR,<SPRITE NO>,<PATT NO>,<X  
POS ON SCREEN>,<Y POS>,<COLOUR>
```

## Program listing

## :LISTING ONE

```

;
;      Modified Program to add 3 New commands
;      to Astrad CPC 464.

```

© K. Hook & PCM 1984.

```

;
;
;
        ORS      40000
        ENT      $
        LD       BC,COMTAB
        LD       HL,BUF
        CALL     EBCD1          ;Log on New command table.
;

```

```

CONTAB:      DEFW      NMETAB
              JP        PUT
              JP        CRSPR      ;Additional new command
              JP        SCRIN     ;Additional new command
              .

```

```

MNETAB:  DEFB  "PU"
          DEFB  "T"+#B0      ;#B0 tells Amstrad Basic last
          DEFB  "CRSP"      ;letter in command name
          DEFB  "S"+#B0      ;it sets BIT 7 HIGH.
          DEFB  "SCR"
          DEFB  "N"+#B0
          DEFB  #00          ;End of table marker.
          DEFS  102          ;Padding.
          :

```

```

PUT:      LD      A,(IX+02)      ;Sprite Number
          LD      (SPRNO),A
          CALL    FINDISP        ;Find displacement into sprite table.
                                   ;Returns with IX pointing to first entry.
          LD      A,(IX+00)      ;I Position.
          CP      $FF           ;$FF signifies not yet created.
          RET     Z              ;Back to Basic if not created.
          LD      A,(IX+00)      ;PUT direction.
          CP      $00           ;00 means erase sprite  $New action
          JP      Z,BLANK
          CP      $09           ;Test if >8
          RET     NC            ;Jump back to basic if yes.
          LD      (IX+02),A      ;Else save in sprite table.
          CALL    $BB78         ;Get current Basic csr pos.
          LD      (BASPOS),HL   ;Save it.
          LD      L,(IX+00)     ;Y POS
          LD      H,(IX+01)     ;X POS

```

```

PUSH HL ;Save
CALL $B075 ;Move csr to our current position.
LD A,(IY+04) ;Check flag byte in sprite table.
CP $00
JR NZ,SKIP ;If not zero sprite has already been moved.
LD $FE ;$FE is flag to say routine has
CALL (IY+04),A ;Already been entered and
LD $B09F ;is also signal to write in transparent mode.
CALL $B093 ;Find current ink
LD (INKI),A ;save it.
LD A,(IY+03) ;Get our int
CALL $B090 ;Change to it.

```

```

POP      HL                ;Get csr position back.
JP       REINIT
SKIP:    LD      A,(1Y+05)  ;Character that was in sprite pos.
CALL     $B85D             ;Put it back on screen.
LD       A,$FE            ;Transparent mode flag.
CALL     $B89F             ;Send it.
CALL     $B893             ;Current ink
LD       (INK1),A          ;Save it
LD       A,(1Y+03)         ;Our ink from sprite table.
CALL     $B890             ;Make sure we write in it.
POP      HL                ;Csr posit our routine.
LD       A,(1Y+02)         ;Direction byte
CP       $01

```

```

; *****
; From here to RESTOR as last weeks listing
; *****

```

```

RESTOR:      LD      A,H           ;Get X pos
              CP      01           ;1st x pos
              JR      C,REINT2     ;JP if less than
              CP      41           ;Last X pos+1
              JR      NC,REINT2     ;JP if greater than
              LD      A,L           ;Now do same for Y pos.
              CP      $01
              JR      C,REINT2
              CP      26
              JR      NC,REINT2
              LD      (IY+00),L     ;Save new X pos
              LD      (IY+01),H     ;Save new Y pos
REINIT:      LD      HL,(IY+00)    ;Get our new position
              CALL    $B075         ;Move csr to it
              CALL    $B060         ;so we can read char on screen.

```



# S P R I T E S

This command must be used to create your sprite before invoking the :PUT command. The sprite can now be displayed on the screen at the location specified in :CRSPR by issuing a :PUT,<SPRITE NO>,1 command.

The :SCRN command peeks the screen and places the result in location £9DF3. Amstrad Basic is suppose to allow the passing of parameters back to Basic from an external command. However, after checking with Amsoft, I am still no wiser, and therefore, I have used this as a temporary way around the problem. Use the following syntax when invoking this command:

:SCRN,<X POSITION>,<Y POSITION>

A typical Basic line may look like this:

```
10 :SCRN, 3,5: LET PK = PEEK (&9DF3)
```

Variables can be used with all commands, such as:

```
:SCRN,X,Y OR :CRSPR, 3,249,X,Y,3
```

This section of code can be detached, and used as a screen peek utility with any other Basic program.

The sprite table starts at location £9DB3. The method of finding the correct displacement into the table is as follows:  $\text{SPRITE TABLE} + (\text{SPRITE NUMBER} - 1 * 8)$ :

If you wished to check which direction sprite 3 is moving you would use £9DB3 + (3-1\*8+2) to find the correct entry point.

The sprite table entries are as

follows: Byte 1 Y Position, Byte 2 X Position, Byte 3 Direction, Byte 4 Ink, Byte 5 Flag, Byte 6 Basic Character, Byte 7 Sprite Pattern, Byte 8 Sprite Number.

One point to note is that when two sprites collide, you should erase the last sprite first by using the :PUT command followed by the sprite with which the collision occurred.

The DEMO-PROG. BAS caters for most situations that could arise in your programming. Type it in, and then study how it works, if you want a working insight on how to use these commands. The source listing can be used as a matrix to create your own routines. ■

```
REINT2: LD (IY+05),A ;and save it in sprite table.
        LD HL,(IY+00)
        CALL £BB75
        LD A,(IY+06) ;Get sprite character.
        CALL £BB5D ;write it to screen
        LD HL,(BASPOS) ;Get Basic's position
        CALL £BB75 ;Mve csr to it
        LD A,£D0 ;Flag for opaque mode.
        CALL £BB9F ;let Basic know we are now writing opaque.
        LD A,(INK1) ;Basic's ink.
        CALL £BB90 ;Send it.
        RET ;JP back to main program.

;
;
FINDISP: LD A,(SPRNO) ;Get sprite
        DEC A ;ALIGN $SEE NOTES
        RLCA ;#2
        RLCA ;#4
        RLCA ;#8
        LD C,A
        LD B,£D0
        LD IV,SPRTBL
        ADD IV,BC ;IV now points to correct entry.
        RET

;
;
CRSPR: LD A,(IX+08) ;Sprite no
        CP 09 ;Check if legal
        RET NC ;because only B allowed.
        LD (SPRNO),A ;save it for FINDISP
        CALL FINDISP ;find start in table for this sprite number.
        LD A,(IX+02) ;X pos
        LD (IY+00),A ;save in our table.
        LD A,(IX+04) ;Y pos
        LD (IY+01),A
        LD A,(IX+00) ;Colour
        LD (IY+03),A
        LD A,(IX+06) ;Pattern
        LD (IY+05),A
        LD A,(SPRNO)
        LD (IY+07),A
        LD A,£D0 ;FLAG
        LD (IY+04),A
        RET ;Return to main program.
```

```
;
;
SCRN: LD A,(IX+00) ;X pos
        LD L,A ;
        LD A,(IX+02) ;Y pos
        LD H,A
        LD A,H ;padding.
        CP 01
        RET C
        CP 41 ;We've been through this before.
        RET NC
        LD A,L
        CP 01
        RET C
        CP 26
        RET NC
        CALL £BB75 ;Update csr
        CALL £BB60 ;Read screen
        LD (PEEK),A ;save it so we can peek it.
        RET ;That's all folks.


;
;
BASPOS: DEFW 0000
INK1: DEFB 00
BUF: DEFS £04
SPRNO: DEFB 00
SPRTBL: DEFS 64
PEEK: DEFB 00

;
BLANK: CALL £BB78 ;Csr pos
        LD (BASPOS),HL ;Save it
        LD HL,(IY+00) ;Our position
        CALL £BB75 ;Send it
        LD A,(IY+05) ;Basic's character

        CALL £BB5D ;Send it to screen
        LD A,£FF ;Sprite not created flag
        LD (IY+00),A ;Put it in sprite table
        XOR A ;Zero A reg
        LD (IY+04),A ;Flag
        LD HL,(BASPOS)
        CALL £BB75 ;Make sure csr back to basic's
        RET
END
```



# Before you compare our new computer system with any other, double the price.



**£249**

Computer complete with  
green screen VDU (GT64)

**£359**


Computer complete with  
colour monitor (CTM640)

**CPC 464**  
complete  
with  
monitor  
and  
datacorder



What's more, the CPC464 comes complete and ready-to-go. Just plug it in.

Arcade games, educational programs and business applications are all designed to utilise the CPC464's impressive graphics, sound and processing abilities.



PCN 2








## OUTPUT: SPECTRUM

# LEGIBLE LISTINGS

Stuart Cooke unlocks the secret of how to get readable listing from your Spectrum, with the help of an Interface 1, a Microdrive, and this program.



**G**etting a listing from a Spectrum Basic program is not the easiest thing to do. OK, so you can buy yourself a Centronics interface which will allow you to use a high quality printer with your Spectrum — some of them even print out italic characters to represent the Spectrum user defined graphics.

Of course, if you have a Sinclair ZX printer you can actually get the graphics themselves but the listing is not as good.

Even though you can print out graphics to some printers, there are still a number of problems. With the Spectrum it is possible to put embedded control codes within a listing. These codes could be used to change the colour of the ink or paper, flashing characters on and off, and even alter the brightness. Of course, none of these control codes can be sent out to your printer, which means that when you next type the program in, it won't look the same.

This is where the Sinclair Interface 1 and Microdrive can help out. It is now possible for a program to interrogate another file that is held on a Microdrive cartridge and send modified data out to the specified printer. It makes sense to use the RS232 port for the printer if you have an Interface 1.

It is quite a simple matter to develop a program to do this but first you will need

to know what all of the character codes are that you will be looking at.

Normally if you wish to use graphics within a Spectrum listing you will use graphics characters. Most printer interfaces, including the Interface 1 if you are using the text channel, will ignore any graphics characters. Therefore you need some way of being able to figure out at a glance what graphics characters are used. A very simple solution would be to substitute the graphics character with something like {gA} for graphics character a or {gB} for graphics character b.

All you have to do is get the code of the graphics character to be printed, send the characters {g to the printer, then subtract 47 from the code of the graphics character changing it to the relevant alphabetic character, then send this character to the printer followed by the } symbol and your new easily readable graphic is complete.

Of course, user definable graphic characters are not the only ones used on the Spectrum. There are a number of block graphic characters on the keys 1 to 8 which can be used, and again the printer will ignore these symbols. Following the same procedure you simply examine the character code and if the code is between 129 and 143 you know it's one of these characters.

Probably the easiest way to make

these characters readable is to insert codes similar to the ones explained before. For example, {g1} would mean use the graphics character on key 1 and {gs1} would mean use the shifted graphics character on key 1.

Now for the control codes. As mentioned, it is possible to put embedded control codes within a program, eg going into extended mode by pressing the two shift keys and then pressing the 2 key which will cause all future text to be printed with red ink. Alternatively, pressing extended mode and shift 3 will cause the rest of the listing to have magenta paper.

All that has to be done is to interrogate the listing and change any occurrences of the codes to the new format; {e1} would mean extended mode and 1 while {es1} would mean extended mode and shift 1.

### Program interrogation

It is not easy to examine all of the characters of a program and then send it out to a printer on a normal Spectrum. However, once an Interface 1 and Microdrive have been added, it is possible to list your program to a file. Every character will then be stored in sequential format using its ASCII representation.

Now you can use another program to open this sequential file, read it into



memory as required, change the character as necessary and then send it to the printer.

Saving a program in sequential format is extremely easy. Have the program in memory and then type in the following:  
 OPEN#5;"m";1;"filename"  
 then LIST the program out to the Microdrive by typing:

LIST#5

then close the file:

CLOSE@5

Now the program is stored on the Microdrive in sequential format and can be read back in by simply opening the file:

OPEN#5;"m";1;"filename"

and each character can now be read back into memory using the GET# command.

The following program uses all of the

above procedures to print out a readable listing on the screen, a ZX printer, or an RS232 printer. If you have a Centronics printer that will work on the Spectrum and it causes any LPRINT to be sent, you could also use this by specifying ZX printer.

The program below is fully documented and it should be easy to understand how it works.

### Program listing

```

10 REM spectrum lister
20 REM PCN 1984
30 BORDER 1: PAPER 1: INK 7: CLS
40 REM make sure all files
50 REM are closed.
60 CLEAR #
70 FORMAT "t";1200: REM baud rate
80 REM get file name and
90 REM microdrive number
100 PRINT AT 3,3;"PLEASE TYPE IN THE FILE
"
110 PRINT AT 4,3;"THAT YOU WISH TO USE."
120 PRINT AT 6,0;"N.B. dont forget that
the file"
130 PRINT AT 7,0:"      must have been sa
ved"
140 PRINT AT 8,0:"      onto microdrive a
s a "
150 PRINT AT 9,0:"      SEQUENTIAL file"
160 INPUT "NAME:";n$
170 CLS
180 PRINT AT 6,0;"WHICH MICRODRIVE (1-6)"
190 INPUT "NUMBER:";number
200 REM get output device
210 CLS
220 PRINT AT 4,0;"PRESS LETTER FOR OUTPUT
DEVICE"
230 REM flash codes on bottom
240 REM line of the screen
250 PRINT AT 6,0;"ZX PRINTER,RS232,PRINTE
R,SCREEN"
260 PRINT #0; FLASH 1;"Z"; FLASH 0;"X pri
nter"; FLASH 1;AT 1,11;"R"; FLASH 0;"S232
printer"; FLASH 1;AT 1,25;"S"; FLASH 0;"CR
EEN"
270 LET k$=INKEY$
280 IF k$="R" OR k$="r" THEN OPEN #4;"T"
290 IF k$="S" OR k$="s" THEN OPEN #4;"S"
300 IF k$="Z" OR k$="z" THEN OPEN #4;"P"
310 IF k$="" THEN GO TO 270
320 REM now we're ready to read
330 REM the file and print it
340 OPEN #5;"m";number;n$
350 REM get one character at
360 REM a time from file
370 LET k$=INKEY$#5
380 LET ascii=CODE k$
390 IF ascii>144 AND ascii<=161 THEN GO
SUB 500: REM this is a udg
400 IF ascii=128 AND ascii<=143 THEN GO
SUB 570: REM this is a spectrum graphics
character
410 IF ascii=17 THEN GO SUB 730: REM 16
signifies next character is ink colour
420 IF ascii=16 THEN GO SUB 840: REM 17
signifies next character is a paper colour
430 IF ascii=19 OR ascii=18 THEN GO SUB
940: REM these are bright and flash
440:
450 REM now print out the character or st
ring
460:
470 PRINT #4;k$:
480:
490 GO TO 370
500 REM replace user defined
510 REM graphic characters
520:
530 LET k$="(G"+CHR$ (ascii-47)+")"
540:
550 RETURN
560:
570 REM replace spactrum
580 REM graphic characters.
590:
600 IF ascii=128 THEN LET k$="(GS)"
610 IF ascii=143 THEN LET k$="(GS8)"
620 IF ascii=129 AND ascii=135 THEN LE
T k$="(G"+CHR$ (ascii-80)+")"
630 IF ascii=142 THEN LET k$="(GS1)"
640 IF ascii=141 THEN LET k$="(GS2)"
650 IF ascii=140 THEN LET k$="(GS3)"
660 IF ascii=139 THEN LET k$="(GS4)"
670 IF ascii=138 THEN LET k$="(GS5)"
680 IF ascii=137 THEN LET k$="(GS6)"
690 IF ascii=136 THEN LET k$="(GS7)"
700:
710 RETURN
720:
730 REM alter ink character
740 REM next character is the
750 REM colour code so this
760 REM must be input
770:
780 LET k$=INKEY$#5
790 LET chr=CODE k$
800 LET k$="(E"+STR$ chr+")"
810:
820 RETURN
830:
840 REM alter paper character
850 REM next character is the
860 REM paper colour
870:
880 LET k$=INKEY$#5
890 LET chr=CODE k$
900 LET k$="(ES"+STR$ chr+")"
910:
920 RETURN
930:
940 REM Change bright and flash
950:
960 LET k$=INKEY$#5
970 LET val=CODE k$
980 LET letter=S+val
990 LET vided=3+val
1000 IF ascii=18 THEN LET k$="(ES"+STR$ l
etter+")"
1010 IF ascii=19 THEN LET k$="(E"+STR$ l
etter+")"
1020 IF ascii=20 THEN LET k$="(S"+STR$ v
ided+")"
1030:
1040 RETURN

```



## First, a question.

Who do you think are the world's most avid consumers of microcomputers?

The ingenious Japanese?  
The fashionable French?  
The acquisitive Americans?

Believe it or not, it's we British who own more micros per person than any other nation on earth.

Yet, despite its amazing impact, the microcomputer has only just begun to scratch at the surface of our lives. Without doubt, the best is yet to come.

## Use and Abuse.

In several recent surveys, some astonishing facts about micro use and abuse were revealed.

It was discovered that the micro is hopelessly under-utilised. If you're already a micro owner, your own experience may well confirm this unhappy state of affairs.


## Brainpower. A source of knowledge.

For thousands of years, the key to self improvement has been in the hands of the written word. Now, thanks to the Brainpower range, it's very much in the hands of the micro.

As the Brainpower range demonstrates, this does not require prior knowledge of micros, or how they work.

The Brainpower concept has been devised as *integrated* applications and educational software. And its aim

WHEN WILL HE STOP  
USING ME LIKE A TOY AND  
START USING ME LIKE  
A COMPUTER ?



# Now you and y bring out the be

is to stretch both your mind and your imagination.


It offers a unique way to realise your own full potential and that of your micro. In a way you could never hope to achieve from the printed word alone.

In this respect, the Brainpower range stands on its own.

## A unique concept.

All the Brainpower titles share one thing in common, apart from their stimulating subject matter, that makes them unique.

You will find each title comprises three distinctive elements: A teaching program that helps you to get to grips



Each Brainpower title provides a unique three part package: an applications program; a teaching program and an illustrated manual and interactive tutorial - integrated applications and educational software.



A black and white illustration of a man with a thoughtful expression, resting his chin on his hand. He is wearing a patterned sweater over a collared shirt. Above him is a speech bubble containing the text "BEST WAY OF USING IT." The illustration is rendered in a detailed, stippled style.

with the subject at your own pace. An applications program to put what you learn into action. And finally, with each package, you get an expertly written book and interactive tutorial.

The secrets of the heavens are yours. Isolate all the constellations as well as main stars for easy identification. Even turn stars and constellations on and off at will. Screen by screen, you will see exactly how the 1,500 brightest stars move through time and space. And all from any point on the Earth's surface at any time of the year.

## DECISION MAKER

## NUMBERS AT WORK

Numbers at Work gives you a distinct edge, since you will be able to both understand and manipulate numbers at will.

Project Planner teaches you how to divide even the most complex project down into meaningful components. Learn how to determine the length and importance of every single task, and those elements critical to the fulfillment of your plan. Even anticipate problems you hadn't envisaged.

FORECASTER

Invaluable to you in both your private and business life.

Entrepreneur teaches you all the steps required to plan and start your own business. It will forecast your first 18 months' cash flows, generate your Profit and Loss Account and Balance Sheet. Help you in discussions with your bank manager and partners. Explain the notions of assets, liabilities, overheads, working capital, cash flow and break even point.

Invaluable to anyone who is planning a business venture.

NAME \_\_\_\_\_

ADDRESS \_\_\_\_\_

POSTCODE \_\_\_\_\_

TELEPHONE \_\_\_\_\_ SIGNATURE \_\_\_\_\_

Send to: Triptych Publishing Ltd, (TBL Book Service Ltd) FREEPOST,  
CAMBERLEY, SURREY GU15 3BR. All goods fully tested and returnable if in any  
way defective. Allow 28 days for delivery. \*Delete as applicable.

PCN 10/10

Please add £1.50 for postage and packing

\* I enclose a cheque or postal order, crossed and made payable to Triptych Publishing Ltd for £\_\_\_\_\_

\* Please debit my Access/  
Barclaycard number



PCN OCTOBER 13 1984

# BRAINPOWER





Dragon users beware — there are plenty of good adventure games that will land both you and your bank account in desperate straits, as Mike Gerrard discovers.

# DRAGON DELIGHTS

**B**ad news for Dragon users who are adventure fans . . . there is now so much good software around that it's going to cost you a fortune to keep up with it. Hot on the green heels of *The Incredible Hulk* from Adventure International at £7.95 comes *Return of the Ring*, Winterset's follow-up to *The Ring of Darkness*, which will set you back £9.95. The same applies for each of the titles in the series of *Mysterious Adventures* currently being released by Channel 8 Software in text-only versions for the Dragon 32 and graphics versions for the 64, both on the same tape.

## Questprobe

Hard to know where to begin, except maybe with a request to the bank manager (PRAY, BRIBE MANAGER and GROVEL might be useful commands here). There are some unusual commands needed in the adventure starring Bruce Banner as *The Incredible Hulk*, which is actually called *Questprobe*. The first is the one needed to turn Bruce into *The Hulk* . . . the accompanying leaflet gives you a clue, but if you don't get it, you're told in coded style at the back of the leaflet, though that's about the only hint you'll pick up.

The Scott Adams style is to make 'em tough. Just to uncover a new location can seem like a major achievement. No frills in the opening description where you're faced with: "I'm Bruce Banner, tied hand and foot to a chair . . . What shall I do?" A pretty desperate situation, but in fact there's more than one way out. Once you're free, you're then faced with the task of escaping from the Dome in which you were imprisoned. As Bruce Banner, you're killed by the rockfall in the tunnel leading out, but as *The Hulk*, you're tough enough to get through. But, alas, you cannot stay as *The Hulk* forever, because in certain locations poisonous gasses escape, and these turn you back into Bruce Banner. An example of Adams' deviousness is that in one of the spots where this happens, there's a ring set in the floor. As Bruce Banner you can't move it, so you're just itching to turn into *The Hulk* and tug it like a ring-pull, but unfortunately the minute you do so, the gasses come along and turn

you straight into Bruce Banner again.

The aim of the adventure is basically to collect as many gems as you can find and return them to a set location which you can find by reading the many signs that are helpfully scattered around. A constant running score lets you know how well you're doing, and if you fancy your talents as an adventure-solver then this is definitely one game that will test just how good you think you are.

The one thing I didn't like about *Questprobe* though, as with so many adventures, is simply the bulky and unattractive Dragon text layout.

For its series, Channel 8 Software has redesigned the character set to come up with a neat little text that looks very attractive on the screen. The whole series follows the same pattern, and if you're not too bothered about the fairly simple graphics, you can either play the 32 version or toggle them on and off in the 64 version by pressing ENTER.

It's rather odd that many software houses stress that adventures should have graphics, and then give uses with the facility for ignoring the graphics — which is what I suspect most adventure players do anyway.

## Waxworks

As for *Mysterious Adventures*, I looked at the latest in the series, *Waxworks*, but as the accompanying leaflet only gives outlines of the first ten in the range, I can't tell you what the purpose of this one, Number 11, is.

You begin in the leisure lounge of a deserted waxworks decorated with a wooden beam, a public telephone, a slot machine and some seating. One thing you must do in this series is LOOK in every location, which occasionally uncovers new objects, and you must also EXAMINE everything you come across. Go UP from the leisure lounge and you're in part of the waxworks display — there really can't be that many adventures that let you EXAMINE JACQUES COUSTEAU.

I like the idea of the maze in the Hall of Mirrors, where you can't see which way is out, and this leads to one or two new locations, such as an airlock to a large aquarium tank: "I can see Jaws IV — oh!

oh!". How can we get Jacques Cousteau to help us out of this one? Some people do find this series rather simple, and it is certainly not for those who like their location descriptions to be more than just "I'm in leisure lounge", but they all have brain-teasing and have sold very well on other machines.

One of the best-selling adventures that originated on the Dragon, and was subsequently converted for the Spectrum and Oric, was the *Ring of Darkness*, with *Return of the Ring* taking over where the former left off — almost literally. As in the first location, you find Shedir, the ring that you were searching for in the original game. This time, though, you're on a mysterious planet and charged with returning the ring to the Masters of Ringworld, with whom you have somehow lost contact. You don't know why you're on the planet, though you can sense the presence of the Evil Sage . . . but no Evil Parsley that I could find.

*Return* begins in similar fashion to the earlier adventure, requiring you to set up your character's name and features, distributing points between Regenerations, Intelligence, Strength and Charisma.

Then it's on with the game, which is divided up into various graphical areas. You begin in a city on a decaying planet, using the arrow keys to move about the maze of streets. You encounter various mutants, to fight or trade with, and there are also several transporters which can ACTIVATE (if you have found the various passes that some of them need) to take you to places such as human town or the Krell village. You explore these in turn, finding tasks and objects and slowly trying to build up your Experience points, as well as finding food to replace your diminishing supply.


The game is different enough from Winterset's earlier effort to be satisfying, presenting the same challenge of strategy and adventuring mixed. If you liked *The Ring of Darkness*, which many evidently did, then you'll enjoy this, but if you didn't sample that game you can still plunge straight into *Return of the Ring*. So have a good plunge, whichever adventure you plump for. ■



# Softstone

A CHALLENGE  
NOT TO BE MISSED  
FROM A NEW  
COMPANY

with the first four  
action charged games  
at your finger tips



for dealer  
enquiries  
phone now



TONY KNIGHT

SUITE 1, 39a PADDINGTON ST. LONDON W1 01-486-5266

Softstone

ODYSSEY 1



Defend your planet at the Star-Gate  
against the fury of the Riggosians  
SFSP001 SPECTRUM

£4.95

Softstone

FORCE FIGHTER



Aliens have escaped from detention planet.  
Stop them! SFSP002 SPECTRUM

£4.95

Softstone

TURTLE TIMEWARP



MAYDAY! MAYDAY! Save all turtles in this  
amazing game SFSP003 48K SPECTRUM

£4.95

Softstone

AMERICAN FOOTBALL



Coach your team to the Superbowl Match  
played on your screen in 3D Graphics  
SFSP004 48K SPECTRUM

£6.95





# HP'S SAUCY PORTABLE

Hewlett Packard's latest portable — the HP 110 — is a complete desktop system. Brendin Lewis takes a look at this saucy micro with the built-in memory drives and software.



The HP110 basic system consists of carrying case, a mains adapter/recharger and boxed sets of documents.

**M**any advances have been made in the area of portable micros over the last few years, the most obvious of which is that the machines are just that — portable. Other advances, in the fields of liquid crystal displays (LCD), semiconductor technology including CMOS low power microprocessors, larger memory devices and uncommitted logic arrays (ULA) have meant that the desktop system of three years ago will now fit into a briefcase.

The HP 110, incorporating MS-DOS, the Lotus 123 package and two other

packages within the system's ROM memory, is such a system. A built-in Ramdisk ensures fast, reliable data transfer between disk and main memory. External micro floppy disk drives can be added along with printers, plotters and to top it all the machine contains a built-in modem.

### First impressions

The basic system consists of the HP 110, carrying case, a mains adapter/recharger and two boxed sets of documents, one system manual and a Lotus 123 user

guide. Once on a desk the whole thing looks very impressive, something that we have come to expect from Hewlett Packard.

The first problem I encountered was moving the system around when out of its carrying case; though quite small, the system is surprisingly heavy and needs both hands to carry it around safely as there are no handles or hand holds.

Closed, the system gives away nothing as to its contents. Externally, the only things visible are the thumb clips to open the lid and various strange looking



connectors on the back. Flicking the thumb clips and lifting the lid reveals all; keyboard fixed to the main unit and LCD contained within the lid. The lid itself holds perfectly in position at any angle, which is most important for comfortable viewing.

I made a futile attempt at finding the on/off switch before realising that pressing any key on the keyboard powers up the system. Another knob noticeable by its absence is the contrast control for the LCD. One key on the keyboard is etched with the same logo as that on a TV contrast control and by using this and its shifted counterpart, the contrast of the display varies up and down. For those not familiar with LCDs, an LCD can only be viewed from one quite narrow angle, so if the screen is tilted slightly then the characteristics of the LCD must be altered to compensate for this movement. Basically it allows the screen to be viewed from any angle.

The display itself is not one of the best I've seen — it was very difficult to get a clear, reflection-free display. I had to angle the display very sharply indeed to get an adequate view and even then the light/dark contrast was poor.

This is not the norm with LCDs as I have seen much better displays. On the other hand it is something that Hewlett Packard should look into, as it mars what otherwise seems a most impressive system.

The keyboard has a total of 76 keys



Although small, the system is heavy to carry around.



It's size and facilities makes the HP 110 truly portable.

including the usual alphanumeric keys, eight function keys, cursor keys and six special function keys, among them keys for printing, a break key for the modem, a key which toggles the on screen display of the eight normal function keys and a key which toggles between user and system defined function keys. Though there are only eight function keys, they can also be used shifted, giving a total of 16 unique definitions.

Overall the keys are good quality, but, as I have found previously, it is the space bar that lets the system down. When touch typing on this system the space bar needs to be pressed slightly harder than the other keys, and it also has a tendency to print double. The keys work on the single key lockout principle. This simply means that if one key is depressed then all other keys are disabled, which again makes touch typing difficult.

The documentation available with the system is comprehensive — two boxed, ring bound volumes, one for the system and one for Lotus 123. The system user guide explains two of the built-in packages, Memomaker, the word processor, and Terminal, the communications package. Both these sections and the section on MSDOS are covered in detail.

### In use

The system contains two memory disks configured as MSDOS drives A and B.



**PHILIPS**

**Philips Portable Personal Computer P2000 C**

# **Double-fit with 16 bit.**

**Now runs both 8 bit and 16 bit software.**

8 bit or 16 bit? With the Philips P2000 C you can now have the best of both worlds by simply adding the 16 bit 8088 "Co-Power" board. The extended version can then run 8 bit CP/M\* and p-System\* software as well as MS-DOS\* 16 bit applications. The 16 bit board also makes the P2000 C IBM-PC compatible.

The 8 bit/16 bit system provides the Philips P2000 C with more memory, power and speed. And the user has access to a vast range of readily available 8 bit and 16 bit software. This puts the Philips P2000 C even further ahead in its field.



***It's just plain common sense.***

**P2000 C - 16 bit extension**

1. 8088, 5 MHz processor
2. 128, 256 or 512 KB RAM
3. Optional: Arithmetic processor 8087
4. MS-DOS 2.11
5. IBM-PC compatible (graphics excepted)
6. 25 line screen
7. The 16 bit board can also be used as a memory extension in 8 bit applications

CP/M is a trademark of Digital Research Inc.  
p-System is a trademark of Softech Microsystems Inc.  
MS-DOS is a trademark of Microsoft Inc.  
WordStar and CalcStar are trademarks of MicroPro Int. Corp.

**P2000  
C**

**Portable  
Personal  
Computer**

from **£995** plus VAT

**Incl. CP/M, WordStar, CalcStar and SAGE  
"try-before-you-buy" accounts packages.**

**For the authorized dealer near you contact:**

**Kingsway Data Systems**, 30 Guildford Street, Chertsey, Surrey, Tel.: (0 93 28) 68 911, Telex: 24667

**Philips Business Systems**, 2 Bergholt Road, Colchester/Essex, Tel.: (02 06) 57 51 15, Telex: 98673



**Vistec Midlectron**, 2 Chequers Road, West Meadows Industrial Estate, Derby, Tel.: (03 32) 38 15 50, 40 New Bridge Street, London EC4V 8AL, Tel.: (01) 248-0416.







## ARDWARE PRO-TEST: HP 110



The HP 110 gives nothing away when closed, showing only the thumb clips on the front, and the connectors on the back.

Drive A is a RAM disk and drive B a ROM disk. Though the concept of ROM disk was quite new to me I soon realised that it is analagous to a fixed, read-only hard disk and can be accessed in the normal way using B for its commands. The disk itself contains all the operating system software and all the built-in packages such as Lotus 123. The RAM disk, on the other hand, is a read/write

disk with battery backup to prevent the loss of data.

Total memory is split between disk and user memory and is configured with the PAM option (see below). The total 272K memory can be split as follows: the RAM disk, any value between 16K and 176K in 4K intervals, leaving main memory taking up the remaining RAM between 96K and

256K. The default values for these settings give 96K user memory and 176K as drive A.

On power up an auto boot file called PAM (personal applications manager) runs. This removes all the mundane typing in of file names when running packages. Four options are displayed on screen, offering Memomaker, Lotus 123, Terminal and DOS commands. The first



three are the packages on B while the DOS commands option merely jumps to the MSDOS command input level. It is possible to type in the normal MSDOS commands within PAM, so normally this option is not necessary. All four options are accessed by moving the cursor to the required option and hitting the select key.

While at the PAM command level it is possible to configure the various parts of the system.

This includes the clock, which can also be done from within MSDOS using the time command, the data communications port and the system itself which includes the printer characteristics. The serial port is configured along with the modem with the datacom option.

A help facility is available on running PAM from the function keys. This goes into some depth and even gives help on how to use the help facility itself. Various items of system information are displayed while PAM is running, including the number of bytes on drive A, the remaining battery charge as a percentage, the time, the date and the row and column position of the cursor.

An interesting feature offered by PAM is the use of alarms. This is achieved by setting up a file called PAM.ALM, in which is stored a date and time and a message, if required. PAM reads this file and sounds the internal beeper at the given time and outputs the message. It is possible to run a program instead of outputting the message, making this a very useful facility about the home or office.

Normally the system would be used on its internal batteries alone and, because of this, two methods of preserving the charge within these batteries is utilised. The first simply turns off the display after a given timeout period. This period is set within the system configuration mode and can have a value ranging between 30 minutes and half a minute or can be disabled. The second and most impressive method actually halts the processor when an application program waits for input: again, this facility can be disabled.

Using these methods, the time between charges can be prolonged considerably. On the other hand, it is advisable to use the battery charger whenever possible. This not only insures against flat batteries and the resulting data loss but actually prolongs the life of the batteries.

Though the system is quite self-contained it is obvious that external devices such as printers will be required at some point if only to print a file. The expansion options available include up to eight external micro floppy disk drives plus various printers and plotters.

All these devices are connected via the in-built HP-IL port. This is more on the lines of a mini network where a cable

makes up a loop with the various devices linked into it. There are two connectors used with this port, marked in and out; the link goes from the out port on one device to the in port on the next and so on round the loop and finally back to the computer. Using this arrangement it is possible for one machine to access the memory drives of another machine thus indirectly expanding the disk space of the host machine. For this purpose a utility called HPLINK is included with the system.

The two remaining options deal with serial systems. The first is a standard RS232 port implemented via a nine pin 'D' type socket on the rear of the machine: this opens a gateway to a vast array of different devices. The other option also deals with a serial system, though one which is often neglected by computer manufacturers — serial communication with the national and international telephone network by means of a modem. It is possible to connect a modem to a standard serial port but this would entail carrying around another box.

The HP 110 has a built-in 300 baud modem which connects directly into the standard telephone socket: it is able to dial a number, present log-on string and finally hang up after data transfer. The big problem with this particular modem is that it is an American standard and not British Telecom approved. It must be said, though, that this is not a British production model and when the machine is released in Britain no doubt a British Telecom approved modem will be installed.

## Software

The system includes a very useful range of software packages and utilities resident in its internal ROM disk. The MSDOS operating system is also built in, making the system almost wholly self-contained: it needs only external devices for hard copy output and extra disk space. PAM handles most of the housekeeping tasks, so this section will deal with only the internal software packages.

There are three packages within the system — Memomaker, Terminal and Lotus 123. Memomaker is a word processor/editor aimed at the user who occasionally needs to write letters, documents or memos: it is not designed

as a word processor to be used for very large documents. There is no reason why it can't be, but HP realises the problems with using LCD displays for very long periods and this includes the small screen. Within its limitations the package is good, with reasonable help facilities and wide use of single function key entry of commands. The one thing that stands-out with Memomaker is its ease of use. It took me literally minutes to learn enough to write a letter.

It must be said that the main attraction of the machine is that Lotus 123 is in-built. This package, now famous throughout the computer world, contains graphics output of information stored in the database and a spreadsheet. Unlike Memomaker this package is very complex and I found it impossible to use without first looking at the manual if only to find out how to use the excellent help facility. Space prevents an in-depth look into Lotus 123 but this would only be re-inventing the wheel — there is an abundance of literature. Here I shall content myself with the way in which the package is implemented on this system.

The size of the work sheet depends on the settings of user/disk memory within the system but with the default of 96K. The worksheet empty is 256 by 2048: ample space for all but the most complex of problems.

## Verdict

As it becomes easier to implement hardware in smaller and smaller boxes, the most important criterion for a successful system is going to be the amount of work one is able to do without the use of other boxes. So it will be systems such as this, with built-in memory drives and software, that will win in the race toward the ideal portable micro.

With this system it is the display which is the most obvious drawback. Whether or not this is rectified in later models is something to be seen. Discounting the display, the system is a joy to work with.

There are big advantages to be gained by the use of RAM disks, in particular the speed of data transfer. So it will be the use-integrated software and hardware that wins on the day. This system has a good measure of both, which will, I am sure, lead to success. ■

## SPECIFICATIONS

|                          |  |
|--------------------------|--|
| <b>System</b>            | HP 110 Portable                        |
| <b>Processor</b>         | 8086                                   |
| <b>ROM</b>               | 274K as disk B                         |
| <b>RAM</b>               | 176K as disk A: 96K user               |
| <b>Screen</b>            | 80 × 14 LCD plus status line           |
| <b>Keyboard</b>          | 76 keys, cursor, contrast, 8 function  |
| <b>Interfaces</b>        | HP-IL, Serial, Modem                   |
| <b>Operating system</b>  | MS-DOS in ROM                          |
| <b>Software included</b> | Terminal, Hplink, Memomaker, Lotus 123 |
| <b>Distributor</b>       | Hewlett Packard (UK)                   |



# Cash & Carry

## COMPUTERS

**TOP  
SHOWROOM  
SERVICE**

**ROCK  
BOTTOM  
PRICES**

**PERSONAL CALLERS WELCOME AT OUR EXTENSIVE SHOWROOMS  
MOST EQUIPMENT ON DEMONSTRATION**

### The UK's Best Printer Prices

Only a sample of our massive range of printers  
shown here — phone for further details

#### DAISYWHEEL LETTER QUALITY

|                           |                 |         |
|---------------------------|-----------------|---------|
| Smith Corona TP1 (P or S) | £189.00 + VAT = | £217.35 |
| Juki 6100 (P)             | £335.00 + VAT = | £385.25 |
| Brother HR15 (P)          | £335.00 + VAT = | £385.25 |
| Daisystep 2000            | £239.95 + VAT = | £275.94 |

#### PRINTER/TYPEWRITERS

|  |                 |         |
|--|-----------------|---------|
| Brother EP22 Dot Matrix (S)                    | £119.00 + VAT = | £136.85 |
| Brother EP44 (S)                               | £189.00 + VAT = | £217.35 |
| Modems available for Easylink and Telecom Gold |                 |         |
| Juki 2200 Daisywheel (P or S)                  | £239.95 + VAT = | £275.94 |

#### DOT MATRIX PRINTERS

|                            |                 |         |
|----------------------------|-----------------|---------|
| Brother HR5 (P or S)       | £129.00 + VAT = | £148.35 |
| Canon 1080A NLQ (P)        | £289.00 + VAT = | £332.35 |
| Canon 1156A NLQ (P)        | £349.00 + VAT = | £401.35 |
| EPSON RX80 (P)             | £195.00 + VAT = | £224.25 |
| EPSON RX80 F T (P)         | £225.00 + VAT = | £258.75 |
| EPSON RX100 F T (P)        | £324.00 + VAT = | £372.60 |
| EPSON FX80 (P)             | £339.95 + VAT = | £390.95 |
| EPSON FX100 F T (P)        | £439.00 + VAT = | £504.85 |
| Seikosha GP100A (P)        | £129.90 + VAT = | £149.39 |
| Seikosha GP50A (P)         | £79.90 + VAT =  | £91.89  |
| Seikosha GP50S (Spectrum)  | £79.90 + VAT =  | £91.89  |
| Seikosha GP500A (P)        | £139.90 + VAT = | £160.89 |
| Seikosha GP550A (P)        | £179.90 + VAT = | £206.89 |
| Seikosha GP700A Colour (P) | £279.90 + VAT = | £321.89 |
| Shinwa CT80 (P)            | £175.00 + VAT = | £201.25 |

(P)=Parallel-Centronics (S)=Serial RS232

Smith Corona range of printers Now in Stock — Phone or write for details

### INSTANT CREDIT Up to 36 months to pay

All items over £150 available on our easy credit terms.  
Written details available on request.

## SUPERDISKS

LONDON'S LOWEST PRICES ON FLOPPY DISKS

Prices per box of ten ex VAT

|                 | SSDD<br>40TR | DSDD<br>40TR | SS96TP1<br>80TR | DS96TP1<br>80TR |
|-----------------|--------------|--------------|-----------------|-----------------|
| BASF 5 1/4"     | £10.95       | £18.20       | £19.80          | £22.50          |
| 3M 5 1/4"       | £13.55       | £19.50       | £20.05          | £24.00          |
| VERBATIM 5 1/4" | £15.50       | £23.50       | £22.50          | £30.50          |
| DYSAN 5 1/4"    | £16.80       | £24.90       | £24.90          | £32.00          |
| TDK 5 1/4"      | £17.50       | £25.50       | —               | £33.00          |
| BASF 3 1/2"     | £34.90       | —            | —               | —               |

Add 70p for P&P per box of 10 disks

## CASH & CARRY COMPUTERS

53-59 High Street,  
Croydon, Surrey CR0 1BD.

#### 12" MONITORS — GREEN SCREEN

|                      |                |         |
|----------------------|----------------|---------|
| Sanyo 2112 Med Res.  | £65.00 + VAT = | £74.75  |
| Sanyo 8112 High Res. | £88.00 + VAT = | £101.20 |

#### 14" MONITORS — COLOUR

|                                   |                 |         |
|-----------------------------------|-----------------|---------|
| Commodore 1701 Composite/Sound    | £173.00 + VAT = | £198.95 |
| Fidelity CM14 RGB/Comp/Sound      | £179.00 + VAT = | £205.85 |
| Microvitec 1431MS Norm Res RGB    | £173.00 + VAT = | £198.95 |
| Microvitec 1431MZ for ZX Spectrum | £199.00 + VAT = | £228.85 |
| Microvitec 1451MS Med Res RGB     | £269.00 + VAT = | £309.35 |
| Microvitec 1451DQ for Sinclair QL | £234.74 + VAT = | £269.95 |
| Microvitec 1441MS High Res RGB    | £379.00 + VAT = | £435.85 |
| Sanyo 3125 Norm Res RGB           | £173.00 + VAT = | £198.95 |
| Sanyo 3117 Med Res RGB            | £285.00 + VAT = | £327.75 |
| Sanyo 3115 High Res RGB           | £399.00 + VAT = | £458.85 |

#### Commodore

|                                       |                 |         |
|---------------------------------------|-----------------|---------|
| Plus 4 NEW 64K Computer               | £219.95 + VAT = | £252.94 |
| C16 Starter pack inc. cassette deck   | £104.30 + VAT = | £119.95 |
| C2N Cassette                          | £32.61 + VAT =  | £37.50  |
| DPS 1101 Daisywheel Printer (by Juki) | £309.95 + VAT = | £356.44 |
| 801 Tractor Printer                   | £165.17 + VAT = | £189.95 |
| 802 Tractor Printer                   | £221.80 + VAT = | £259.95 |
| 1520 Colour Printer Plotter           | £380.83 + VAT = | £439.95 |
| 1701 Colour Monitor                   | £173.00 + VAT = | £198.95 |

#### Amstrad

|                               |                 |         |
|-------------------------------|-----------------|---------|
| Amstrad CPC464 Green Monitor  | £192.00 + VAT = | £220.80 |
| Amstrad CPC464 Colour Monitor | £289.00 + VAT = | £332.35 |

#### SANYO MBC 555 Business Computer

|   |                 |         |
|---|-----------------|---------|
| 128K including Wordstar, Calcstar, Infostar | £795.00 + VAT = | £914.25 |
|---|-----------------|---------|

#### BBC

|                          |                 |         |
|--------------------------|-----------------|---------|
| BBC Model B              | £339.09 + VAT = | £389.95 |
| Model B inc Disk I F     | £399.96 + VAT = | £459.95 |
| Cumana 1x100K DD CSX100  | £126.00 + VAT = | £144.95 |
| Cumana 1x200K DD CSX200  | £191.26 + VAT = | £219.95 |
| Cumana 2x100K DD inc PSU | £321.70 + VAT = | £369.95 |
| Cumana 2x200K DD inc PSU | £347.70 + VAT = | £399.95 |
| Cumana 2x400K DD inc PSU | £434.74 + VAT = | £499.95 |

All above Cumana Disk Drives include Cable, Manual + form. disk.

#### Sinclair

|   |                 |         |
|---|-----------------|---------|
| Spectrum 48K + 6 Free Games (worth £56) | £106.91 + VAT = | £122.95 |
| Microdrive                              | £41.30 + VAT =  | £47.50  |
| Interface I                             | £41.30 + VAT =  | £47.50  |
| 16K-48K Upgrade                         | £21.70 + VAT =  | £24.95  |

### BUSINESS SOFTWARE

We have a wide range of business software at our normal discount prices.  
All prices ex VAT. Add 70p for P&P per order.

|             |      |
|-------------|------|
| Wordstar    | £195 |
| Open Access | £360 |
| Lotus 123   | £295 |
| Symphony    | £490 |
| Multimate   | £240 |
| Base II     | £280 |
| DMS Delta   | £395 |
| Friday      | £135 |
| Framework   | £345 |

Please state computer format required when ordering.

### Mail Order + Export + Trade Hot Line Phone 01-686 6362



Delivery by Securicor (3 day) please add £5.00 + VAT per item.  
Delivery by T.N.T. (overnight) please add £9.50 + VAT per item.

Send off the coupon or order by phone quoting your Access,  
Barclaycard No. Phone 01-686 6362. Immediate  
despatch on receipt of order or cheque clearance.

Or you can Telex your order on: 946240 Attn 19001335

We accept official orders from PLC's, Government Departments  
and Educational establishments.

These prices correct until superceded by next advertisement.

To: Cash & Carry Computers, 53-59 High Street, Croydon, Surrey CR0 1BD.

Please supply

I enclose my cheque for £\_\_\_\_\_ including delivery by Securicor/T.N.T.\*

or charge my Access/Barclaycard No. \_\_\_\_\_

Name \_\_\_\_\_ Signature \_\_\_\_\_

Address \_\_\_\_\_

\*Please Delete

PCN 1/10



# HOME TECH 84

## The Bristol Personal Computer and Home Technology Show

GOTO

RUN

COMPUTERS  
HARDWARE & SOFTWARE  
EDUCATIONAL CLUB  
TRADE STAND BARGAINS  
AND LOTS MORE

BRISTOL EXHIBITION  
CENTRE  
OCTOBER 26th, 27th,  
28th, 29th 1984

Home Tech '84, Telephone (0272) 650465/650415

ELECTRONIC SYNTHESIZER SOUND PROJECTS

### E.S.S.P

### Distribution

COMPUTER-SYNTHESIZER SOUND AND VISION



The 7th Annual Synthesizer Tape Contest

**"THE WINNERS' PIECES"**

A CASSETTE COMPILATION FEATURING RECORDINGS FROM A  
UNIQUE SELECTION OF INTERNATIONAL TALENT

Side A

Class B—First Prize—

1. Kingsley H. Sage (15, U.K.)  
"VISIONS OF AFRICA"
2. Toshiyuki Morimoto (15, JAPAN)  
"FUTURE WALKING"
3. Kiyoto Morimoto (18, JAPAN)  
"FLOATING DOWN THE RICHAN"
4. Fabrizio Cardoso (25, ITALIA)  
"SYNTHETICA"
5. Antonino Valenti (26, ITALIA)  
"DEA MEDITERRANEA  
(Mediterranean Goddess)"
6. Makoto Tsuda (22, JAPAN)  
"ANCIENT CITY"
7. Shigeo Ogasawara (28, JAPAN)  
"FROM THE ALBUM (Satoko)"

Side B

CLASS B—First Prize—

1. Friedrich E. Zimmermann (35,  
AUSTRIA)  
"ATLANTIC"
2. Erik D. Huber (12, U.S.A.)  
"DANCE OF THE NEUTRINOS"
3. David Stout (28, U.S.A.)  
"ELDILA"
4. Walter Heinisch (25, AUSTRIA)  
"MERCURY DANCE"
5. Michael E. Stearns (34, U.S.A.)  
"VOYAGER"
6. Katsushi Fujioka (26, JAPAN)  
"BRANDENBURG CONCERTO No. 2  
(The 3rd Mov.)"

PRICE: £4.95 + 50p post & packing

PLEASE MAKE CHEQUES/PO'S PAYABLE TO E.S.S.P: DISTRIBUTION

The Sound House East Molesey Surrey KT8 9JB

Telephone 01-979 9997


### !NEW VERSION!

Would you like to transfer your Spectrum programs from

- |                            |                      |
|----------------------------|----------------------|
| ① MICRODRIVE TO MICRODRIVE | ③ TAPE TO TAPE       |
| ② TAPE TO MICRODRIVE       | ④ MICRODRIVE TO TAPE |

Then do it with

### TRANS-EXPRESS



TRANS-EXPRESS is the most comprehensive package of four m/c utilities for transferring Spectrum programs. They are user-friendly, simple to use, reliable & very efficient. They will enable you to transfer any kind of programs up to the full 48.0k length. TAPE TO MICRODRIVE will also automatically, if necessary, modify, re-structure & relocate both BASIC and m/c to RUN from microdrives.

TRANS-EXPRESS is an essential microdrive companion and an invaluable software back-up utility.

You can buy each of the four programs separately for £ 5.50 or TAPE TO MICRODRIVE & MICRODRIVE TO MICRODRIVE for £ 7.50 or an entire package of all four programs on one tape for £ 9.95 or on a microdrive cartridge for £ 14.95 only.

### M'DRIVE TO M'DRIVE

Please send me a copy of TRANS-EXPRESS ① ② ③ ④ Please tick where applicable

I enclose cheque/PO for ..... (European orders please add £1.00 overseas £2)

Name/Address .....

ROMANTIC ROBOT 113 Melrose Ave, London NW2





## PLUG IN THE IVORIES

Stuart Cooke cleans out his lugholes and flexes his playing fingers to bring you a quadrophonic review of the Microsound 64 peripheral for the CBM 64.



**T**he Commodore 64 has what is possibly the most advanced sound chip on any home computer. However, if you simply wanted to use the 64 for musical purposes you would find it difficult to get even a quiet beep from your computer.

This is where the Microsound 64 is designed to help. A four-octave keyboard plugs into your computer, then load the software and you're away. Watch out Mike Oldfield.

### Presentation

The Microsound keyboard has a black plastic case with a robust appearance. It would look quite at home on the stage, but I doubt whether it would stand up to the battering.

### Setting up

Connecting the keyboard to the computer couldn't be simpler. All you need to do is plug the two joystick-type plugs into the connector at the side of the machine.

Both these plugs are clearly marked so you know which sockets they go into. And no other connectors are needed to the keyboard as any power it needs is taken from the Commodore via the joystick ports.

The manual clearly explains in a step-by-step fashion how to load the software supplied. And within minutes you should be able to set up and play the synthesiser.

Unfortunately, other sections of the manual aren't up to scratch. For instance it explains what all the key functions are but fails to tell you exactly what effect they have on the sound produced. So you waste time constantly referring to the Commodore manual for more information.

It would also have been useful if the manual gave some examples of sound — such as a piano, harpsicord etc. Instead, you're left to your own devices to produce sounds by trial and error.

### In use

The software proved to be very simple and easy to understand. Most of the changes are made by single keypresses, although it does become a little difficult to remember which key does what. This becomes more evident when the keys chosen bear no resemblance to the function you're altering. For example the 5, 6, 7, and 8 keys select triangular, sawtooth, pulse and noise wave forms respectively.

All changes are quickly displayed on the screen which shows you all of the settings but this can be replaced by a help screen when you press the '?' key.

Any changes to the voices have to be made to each voice independently. A small pointer is used to select which voice you are using and is moved by using the cursor keys.

As the 64 has three voices it is possible to set up each individually. Pressing between one and three keys on the piano keyboard will sound the relevant voices. If you press more than three keys it will only sound the lower three of the notes, (this is only to be expected and is not a real problem once you become used to it). In fact, it is quite unusual for a keyboard in the Microsound price range to offer more than one voice.

As well as the control panel, used to set up the filters and wave forms, there is also a patching panel. At the bottom left of the music keyboard there are a couple of slider controls of the type you sometimes find on a hi-fi.

Not only can you control the type of sound that is produced, but the software also contains a simple sequencer, accessed by the 'F' key. Once you have entered the sequencer you can set up a sequence of notes that your 64 will happily play until you tell it to stop.

A very good editor will allow you to enter the sequence of notes, hear them played back and change any of them.

### Verdict

The Microsound 64 keyboard is both fun to use and suitable for professional use. There are a few bad points in the software and there are better packages around, but unfortunately these do not allow you to use a proper music keyboard with them.

It would be very difficult to find a keyboard that offers the facilities that the Microsound 64 keyboard together with the Commodore 64 gives you. That alone must make it a good buy.


### REPORT CARD

|                 |       |
|-----------------|-------|
| Features        | ○○○○● |
| Documentation   | ○○○○● |
| Performance     | ○○○○● |
| Value for money | ○○○○● |

Price TBA Manufacturer Autographics Ltd, (0491) 575469 Distributor Tomorrow's World Today, 27 Oxford Street, London W1.



# R.P.S. THE MEM




Computers can only be really effective if the information they use is stored securely.

R.P.S. specialises in the manufacture of advanced information storage products that far exceed the reliability standards set by leading computer manufacturers.

Part of the giant RHÔNE-POULENC group,



# MORY BUILDERS.



R.P.S. is committed to a major research and development programme to meet the storage needs of tomorrow's computers.

The R.P.S. label is recognised by computer professionals everywhere as a guarantee of quality in magnetic data storage.

**The professional computer memory.**

**RHÔNE-POULENC SYSTEMS** - High Street, Houghton Regis, Bedfordshire, LU5 5QL -  
Tel.: Dunstable (0582) 605551

# RPS

A DIVISION OF THE RHÔNE-POULENC GROUP



# HISOFT

## ULTRAKIT £9.45


The most powerful toolkit yet for ZX BASIC. All the features you will ever need; AUTO insert, full RENUMBER, block DELETE, CLOCK, ALARM, error trapping, break trapping. Full TRACE with single-step and much, much more. Makes ZX BASIC easy-to-use and powerful.

## DEVPAK £14

An excellent assembler, an advanced line-editor, a comprehensive disassembler and a superb 'front panel' debugger all in one package. Used by many leading software houses to write their games. "Buy it!" Adam Denning 1984.

## PASCAL £25

A powerful and almost full implementation of Pascal - not a Tiny Pascal. A valuable educational and development tool, programs typically run 40 times faster than a BASIC equivalent. Spectrum version includes Turtle Graphics package. "I haven't seen any other compiler that could match Hisoft's Pascal"



### HISOFT

180 High Street North  
Dunstable, Beds. LU6 1AT  
Tel: (0582) 696421



# HISOFT



## for the ZX Spectrum

Hisoft is pleased to announce a new compiler for this popular and effective systems programming language. Not a tiny-C but an extensive, easy-to-use implementation of the language. Allows direct execution of compiled statements. Supplied with function library. Available direct from Hisoft for £25, or write for further details.

All prices, UK delivered, relate to 48K ZX Spectrum versions. Our software is available for many other Z80 machines e.g. Amstrad CPC 464, MSX, Memotech, SHARP MZ700, New-Brain, CP/M etc. Please write for details.

# QUEN-DATA

## Dot Matrix and Daisy Wheel Printers

|         |         |
|---------|---------|
| DP80/81 | £196.00 |
| DP100   | £263.00 |
| DWP1120 | £299.00 |

PLUS VAT



DP-100

## AUTUMN OFFERS!

- 80 columns/100 CPS
- 9 x 11 matrix for letter-quality printing
- High resolution graphics
- Adjustable tractor feed
- 2 interfaces selectable by dip-switch: parallel/Centronics + serial/EIA RS-232C

## 10% DISCOUNT FOR CHEQUES WITH ORDER

SEND NOW TO:

**SOUTH COAST CASH REGISTERS LTD**  
FREEPOST, BLANFORD, DORSET  
PLEASE ALLOW 14 DAYS DELIVERY





## VIC GAINS ADDED RAM

**Lack of memory poses a serious problem for the Vic 20. Kenn Garroch looks into a possible solution.**

One problem with the Vic 20, apart from the fact that Commodore is abandoning it, is its lack of memory. A number of memory expansion packs are available but generally these come in set sizes — such as 3K, 8K, and 16K — making it necessary to either buy two different expanders, or ignore some of the software.

The Expand-O-Ram gets round these problems by supplying an extra 16K of RAM in two banks of 8K with a set of selector switches to position the RAM in the memory map.

### Presentation

On removing the device from the box, it is immediately apparent that either Tymac forgot to put a case on the thing, or they think one is unnecessary. The Expand-O-Ram comes packaged in a tough cellophane wrapping which was difficult to remove.

One the board is 16K of RAM set out as eight chips. A closer look at these reveals

start cartridge. Also included is a reset switch, allowing you to reset the Vic without having to switch it off, and the dip switches to select where the memory expansion sits in memory.

### Documentation

Following the introduction, the first thing the guide tells you is how to backup your cartridges to cassette or disk. Useful information, but rather confusing — until you realise that the reload instructions mean that the cartridge software is being reloaded into RAM.

The style is concise and all the explanations on how to set up the dip switches are understandable. One useful section, covering the reset switch, describes in detail how to retrieve NEWED programs and explains how the program lines are set out in the memory.

Overall, the documentation covers everything you will need to know to operate the expander. It also offers a few points that, perhaps, you should not

switches have been set up correctly. Two small legs at the back of the board prop it up when its connected.

Once connected, the expander makes an extra 16K of RAM available, over the 3.5K in the main machine. If you already have the 3, or 16K expanders, then these can be placed into one of the expansion sockets and switched into the memory of 27.5K. Not a lot compared with modern-day machines, but a darn sight better than the measly amount that comes with the Vic as standard.

Don't touch the connections on the underside of the board if you have walked across nylon carpets. It will give you a nasty shock.

One of the capabilities of the expander is its ability to position the expansion in different memory areas. These are:

|             |             |
|-------------|-------------|
| \$2000-3FFF | 8191-16383  |
| \$4000-5FFF | 16384-24575 |
| \$6000-7FFF | 24576-32767 |
| \$A000-BFFF | 40960-49152 |

The first three areas are normally used to expand the memory used by Basic programs; the last area is that used for cartridge software. The 16K of memory on the Expand-O-Ram is split into two 8K blocks. Using the dip switches, these can be separately assigned to different sections of the memory.


A nice trick is the ability to change the dip switches while the machine is switched on, allowing blocks of memory to be protected, effectively making the RAM into ROM.


You can also make your own software appear to be an auto-start cartridge by setting its memory position to the cartridge section, and including the nine byte boot routine at the beginning. So you'd have this:

|             |                    |
|-------------|--------------------|
| \$A000-A001 | Cold start pointer |
| \$A002-A003 | Warm start pointer |
| \$A004-A008 | \$4130 C3C2CD      |

The last five bytes signal to the system that the software is to be accessed as an auto-start program. To auto-start the program, just press the reset switch.

### Verdict

The Expand-O-Ram is quite a nice add-on for your Vic if you keep running out of memory. Its major drawback is the lack of a case. Apart from this, the documentation is clear and should enable you to turn your Vic into a much more flexible system. 



The Expand-O-Ram solves the problem of the Vic's lack of memory, but it's a pity it doesn't come in a box.

that they are CMOS 2K by eight bits each. These are very low power and give rise to the possibility of battery back-up for the contents of the memory.

The rest of the board contains two expansion slots with a selector switch which defines which slot is the auto-

know. But if you read them, it can't be helped.

### In use

Connecting the expander up to the Vic was a straightforward matter of shoving it into the expansion port, once the dip

### REPORT CARD

|               |       |
|---------------|-------|
| Features      | ○○○○● |
| Documentation | ○○○○● |
| Performance   | ○○○○● |
| Overall Value | ○○○○● |

**Product** Expand-O-Ram System  
**Commodore Vic 20 Price** £119.95  
**Distributors** Tymac UK, 43-48 New Street, Birmingham, West Midlands



12 YORK PLACE  
BRIGHTON  
SUSSEX BN1 4GU

# Microworld

## Computer and Video Centre Ltd.

10 THE BOULEVARD  
CRAWLEY  
SUSSEX RH10 1XX

★ WE CATER FOR ALL YOUR HOME AND BUSINESS REQUIREMENTS ★ BEST PRICES, ADVICE & SUPPORT ★

### COMPUTERS

#### BBC

|   |       |
|---|-------|
| Model B.....                            | £344  |
| Model B + Disc I/F                      | £408  |
| Teletext Receiver.....                  | £195  |
| Z80 2nd Processor.....                  | £346  |
| 6502 2nd Processor.....                 | £173  |
| TELEX operation with BBC (requires Z80) | £1700 |
| VIDEO DIGITISER.....                    | £222  |
| RAVEN 20 (20K) RAM EXP.....             | £60   |

#### ELECTRON (SPECIAL OFFER)

|   |      |
|---|------|
| Acorn Electron + Deck + SW.....         | £169 |
| Plus 1 interface.....                   | £49  |
| Joystick I/F.....                       | £21  |
| Dual Joysticks for the BBC and ELECTRON | £17  |
| Single Joystick.....                    | £8   |



### TATUNGS Sheer Genius EINSTEIN

|                                  |      |
|----------------------------------|------|
| ★ Fast Processor & full Graphics |      |
| ★ 16 Colours & 32 Sprites        |      |
| ★ 64k RAM & 8K ROM               |      |
| ★ 500K 3" Compact Floppy         |      |
| ★ Superb Sound                   |      |
| ★ Full I/O Capability.....       | £429 |
| Matching Colour Monitor.....     | £209 |
| 80 Col. Card.....                | £44  |

### The BRILLIANT Amstrad Computer Great on performance

|                         |      |
|-------------------------|------|
| The CPC 464 Colour..... | £294 |
| Green.....              | £207 |
| 3" Drive for above..... | £173 |
| (with PSU)              |      |

### DISK DRIVES TEAC

|                       |      |
|-----------------------|------|
| Single Sided 40       |      |
| TRACK                 |      |
| 100K Single.....      | £121 |
| 200K Dual.....        | £243 |
| Single Sided 80       |      |
| TRACK                 |      |
| 200K Single.....      | £165 |
| 400K Dual.....        | £329 |
| Double Sided 80 TRACK |      |
| 400K Single.....      | £189 |
| 800K Dual.....        | £382 |
| Optional PSU.....     | £25  |
| 48/80 Switch.....     | £8   |

#### HITACHI OR PANASONIC

|                                     |      |
|-------------------------------------|------|
| 3" Microdrives Complete (200K)..... | £120 |
|-------------------------------------|------|

### sinclair

|   |      |
|---|------|
| Spectrum (with free games whilst stocks last).....                                    | £112 |
| PROTEK Switchable I/F.....  | £17  |
| Detronics Keyboard.....   | £40  |
| Light Pen.....  | £26  |
| Quickshot 2 Joystick.....   | £10  |
| Sinclair I/F 1.....   | £43  |
| Micro Drive.....  | £43  |
| 16K to 48K upgrade.....   | £20  |
| DISK I/F + Floppy or 3" Microdrive, a complete long awaited kit for the Spectrum..... | £209 |
| SPECTRUM QL (IN STOCK).....   | £348 |
| Black matching Microvitec CUB Med Res Colour Monitor to display 85 Col text.....      | £239 |
| COMMODORE 16  |      |
| + DECK + SW.....  | £121 |
| COMMODORE 64.....   | £165 |
| DISK DRIVE 1541.....  | £192 |
| PRINTER I/F.....  | £59  |
| C2N CASSETTE UNIT.....  | £36  |
| QUICKSHOT 2 JOYSTICK.....   | £10  |
| THE SUPERB COMMODORE PLUS 4.....  | £259 |
| INCLUDES BUNDLED SOFTWARE   |      |

### PRINTERS

|                                     |            |
|-------------------------------------|------------|
| SHINWA A80P 100CPS.....             | £195 (NEW) |
| SHINWA A805.....                    | £215       |
| MANNESMANN TALLY M180               |            |
| SUPER PRICE.....                    | £164       |
| RITEMAN MATRIX.....                 | £199       |
| CANNON PW 1080A.....                | £251       |
| CANNON PW 1156A.....                | £346       |
| CANNON P1080A COLOUR.....           | £346       |
| EPSON RX80F/T.....                  | £221       |
| EPSON FX80.....                     | £320       |
| EPSON FX100.....                    | £433       |
| EPSON RX100F/T.....                 | £346       |
| KAGA/TAXAN GEM OF A PRINTER 160 cps |            |
| MODEL KP810.....                    | £251       |
| MODEL KP910 (15.6" WIDE).....       | £347       |
| STARGEMINI 10X F/T.....             | £200       |
| SERIAL I/F.....                     | £45        |

### DAISYWHEEL PRINTERS

|                                 |            |
|---------------------------------|------------|
| JUKI 6300 (40CPS).....          | £775 (NEW) |
| JUKI 6100.....                  | £330       |
| BROTHER HR15.....               | £343       |
| Keyboard.....                   | £139       |
| Sheet Feeder.....               | £199       |
| Tractor Feed.....               | £95        |
| DAISYTYPE.....                  | £225       |
| QUENDATA.....                   | £219       |
| JUKI 12200 Typewriter/Printer   |            |
| Parallel or Serial (10CPS)..... | £265 (NEW) |

### MONITORS

|                                |      |
|--------------------------------|------|
| FIDELITY MON FOR QL.....       | £199 |
| NOVEX 14" (RGB/COMP).....      | £187 |
| MICROVITEC CUB 1431            |      |
| STD.....                       | £173 |
| MICROVITEC CUB 1451 MED.....   | £259 |
| MICROVITEC 1441 H RES.....     | £347 |
| SANYO CD 3125 NB.....          | £189 |
| SONY 14" COLOUR MONITOR AT LOW |      |
| RGB INPUT, SUPERB              |      |
| PICTURE — CABLE.....           | £169 |
| NORMENDE TV/MON 14" RGB        |      |
| FULL REMOTE — CABLE FOR        |      |
| BBC SUPPLIED.....              | £217 |
| PHILIPS V7001 (Green).....     | £65  |

KAGA MONITORS IN STOCK  
RING FOR LATEST PRICES

### TV/MONITOR



BRITISH  
PRODUCT  
AT ITS  
BEST



DEMONSTRATION FACILITIES AVAILABLE

apricot Fle

OUTSTANDING  
COMPUTER  
OUTSTANDING  
FEATURES

apricot  
PORTABLE

### COMMITMENT TO BUSINESS EFFICIENCY

- ★ 16 Bit Processor
- ★ 256K RAM & 720K Drive
- ★ Colour (640 x 256)
- ★ I/R connected Keyboard
- ★ Mouse Option
- ★ Speech Recognition
- ★ Bundled Software

|                             |       |
|-----------------------------|-------|
| APRICOT F1E.....            | £795  |
| APRICOT F1.....             | £995  |
| APRICOT PORTABLE.....       | £1695 |
| ABOVE WITH 128K COLOUR RAM  |       |
| CARD & CORDLESS MOUSE.....  | £1995 |
| APRICOT PC TWIN DRIVES..... | £1595 |
| APRICOT PC TWIN 1.4MB.....  | £1795 |
| APRICOT Xi5 (5 MB HD).....  | £2495 |
| APRICOT Xi10 (10MB HD)..... | £2795 |

|                            |       |
|----------------------------|-------|
| MACINTOSH SUPER MICRO..... | £1750 |
| SANYO MBC550 COL COMP..... | £719  |
| SANYO MBC555 COL COMP..... | £969  |
| (WITH TWIN DISC DRIVES)    |       |

### MISCELLANEOUS

SPECIAL PRICE  
OFFER

#### ACCESSORIES

#### DISK MEDIA



|                                |     |
|--------------------------------|-----|
| DYSAN 104/1 SSSD (QTY 10)..... | £15 |
| DYSAN 104/1D SSD (QTY 10)..... | £17 |
| DYSAN 104/2D SSD (QTY 10)..... | £24 |
| DYSAN 204/1D SS.....           | £25 |

RIBBONS AND PRINTER STATIONERY ALSO SUPPLIED  
SOFTWARE \* PULSAR SOFTWARE

- ★ PEGASUS LEDGERS
- ★ DELTA DATA BASE
- ★ SAGE LEDGERS
- ★ SYMPHONY
- ★ SMART SW
- ★ FRAMEWORK
- ETC, ETC.



ALL GOODS INSPECTED  
PRIOR TO SHIPMENT

Please add 15% VAT + £1 P&P or £8 for larger items (ie Printers, monitors etc). Prices subject to change without notice. Goods in stock will be despatched within 24 hours. We also specialise in export. Dealer enquiries welcome. Orders from schools, colleges, universities, govt. depts. welcome.

Telephone orders:

BRIGHTON (0273) 671863/698241 Crawley (0293) 545630, Farnham — Surrey (0252) 726379

★ COMMITMENT TO OFFER BETTER SERVICE ★



PLEASE SUPPLY.....

I enclose CHQ/PO or debit my card No. ....


Including carriage as specified. ....

NAME: .....

ADDRESS: .....



# SOFTWARE PRE-VIEW



We take a peek at the new software packages, and give you a taste of things to come. Note to software publishers: If you wish your company's product to be included, please send only the very latest releases to **Bryan Skinner, Software editor, PCN, 62 Oxford Street, London W1A 2HG.** Please don't forget to include prices and telephone numbers.

## BBC



*Cracker* is a machine code spreadsheet which allows up to 52 columns by 255 rows, can read and write files for Basic and Fortran, and comes with a conversion utility for dBase II files.

*The Music System* is from Island Logic, the new sister company to Island Records. The program will be available from mid-October and comes with a song and sound library. The claim is that the suite is the most advanced micro-music based program on the market.

*Microgo 1* is a computer version of the Japanese 'national' game Go. Versions for Com-

modore 64, Spectrum and MSX are under development. The rules of the game are fairly simple, but it's one of the most absorbing and demanding board games. The program has variable skill levels, beginner mode and rule demonstration.

*French on the Run* tests your knowledge of grammatical structures, vocabulary, idiomatic phrases etc. Using multiple-choice answers you plough your way through the four different routes (though you'll have to call Silversoft for the code for the fourth). The scenario is war-time France and in your roll as a grounded pilot you have to work your way back to Blighty, in contact with French-only speakers.

|                                 |               |                                    |
|---------------------------------|---------------|------------------------------------|
| <b>Cracker</b>                  | <b>£80.00</b> | <b>GCC 0223-835330</b>             |
| <b>Mailmerge &amp; Mailbase</b> | <b>£19.95</b> | <b>Future Data 0923-678007</b>     |
| <b>The Music System</b>         | <b>£24.95</b> | <b>Island Logic 01-741 1511</b>    |
| <b>French on the Run</b>        | <b>£9.95</b>  | <b>Silversoft 01-748 4125</b>      |
| <b>The Magic Sword</b>          | <b>£8.95</b>  | <b>Database Publ 061-456 8383</b>  |
| <b>Millionaire</b>              | <b>£6.50</b>  | <b>Incentive 0734-591678</b>       |
| <b>Evil Dead</b>                | <b>£7.99</b>  | <b>Palace Software 01-278 0751</b> |
| <b>Microgo 1</b>                | <b>£9.95</b>  | <b>Edge Computers 0734-65852</b>   |
| <b>Mr T in the Mystery Maze</b> | <b>£9.95</b>  | <b>Ebury 01-439 7144</b>           |
| <b>Mr T's Jungle Stories</b>    | <b>£9.95</b>  | <b>Ebury 01-439 7144</b>           |
| <b>Mr T Meets his Match</b>     | <b>£9.95</b>  | <b>Ebury 01-439 7144</b>           |
| <b>Mr T Makes Music</b>         | <b>£9.95</b>  | <b>Ebury 01-439 7144</b>           |
| <b>Mr T's Simple Sums</b>       | <b>£9.95</b>  | <b>Ebury 01-439 7144</b>           |

## COMMODORE 64



Music programs are very much in vogue at present. Supersoft's *Music Master* requires no prior musical knowledge, but Supersoft claim that 'in the hands of an experienced musician it will prove in an invaluable tool'. We'll be reviewing the program in the next few weeks and it'll be interesting to compare it with the brilliant *Musicalc*.

*Rolf Harris' Picture Builder* is more a younger user 'fun' package than a graphics designer. It offers sets of pre-designed characters which can be

used to build up a picture in 17 colours, then saved to tape or disk.

The software bandwagon rolls on — the latest fad is BMX games. *Hyper Biker* allows up to four players to turn their hands to the handlebars of 'bikes, doing long jumps, bunny hops, wheelies and the like on tracks such as table tops, whoop-de-dooos (who dreams up these names?) and ramps.

The *Magic Sword* is described as 'a totally new experience for the very young', but is really a sort of watered-down adventure. There are magic objects to collect and the text is double-height.

|                                     |               |                                    |
|-------------------------------------|---------------|------------------------------------|
| <b>Music Master</b>                 | <b>£19.95</b> | <b>Supersoft 01-861 1166</b>       |
| <b>Rolf Harris' Picture Builder</b> | <b>£9.99</b>  | <b>Commodore 01-930 6711</b>       |
| <b>Special Delivery</b>             | <b>£7.95</b>  | <b>Creative Sparks 0252-543333</b> |
| <b>Hyper Biker</b>                  | <b>£7.95</b>  | <b>PSS 0203-667556</b>             |
| <b>The Magic Sword</b>              | <b>£8.95</b>  | <b>Database Publ 061-456 8383</b>  |
| <b>Starforce &amp; Gammaron</b>     | <b>£11.95</b> | <b>Interdisc 01-969 6498</b>       |
| <b>Exodus</b>                       | <b>£2.50</b>  | <b>Firebird 01-357 3814</b>        |

|                          |              |                               |
|--------------------------|--------------|-------------------------------|
| <b>Zulu</b>              | <b>£2.50</b> | <b>Firebird 01-357 3814</b>   |
| <b>The Fall Guy</b>      | <b>£7.95</b> | <b>Elite 0922-611215</b>      |
| <b>Admiral Graf Spee</b> | <b>£6.95</b> | <b>Temptation 0797-223642</b> |
| <b>Anty Up</b>           | <b>£6.99</b> | <b>Unique 0753-655533</b>     |

## Vic 20

*Mega Vault* shows what made Imagine great, and is the best game for the unexpanded Vic since *Chariot Race*. The game is pretty simple but quite amazing given it fits in just 3.5K. You have to negotiate a maze containing corridors down which hurtle deadly beings — it's all a matter of timing and is infuriatingly difficult.

*Squish* and *Bricks* are both from Palace Software, the pub-

lishers of *Evil Dead* for the Commodore 64 and BBC. Neither of them are easy, far from it, but they lack the direct impact of *Mega Vault*.

In *Bricks* you have to avoid falling masonry, but once it's landed you can shunt blocks around to make stairs to climb. In *Squish* you shunt green blobs around trying to trap beasts and avoiding their deadly arrows.

|                        |              |                                    |
|------------------------|--------------|------------------------------------|
| <b>Snake Bite</b>      | <b>£2.50</b> | <b>Firebird 01-357 3814</b>        |
| <b>Micky the Brick</b> | <b>£2.50</b> | <b>Firebird 01-357 3814</b>        |
| <b>Mega Vault</b>      | <b>£5.50</b> | <b>Imagine 01-567 9710</b>         |
| <b>Bricks</b>          | <b>£5.99</b> | <b>Palace Software 01-278 0751</b> |
| <b>Squish</b>          | <b>£5.99</b> | <b>Palace Software 01-278 0751</b> |

## SPECTRUM



Possibly the best releases this week were *Battlecars* and *D-Day* from the Games Workshop. *Battlecars* is for one or two players — you first have to build your cars, select a setting (speed circuit or town) and it's a battle to the death. The excellent graphics feature speed, fuel and damage gauges. *D-Day* is a two-player graphics strategy game based in Normandy 1944. Reviews of both are on their way.

With less than 12 weeks to Christmas, Creative Sparks, the games software arm of Thorn-EMI, has launched *Special Delivery*. The game involves helping Santa deliver

Christmas presents and is released simultaneously on the Spectrum, Commodore 64 and Atari 32. *Danger Mouse in Double Trouble* has an associated, if small, competition — spot the screen change after a few successful world savings and you could win a ride in a Rolls-Royce and free software for your Spectrum.

*Underworlde* and *Knight Lore* are continuation of Sabreman's adventures. Ultimate claim that the latter 'represents the very pinnacle of software development on the Spectrum'.

*Tiny Code* is a 'teach yourself the rudiments of assembly language' program. It's a sort of mini-assembler, but the lack of useful sample listings rather detracts from its potential value.

|                                       |              |  |
|---------------------------------------|--------------|--|
| <b>Underworlde</b>                    | <b>£9.95</b> | <b>Ultimate 0530-411485</b>                          |
| <b>Knight Lore</b>                    | <b>£9.95</b> | <b>Ultimate 0530-411485</b>                          |
| <b>Swords and Sorcery</b>             | <b>£9.95</b> | <b>PSS 0203-667556</b>                               |
| <b>Special Delivery</b>               | <b>£6.95</b> | <b>Creative Sparks 0252-543333</b>                   |
| <b>Danger Mouse in Double Trouble</b> | <b>£6.95</b> | <b>Creative Sparks 0252-543333</b>                   |
| <b>Toolkit</b>                        | <b>£9.95</b> | <b>Temptation 0797-223642</b>                        |
| <b>Tiny Code</b>                      | <b>£5.50</b> | <b>Amazing, 39 Maple Drive, Burgess Hill, Sussex</b> |
| <b>The Fall Guy</b>                   | <b>£6.95</b> | <b>Elite 0922-611215</b>                             |
| <b>Battlecars</b>                     | <b>£7.95</b> | <b>Games Workshop 01-965 3713</b>                    |
| <b>D-Day</b>                          | <b>£7.95</b> | <b>Games Workshop 01-965 3713</b>                    |
| <b>The Magic Sword</b>                | <b>£8.95</b> | <b>Database Publ 061-456 8383</b>                    |
| <b>Exodus</b>                         | <b>£2.50</b> | <b>Firebird 01-357 3814</b>                          |
| <b>Zulu</b>                           | <b>£2.50</b> | <b>Firebird 01-357 3814</b>                          |



**(Paul Singleton, Cheshire)**

**We never advertise a game until we actually have it in stock.** Free catalogue with every order, of course. UK prices include VAT, export prices are the same. (This 15% surcharge helps us to get orders to you very fast indeed). CALL 01-789 8546, ANYTIME TO ORDER BY VISA OR ACCESS CARD, from any country where your own laws allow this. Give us a try. **We're not the cheapest. But our customers tell us we're the fastest - and we only sell the best!**

| Computer                             | Program | Cass/Disk | Price |
|--------------------------------------|---------|-----------|-------|
|                                      |         |           |       |
|                                      |         |           |       |
|                                      |         |           |       |
|                                      |         |           |       |
|                                      |         |           |       |
|                                      |         |           |       |
|                                      |         |           |       |
| Postage & Packing                    |         |           |       |
| UK add 55p per order                 |         |           |       |
| Europe: ADD 55p per program          |         |           |       |
| Outside Europe: ADD £1 per program   |         |           |       |
| plus £1 to total for registered mail |         |           |       |
| Total Order                          |         |           |       |





Standby for blast off for the most amazing and addictive game yet to appear for the BBC indeed for any computer. A game so impressive that it moved PCN's most hard-bitten Commodore 64 loyalist to comment, 'It's even worth buying a BBC just to play it.'

Elite was written by two Cambridge undergraduates, Ian Bell and David Braben, who have extracted every ounce of performance from the Beeb.

The result is a unique 3D space adventure with real-time action. It's a game of almost unbelievable complexity combining the best of a 3D space flight simulator, arcade-style space battle and mindstretching trading strategy game.

To make even modest progress in the game you'll need a full range of flying, combat, navigational and entrepreneurial skills.

You command a Cobra space ship and your task is to fight and wheel-and-deal your way across eight galaxies with over 250 recognised planets in each.

Buying and selling goods and commodities generates profits that can be used to equip your ship with all manner of extra armaments, defensive systems, computers and cargo space.


Profits are greatly enhanced by shooting down pirates, for which credits are instantly paid by the GalCop Bank Federation Monitoring Authority.

You can trade with worlds that vary from corporate states to anarchies. Corporate states are safe and offer only modest profits. Anarchies can provide rich pickings but carry the highest risk of attack from pirates.

Your combative skills can be used to increase your rating from harmless through competent and dangerous to deadly.

Only the most skilful achieve the prized rating of 'elite' — the objective of the game.

To do that you have to arm yourself to the teeth which is expensive. Hence the need to become a canny trader and an ace space duellist.



Your problems start as soon as you launch yourself from the planet Lave's space station. You are not allowed to land on any planet's surface. The only place you can land is a space station and this requires a delicate docking procedure.

Space stations spin to create an artificial gravity and the only entrance faces the planet's surface. So you must get your approach right and then match the spin of your Cobra to that of the station.

By sheer fluke my first attempt was a complete success. Thereafter, my lack of skill was punished mercilessly.

Practice makes perfect and I found that using the keyboard rather than joysticks provided a better delicacy of touch.

Docking procedure perfected, I hyperspaced off to my target planet. A couple of space jumps and I was almost within range of the protective cover of the space station (any space combat in this zone sounds the alert to the deadly Viper craft of Gal-Cop (the police) which come screaming out of the station all guns blazing on a 'shoot first, ask questions later' basis).

Suddenly, with little warning a pirate craft came swooping in from nowhere and strafed me with his pulse lasers. Diving and rolling did little to throw him off my tail.

With the three-dimensional radar at the bottom of the screen I could see where he was. But try as I might it was nigh on impossible to get him in the sights of my lasers.

A self-seeking missile proved to be a more effective weapon. But to target and fire seemed to require four hands, three eyes

and two brains. I was blasted out of existence.

To date my most successful mission lasted as far as a fifth planet. Before being vapourised I was showing an insignificant profit of 100 credits and had not even been able to equip myself with an extra laser, let alone a fuel scoop, escape capsule, energy bomb or any of the other armaments that could have ensured survival.

By then a queue of people had lined up behind me in the office, all fighting for the chance to play the game.

Elite has to be played to be believed. The graphics are dramatic. You are offered views through forward, aft and side screens showing the action in 3D wire graphics at a speed that will leave you breathless, and with only the minimum of flicker.

At the bottom of the screen is a multi-coloured display giving information on the state of your shields, missiles, laser and cabin temperature, altitude, forward speed and energy banks.

Navigational aids include a 3D radar display, compass, and right/left roll and dive/climb indicators.

The sound is something of a let down giving the usual zapem sound effects. With the thought that has gone into the this game one would have expected a bit more imagination here.

Without hesitation I give Elite a maximum rating. It is a whole new generation of game that will leave your nerves shot to pieces, your brain cells blasted, and your whole body in a state of complete confusion — and that's after only the first battle sequence.

It will take you literally months before you have explored the depths and subtleties of Elite and you will be thankful that Acornsoft has provided a save routine to store you current game status.

Successful pilots can enter Acornsoft's monthly competition for the most skilful players. Those playing at a more leisurely pace can draw inspiration from the enclosed 'novella' based on the game and written by science fiction author Robert Holdstock.

All players, whatever their skill, will benefit from careful study of the enclosed Space Traders Flight Training Manual — a work of art (and humour!) in itself.

It's the most addictive game I have ever come across and the first that could truly claim the title of 'mega-game'.

Ralph Bancroft

Rating: 10/10

Price £14.95 (£17.65 on disk, £12.95 for Electron) Publisher Acornsoft Ltd, Betjeman House, 104 Hills Road, Cambridge CB2 1LQ.

## An open letter to Acornsoft

The staff of PCN demand (beg, plead) that you either convert Elite to other machines, or license a third party to do so. It offends all rules of natural justice that opportunities to play this game of unparalleled excellence should be restricted in any way.



## SPECTRUM

### TILER


The trouble with being in the building trade is the way your customers tend to fuss around you while you're working. Normally this is just annoying, but in *Tiler*, where your goal is to tile Rob Rubber's roof, it's downright dangerous.

Rob, you see, is a man with a problem. It may have just started with a slight spring in his step, but now his condition is such that he just can't stop bouncing and, as he's also swollen up to Michelin man proportions, if he accidentally bounces on top of you — it's curtains.

Unfortunately, the game doesn't seem to have a facility for jumping on his back, grabbing hold of his ears and using him as a spacehopper. The only thing you can do is make your way back and forth between the roof and the stack of tiles, keeping clear of Rob.

The game consists of three screens, each one being a cut-away section of part of the Rubber residence. You start off on the ground floor of the main building, and to get to the tiles you must go through the garage into the garden, up to the tree house, then back onto the garage roof to collect a tile.

You then have to take your tile back the way you came, then up to the attic where you apparently stick it onto the



inside of the roof, and go back for the next one.

Along the way, you'll encounter several locked doors which you can only pass by using one of the keys sprinkled around the shop. And things are made more difficult by the stairways being one-way for you. Rob however, cartwheels up and down them with ease.

Visually, the game is a hoot, the detailed graphics being set off nicely by Rob's comic figure bouncing around. But the game isn't all that challenging.

Also the continuing trudge from attic to garage and back can get pretty tedious. The review copy also had a couple of odd flaws in it.

Assuming they are cured Tiler isn't at all a bad little game, but it could really have been a bit more difficult.

John Lettice

Rating 6/10

Price £5.50 Publisher Interceptor  
Micros 07356-71145


## SPECTRUM

### AIR TRAFFIC CONTROL

This flight simulator is a cut above some of the others but it has to be said that *Air Traffic Control* is not for your get-up-and-go gamers.

You must monitor and control air traffic over a given air space. In this case you're looking after the air lanes around Bournemouth and Southampton. The airways here are bustling with planes bound for or arriving from Europe and the States. Keeping tabs on all this lot is not easy.

When asked you whether or not you want printed details of planes coming into your area, you can then select a skill level between one and nine. The package comes with a keyboard overlay and a detailed and easy-to-follow manual. The screen display is a bit drab, mostly black and white, but looks just as it should — lines all over the place showing flight paths. A flight data display, giving details of each flight currently monitored is available at the touch of a key.



At the higher skill levels there are all sorts of difficulties. For example you must keep your traffic well away from Military Crossers — RAF aircraft crossing the airways are out of your jurisdiction. Radio or pressurisation failure, which mean the pilot of the damaged craft will descend rapidly to the highest safe level, will have you hairless in an instant.

*Air Traffic Control* is very good, comprehensive and if you like this sort of game, well worth the price.

David Lester

Rating 8/10

Price £9.95 Publisher Mikro-Gen  
0344-427317

## SPECTRUM


### BOOTY

*Booty* is another of Firebird's £2.50 Spectrum games, and like the others it is good value for money.

Jim, the cabin boy of the good ship *The Black Galleon*, has to collect as much treasure as possible from the holds of the pirate vessel. Jim himself isn't very well portrayed and attributes are also a little clumsily handled. Jim is drawn on a rectangle which tends to overwrite any characters underneath, which means parts of ladders, cases and so on tend to vanish when Jim passes them. Hardly clever sprites, but then the charm of the game outweighs any such minor niggles.

You start off with a well executed picture of the *Black Galleon*, afloat on a shimmering sea. Define your own keys if using the keyboard, or take the joystick option, and it's anchors a-weigh.

*Booty* is basically a 'levels and ladders' game, but with several twists. The *Black Galleon* has 20 holds, each has four levels and patrolling, cutlass-waving ghost pirates. Each level is divided by numbered bulkheads, and you pass through these by picking up a key.



Treasure and keys are collected by simply moving over them, but only one key can be carried at a time. Once you've cleaned out a hold, or found that you simply cannot get to the last few items, there's always coloured doors to pass through. These lead into other holds, or in some cases mid-air — nasty.

Some of the treasure is booby-trapped, there's a ship's rat to beware of, trap-doors and vanishing floors to keep an eye on plus lots more.

Once you've collected all the items from all 20 holds, you have 45 seconds to find a bronze key.

The game is unusual, nicely executed, addictive and at £2.50, it's a steal. **Bryan Skinner**

Rating 8/10

Price £2.50 Publisher Firebird  
01-379 7655

## SPECTRUM


### STRANGELOOP

Virgin Games is having another stab at the games market. Changes include better packaging and, yes, better games.

*Strangeloop* is in the 'mega-game' league. There are 240 screens, each depicted in very good graphics and the quest is hard. Your brief is to save the planet Earth (oh no, not again) by regaining control of a robot factory. The robots have been taken over by aliens, and reprogrammed to destroy planet Earth.

The hero, a spaceman, is superbly detailed and well animated, but although keyboard and joystick options are available, I found them both unresponsive. Indeed, controlling the spaceman is quite a challenge in itself. Your laser pistol's current charge is shown, as is your pocket status, ie what you're carrying. At all times there's a compass, indicating the direction to the Control Room.

Once, or perhaps if, you master control of the hero you have to move from room to room, trying to work out what to do next. The screen display



shows the protagonist in his location, and below are all sorts of status indicators.

Naturally, there's an oxygen level to be carefully monitored, as well as a suit status indicator and a patches status report — you'll need these for repairing damage to your life-support system.

You start with eight lives, and a nice touch is that each time you lose a life you can start at any point on the current screen. Unusually for a game of this type, there's a save game facility.

*Strangeloop* is very well done, nicely presented and hard.

David Lester

Rating 8/10

Price £7.95 Publisher Virgin  
Games 01-221 7535



## STAR GAME



## AMSTRAD

### ROLAND IN TIME

If you've looked through Amsoft's lists recently, you may have wondered how any software house could churn out the whole series of Roland games in such a short time.

Amsoft hit on the clever idea of marketing a lot of different games featuring small human characters (or in one case a flea) under the one house character.


This latest game is written by Gem Software, authors of *Oh! Mummy* and *Spannerman*.

The title suggests a time trip, and in fact there are ten time zones, each of which may be entered independently, so you

don't have to complete one screen before starting the next. Each screen shows a well-detailed scene depicting some pseudo-historical characters and enough crystals in various awkward locations to test the best of arcade adventurers. The sole purpose of the game is to collect these, and if the crystal counter is anything to go by, there are over a thousand!

When you start playing the game it is probably a good idea to visit as many of the locations as possible, before working out a strategy for collecting gems. Each of the ten main screens has several subsidiary ones.

I've come across 34 in the course of play and haven't got near to visiting them all. There are only three controls to the game: left, right and jump, but then it's nearly all a question of timing, anyway. There are some crystals that can only be reached from one direction and only carried off in another, and Roland will cover some pretty bizarre territory. A list of the ten starting titles may give a feel of the imagination used: *Down At Dollis Brook*, *The Roman Fort*, *Njorl's Dragon-boat*, *Seen My Ballista?*, *Jenny Goes Spinning*, *Missile Silo No. 47*, *After The Holocaust*, *Heli-Hunter Station*, *West of Dome 9*, *The End Of Time*.



The sheer variety of sprites takes some beating; everything from express trains to sarco-phagi, pterodactyls to port-cullises.

This is a true arcade adventure, in that you are often caught unawares by sections of crumbling ground and limited in where you may go by unseen barriers. In one or two places you have to overstep any visible support in order to make a particularly long jump. On the occasions when I failed to make it, I felt justifiably cheated in losing one of my ten lives. When entering a new screen, be prepared for some meanly attacking you immediately; only on the starting screens can you assume your entry point is safe.

The sound effects are adequate, although several members of my family (myself included) got rather irritated by the repeated rendition of 'I Love To Go Awandering', which provides an unstoppable background to the game.

Overall, though, this is an excellent game, varied and imaginative with excellent use of graphics and at last showing something of the full potential of the CPC 464. It will keep most people (apart from those who write into games mags to boast of completing *Sabre Wulf* in under 30 seconds) entertained for many hours. **Simon Williams**

**Rating 10/10**  
**Price £8.95 Publisher Amsoft**  
**0277-230222.**

HIT

## BBC

### COPTER CAPERS


A & F Software built up something of a cult following for two of its previous games, *Cylon Attack* and *Chuckie Egg*, so a new release from it should be very entertaining.

One of the first things you notice on loading this game is the attention paid to the presentation of the program.

Although the initial header screen is a fairly straightforward teletext composition, the same can't be said of the interrupt-driven music which accompanies the loading of the game. It's a well-arranged piece of baroque-inspired Musak which nicely whiles away the minutes before you start.

The instruction sheets, control display and start of each game screen involve some clever manipulation of screen controller registers to produce the effect of unrolling the screen from left to right. Should you reach the high-score table at the end of your game, you're treated to a burst of fireworks.

The game is a lot less original than either of A & F's recent hits, and involves picking up little men from the sea, while avoiding ballistic missiles launched from patrolling submarines, guided missiles drop-



ped from passing Zeppelins and an enemy helicopter which shadows your moves.

Landing your copter on the pad on the left-hand side of the screen takes a bit of getting used to, since it will register a landing only when set down from a certain height. Should you be unfortunate enough to let anything touch you, the helicopter-destroyed sequence is pretty original, although crashing in certain parts of the screen causes peculiar sprite anomalies.

Every two screens successfully completed leads you to a fairly easy bonus game which can earn you a lot of points. A well-executed game, but without the addictive quality of some of A & F's other offerings.

**Simon Williams**

**Rating: 7/10**  
**Price £7.95 Publisher A & F**  
**Software 0706-341111**

HIT

## SPECTRUM

### PYJAMARAMA

*Pyjamarama* is one of those games that you can play for hours on end and still not manage to get anywhere at all. Frustrating isn't it?

Poor old Wally is suffering from a bad case of the nightmares. Not only is Wally suffering from a visitation by this nocturnal beast, but everything in the house seems to have expanded in size and is running riot around the place.

Our hero is simply given the task of waking himself up from this nightmare so he can go back to sleep in peace. Simply collect the alarm clock, wind it up and Wally will wake up. Well perhaps it's not quite so simple, first Wally has to find the alarm clock and just about every object in the house is out to stop him.

*Pyjamarama* has what is probably the most stunning graphics you are likely to see on a Spectrum. All the rooms in the house are depicted by very large and colourful graphics where animation is needed it is done extremely well. There is nothing more frightening than being attacked by an extremely large roast chicken while paying a visit to the kitchen.

Oh, by the way moving



around the house Wally does lose energy, especially if he touches one of the baddies. Eating the food scattered around the house will soon replenish this.

Even though the game is great fun to play, you soon begin to fear that you are suffering from a nightmare yourself. After about three hours of play I still found myself going around in circles. Mind you the instructions do say that the game keeps repeating itself, repeating itself. The problem is that there are a number of objects scattered around the building many of which will help Wally in his travels, however you aren't told what they do.

*Pyjamarama* is probably one of the best ever games released for the Spectrum. **Stuart Cooke**

**Rating 9/10**  
**Price £6.00 Publisher Automata**  
**0705-735242**



# FACTS ON FILE

Billed as the world's first electronic filing cabinet, **Files and Folders** is an interesting database package that offers a high level of sophistication, as Neville Ashe discovers.

Most of the programs for ACT's Apricot either come with the micro or are versions of PC software. **Files and Folders** belongs in the unusual category of software written in the first instance for ACT's juicy micro, with PC and Sirius conversions coming later.

most of the assistance you'll ever need can be displayed on the screen.

## Getting started

The various sections load in as overlays when required, so the master program disk must be left in the default drive at all times. The first step is to enter OPENFILE, then specify whether a colour or monochrome monitor is being used. After that you may have to enter a password, if you've decided earlier to use this handy facility.

The main menu appears across the bottom of the display, with each option accessed by one of the Apricot's function keys. The main menu options include: make a folder, file cabinet, and help. The complete list is shown in Figure 1.

After selecting F6 (filing cabinet), you're presented with a sub-menu, in which you can alter the data drive assignment if necessary.

To create a document you select F3 which then shows yet another sub-menu. Selecting F3, 'Work on Folder', allows you to name a folder and create the first part of the folder's detail. This is where the boxes which will hold the information are designed. The cursor control keys are used to move around and make the frame for the information.

Once the boxes have been designed, the type of information in each one can be defined. There are facilities for specifying text, figures, dates, times, yes/no and so on, again using the function keys.

Data entry to the folder is activated by the 'Make Entries' option, and once information has been typed in, validated etc, the data is stored on disk and the Search menu can be invoked. Again eight options are available, such as: F2 Search for, F3 previous entry, F4 next entry, F7 delete current card, as well as Help and Exit.

**Files and Folders** has an automatic report writer. This comprises two sections — List and Sort. Information can be sorted by specified columns and there

are facilities for using mathematical operations.

In the second section, page format, size and output device can be designated at will. There are also facilities for cut and paste as well as the ability to produce mailing labels.

## In use

Rather than wade through the manual, I used the tutorial disks to acquaint myself with the system. Given the copious on-screen messages it didn't take long to get to grips with it.

The standard version of **Files and Folders** can have up to 125 fields on each card. Each field has an upper limit of 78 characters. Up to 125 sort keys are possible and the maximum number of entries is 65535. Seven different number formats and three for dates and times are catered for.

**Files and Folders** is one of those packages you'd normally label 'database', but the manual describes the package as 'An interactive filing and reporting system'.

Starcom Corporation bills **Files and Folders** as the world's first electronic filing cabinet. So where is the justification for these claims, and just how far does the program itself live up to the 'interactive' angle?

To begin with, all files are represented on-screen as folders which you can tailor as various types of business forms, such as sales ledgers, invoices, cheques received and so on. An important feature of the program is that it uses commands that are very English in style and is geared round the use of function keys for ease of use.

## Presentation

The package comes replete with manual, ring binder and three disks. There are two versions of the program, the standard version being for Apricots with 256K RAM, the extended version requires a minimum of 484K. ACT will upgrade your standard version should you decide you need the extra space.

## Documentation

The manual is an A5 ring binder with plenty of screen shots and a good index. It's quite well designed, but with the full on-screen messages and the F8 Help key, documentation is rather redundant —

## Verdict

**Files and Folders** is an extremely easy-to-use database system with a large degree of sophistication that doesn't get in the way of its simplicity of operation. It can be learned extremely quickly — highly recommended. ■

## REPORT CARD

|                 |       |
|-----------------|-------|
| Features        | ○●●●● |
| Documentation   | ○●●●● |
| Performance     | ○●●●● |
| Value for money | ○●●●● |

Name **Files and Folders Application Database System** Apricot Publisher **Starcom Corporation** Distributor **ACT Pulsar Ltd.**, ACT House, 111 Hagley Road, Birmingham, B16 8LB 021 454 8585 Format Disk Other versions IBM PC/Sirius Outlets Dealers

Figure 1: Main Menu options

| Function key | Function        |
|--------------|-----------------|
| F1           | Get Folder      |
| F2           | Revise Folder   |
| F3           | Make Folder     |
| F4           | Make Report     |
| F5           | Other Functions |
| F6           | File Cabinet    |
| F7           | Master Exit     |
| F8           | Help            |



# TAILORED BUSINESS SYSTEMS LTD

11/15 Bush House, Bush Fair,  
Harlow, Essex

Complete Business Systems Tailored To Your Needs  
*based on Apricot, IBM & Sanyo*

## • System 1 •

### APRICOT XI

Hard Disk + Free Printer +  
Free Integrated Accounts  
Software including Payroll  
Training & Installation

£2995 + VAT

## • System 2 •

### APRICOT PORTABLE

+ Free Modem  
& Printer  
including Free Micromail  
& Telex Facility

£1995 + VAT

## • System 3 •

### APRICOT F1

720K Disk 256K Memory  
includes Free  
Integrated Accounts  
Software or Printer

£1495 + VAT

## • System 4 •

### SANYO MBC 555

+ Free Software  
& Free Printer &  
Cables

£1350 + VAT

## • System 5 •

### APRICOT TWIN DISK

+ Free Word Processor  
+ Free Printer

£1795 + VAT

## • System 6 •

### IBM XT

Hard Disk +  
Full Integrated  
Accounts Package  
including Payroll  
+ Free Printer

£4890 + VAT

## • System 7 •

### APRICOT POINT 7

with up to 6  
Terminals with Free  
Multi User Integrated  
Accounts Package

From £3995 + VAT

Depending on number  
of Terminals

## • System 8 •

### APRICOT POINT 32

with up to 32  
Terminals including  
Full Multi User  
Accounting Software

From £3995 + VAT

Depending on number  
of Terminals

■ AUTHORISED A.C.T. DEALERS ■

Training given  
with each  
System supplied

Full Maintenance available  
Leasing Facilities arranged



CONTACT US ON... 0279 413 893 (10 lines)




# Seeing is

You'll see the difference from the moment you pick up one of the games from Firebird's new Silver Range.

We keep our flights of fancy for the game. On the pack, you'll find there is a true representation of the high quality screen graphics.

Here's a sneak look at three of the NEW games:




## **BOOTY**

Well shiver me timbers and splice the mainbrace and pass the grog, me hearties. Here be the greatest pirate adventure of them all, aboard that scourge of the Seven Seas – the dreaded Black Galleon. Feast yer eyes on the BOOTY-ful treasure stored in 20 holds. There be pirates, parrots and fun galore. If you don't like it, matey, we'll hang you by the highest yard-arm!!!



## **THE WILD BUNCH**

Blamed for a murder you did not commit, your only hope is to identify and capture the real killer – a member of the notorious gang, The Wild Bunch. But can you also survive life on the run in this adventure set in the Wild West...



## **BIRD STRIKE**

Wing a plane to release a carrier pigeon... shoot the carrier pigeon and add a note to the stave at the top of the screen... shoot enough pigeons to complete the tune (without getting wiped out by the relentless, pursuing planes)... next wave.

Look out for these games in the FIREBIRD silver range at selected high street stores.

SPECTRUM: THE WILD BUNCH · BOOTY · MR. FREEZE · TERRA FORCE · VIKING RAIDERS · MENACE · BYTE BITTEN · EXODUS · RUN BABY RUN ·  
COMMODORE 64: BOOTY · MR. FREEZE · EXODUS · HEADACHE · ZULU ·  
VIC 20: SNAKE BITE · MICKEY THE BRICKY ·  
BBC MICRO B: BIRD STRIKE · GOLD DIGGER · ACID DROPS · DUCK!



# ***believing***

There are twenty games now available from Firebird, and that's just the beginning. All the software is produced to the same high professional standards and all are available at the remarkably low price of

***£2.50***



# **Firebird**

SOFTWARE



**The new range from British Telecom.**

**You'd better believe it!!!**

FIREBIRD SOFTWARE, WELLINGTON HOUSE, UPPER ST. MARTIN'S LANE, LONDON WC2 9DL. TEL: 01-379 6755/5626

Firebird and the Firebird logo are trademarks of British Telecommunications plc.



# SOFTWARE PRO-TEST: SPECTRUM

## IT'S ULTRAKIT

David Janda pitches in with his sampling of a basic programmer's toolkit for Spectrum users from Hisoft.

If micro manufacturers ever wondered what they could do to make their latest toy more attractive to hackers, they couldn't do worse than include a suite of programming tools.

The importance of programming aids is enormous. Give a craftsman a good set of tools and he'll be able to do a good job. Give him only a few tools and he'll do the job a lot slower and not as well.

Hisoft, who produce the well known Pascal (issue 4) has come up with a Basic toolkit that is one hell of a piece of software. Interrupt driven, this software provides the programmer with 35 commands, ten function keys, Microdrive compatibility and toolkit customisation.

### Features

The 7K Ultrakit can be loaded before or after program development and gives the programmer two types of command. First there are 23 kit-commands which require parameters such as numbers or strings, and there are 12 pre-defined commands which execute immediately and require no parameters.

Ten function keys can be set up with a string of 255 characters each. The string

can include Ultrakit commands as well as normal Basic keywords.

AUTO, NUMBER, COPY and MOVE are used to generate line numbers, renumber and manipulate parts of the program being worked on. A flexible FIND and SUBSTITUTE will work in single-shot or globally, and in both cases line numbers are reported.

A very powerful command is TRACE which can be used to display program line and statement numbers as the program is running. Parts of the program can be selected, and a single step option is allowed. If single stepping, you have the further options to list variables, list current line, list next line, clear screen and restart trace at one of ten speeds.


The pre-defined commands include four types of program compactor, clock and alarm, as well as a command to display the Spectrum's memory map to screen or printer (Figure 1). Many of the commands can be dumped to the printer, and in all there is a lot (Table 1).

### In use

The first thing I did was to transfer Ultrakit to Microdrive after stripping off the Basic loader. This enables the kit to be loaded when a program is already in memory and it's worth the effort.

Of all the commands available, TRACE is the one I used the most. The SYMBOL SHIFT key is used to single step and this is a wise choice because it's ignored by INKEY\$. The only disappointment with TRACE is that it's not possible to make a dump of the line numbers to the printer. Hisoft assures me this will be included in a later version.

### Verdict

This is by far the best Basic toolkit I have used on the Spectrum. Easy to use (which is important in program development), it enables the Basic programmer to get on with the job. 

### REPORT CARD

|               |       |
|---------------|-------|
| Features      | ●●●●● |
| Documentation | ○●●●● |
| Performance   | ●●●●● |
| Overall Value | ○●●●● |

Name Ultrakit Application Basic programmers toolkit Machine 48K ZX Spectrum — Microdrive compatible Publisher Hisoft, 180 High Street North, Dunstable LU6 1AT (0582) 696 421 Price £9.45 Outlets Mail order & dealers

Figure 1: Screen dump of MAP command

| Description   | Bytes | Name         |
|---------------|-------|--------------|
| CHANNEL INFO  | 23792 | CHANS        |
| PROGRAM START | 23813 | PROG         |
| PROGRAM END   | 24090 | VARS         |
| VARIABLES END | 24104 | E_LINE       |
| 1 FREE BYTE   | 24106 | STKEND       |
| TOP OF BASIC  | 58137 | SP           |
| RAMTOP        | 58176 | RAMTOP       |
| KIT STARTS    | 58178 | KITRAM+1     |
| USER GRAPHICS | 65368 | UDG          |
| TOP OF MEMORY | 65535 | P-RAMT       |
| PROGRAM SIZE  | 277   | VARS-PROG    |
| PROGRAM+VARS  | 291   | E_LINE-PROG  |
| SPACE (BASIC) | 34031 | SP-STKEND    |
| SPACE (CODE)  | 1     | KTRAM-RAMTOP |

### INTERRUPTS AND CUSTOMISING

Ultrakit uses interrupts to scan the Spectrum keyboard 50 times a second, thus slowing Basic by about 5 per cent. The reason for scanning is the necessity to intercept and interpret keystrokes that would normally do something else.

The effect of this scanning is to slightly change the characteristics of some keys. First, pressing REM in direct mode will display on the edit line the Hisoft copyright and wait for the user to input one of the 23 kit commands.

The SPACE and ENTER keys act as extra shift keys when Ultrakit is active. The effect of this is that auto-repeat on them is disabled and they respond AFTER they have been released. An example of this is when accessing one of the pre-defined commands. The required action is to press the ENTER key, then the key corresponding to the command, release ENTER followed by the letter key. Accessing the function keys is done in a similar fashion with the SPACE key being pressed followed by one of the digit keys.

Ultrakit can be customised in several ways. This is achieved by poking toolkit variables with parameters and then saving an image of the toolkit to tape or Microdrive. The clock, alarm and trace displays can be directed to any part of the screen, and in the case of the trace this facility will allow the output to be directed to the report lines, thus avoiding any clashes with the main program.

The toolkit can be customised so that the clock and trace are displayed in normal video. The copy routine to the printer can be re-directed thus allowing for many types of printer interface to be used.

Finally, saving the Ultrakit to tape or Microdrive will also save any function key definitions.

Table 1: Ultrakit commands (abbreviated)

|            |   |
|------------|---|
| AUTO       | Line generator.                             |
| BREAK      | Error detection.                            |
| COPY       | Duplicate program lines.                    |
| DELETE     | Program lines.                              |
| EDIT       | Program line.                               |
| FIND       | String.                                     |
| GRAB       | Disables parts of toolkit for use by Basic. |
| HIDE       | Temporarily disables Ultrakit.              |
| INFORM     | Display default parameters.                 |
| JOIN       | Program lines.                              |
| KEY        | Function key.                               |
| LOSE KIT   | Deactivate Ultrakit                         |
| MOVE       | Program lines.                              |
| NUMBER     | Renumber.                                   |
| ON ERROR   | Error detection.                            |
| PUT        | String buffer.                              |
| QSEPARATOR | Define separator.                           |
| RAMREL     | Move RAMTOP.                                |
| SUBSTITUTE | String.                                     |
| TRACE      | Program execution.                          |
| UPDATE     | Clock.                                      |
| VARIABLES  | Display.                                    |
| WARNTIME   | Clock.                                      |

Pre-defined commands:

K-MODE, PRINTERS, CRUNCH1, CRUNCH2, REMKILL, PACKER, MAP, LOWER CASE, UPPER CASE, CLOCK TIME, ALARM TIME, ALARM SWITCH.



# MACBETH

## THE COMPUTER ADVENTURE

A package of four completely different adventures plus four character analysis programs.

Step into the leading role in one of the most complex and intriguing webs of murder, treachery and witchcraft ever conceived.

Uses graphics as an integral part of the problem solving.

Written by a highly qualified team of experts.

Even the most experienced adventurers will find something new and challenging.

Let your computer stretch your imagination.

**FOR COMMODORE 64**  
**£14.95**

WRITTEN AND DESIGNED BY OXFORD DIGITAL ENTERPRISES

**CREATIVE SPARKS**

### Available from

All good computer software stockists.

### Send me (tick as required)

- ☐ My local stockist's address  
☐ Your full list of games  
☐ \_\_\_\_\_ copy/ies of this game

TNEE 293 at £14.95 each    £ : p

+ single P&P sum    : 30p

Total to send    £ : p

### Method of payment

By cheque or PO (no cash) made payable to **TECS**



- ☐ By Access or  
☐ Barclaycard

Enter card no.

\_\_\_\_\_

Sign below:

Credit card sales: UK buyers only.  
Response within 21 days.

Creative Sparks,  
Department MO,  
296 Farnborough Road,  
Farnborough, Hampshire, GU14 7NF.  
Telephone: (0252) 518364.

Name \_\_\_\_\_

Address \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_


PCN 10/84





# BRIGHT IDEA

Neville Ash brings to your attention a new  
item of disk software for the IBM Personal  
Computer or the XT, which requires a minimum  
of 192K of RAM for operation



**M**ost computer software can be slotted into definite categories. There are word processors, databases, spreadsheets, accounting packages and programs for vertical markets. Here we have a product which claims to create another category entirely — an Idea Processor which logically processes ideas just like a word processing package works with words.

There is even a bolt-on package, called Graphix Idea, that lets you create drawings, titles, graphs and pictures.

## Getting started

The Idea Processor is only available for the IBM Personal Computer or XT and comes complete with three disks and a manual. Two of these disks are self-teach modules. One has a self-running demonstration and the other lessons and sample files. The Idea Processor requires a minimum of 192K of RAM for operation, so some users may need an extra RAM card.

Disk one contains the Idea Processor program, the Master Menu for DOS 1.1 or 2.0. The Help screens and Printer configurations are also on this disk. The second disk is a self-running demo with eight sections. Hello — the introduction, Enter — how to enter text, Insertion and deletion, Searching, Block moves, Cardfile, Format and Run the demonstration. On the third disk there's an interactive tutorial, the program to set up the Master menu and details for configuring other printers.

The first step is to make a self-booting working copy of the Idea Processor by adding the system tracks and program onto a new disk. Next the SAVESCRN program which can save a graph generated by Lotus 1-2-3 and similar programs is set to either DOS 1.1 or 2.0. Finally configure the printer and the program is ready.

## In use

The Idea Processor certainly doesn't fit into any single software category. It's best described in outline. Imagine information available in the form of notes, spreadsheets, excerpts from books or magazines,

reports, contracts and boiler plating and even sub-routines all needed in some way for use with the program. Then the visual side in the shape of drawings, diagrams, line charts, bar charts and titles.

Now imagine them being combined as needed through a third area and you have the Idea Processor in operation. The text source can be any standard ASCII files and the graphics from any graphics program.

So there's a text editor and cardfiling system all in one. Instead of using the manual, I decided to use the self-running demo and lessons to understand the Idea Processor. After loading the working copy of the program the main menu appears showing just four options: Cardfile, Directory, Editor and Quit.

After taking the Cardfile option, the ten choices are shown at the bottom of the screen:

1 Info, 2 Help, 3 FtSet, 4 TabSet, 5 Refrm, 6 FtCode, 7 Bold, 8 Ulin, 9 Wrwrap, 10 + Lines.

At this stage any information is entered. Then The Idea Processor transfers this information onto electronic 'cards' which are in turn stored in 'drawers' just like a conventional filing cabinet. Each of these drawers can be stored in a cabinet which has a capacity of eight drawers.

Any card stored is indexed by one or more key words. When a report is produced and some extra information is needed, you switch to this Cardfile, use the Fetch card instruction and enter the keyword.

The text can easily be moved from the Editor to Cardfile for storage. Any card can be revised at any time and key words can easily be changed.

Two of the features most appealing when compared to other programs are the facility to replace anything accidentally erased and the ability to store images of screens produced with other software packages like Lotus 1-2-3, and store them on an electronic 'card'.

To make the program even easier to operate it's possible to create keyboard macros that can be up to 100 keystrokes in length, operated by a single key.

In purely technical terms, The Idea Processor can have up to 1,500 words on any card, and manage up to 64,000 cards in a database. The Editor and Cardfile are integrated and operate simultaneously. Files can be edited up to a maximum size of 160K. Graphs and spreadsheets can be included in the printed text.

## Documentation

As a manual the documentation supplied with The Idea Processor is quite clear and divided into six sections. Overview, Narrative Reference, Expert, Tutorial and Appendix. I didn't get as far as the Expert section, but worked through the Overview, Narrative and Tutorial.

However working on-screen was better than reading the manual. In fact with the aid of the On-screen Help facility, it tended to make the manual redundant.

## Verdict

If you write reports, articles, documents and want something more than a word processor without having a complicated database system to use, then the Idea Processor could be the answer. Priced in the mid-range for IBM PC word processors, you have WP and something more. The facility for using files from other programs and inserting graphics and spreadsheets makes it particularly valuable.


Maybe Idea Processor isn't strictly a processor of ideas as such, but a combination electronic card filing system and word processing package with other program compatibility is quite a combination in a single program. ■

## REPORT CARD

|               |       |
|---------------|-------|
| Features      | ●●●●● |
| Documentation | ●●●●● |
| Performance   | ●●●●● |
| Overall value | ●●●●● |

**Application** Extremely wide **Price** £240, The Graphix Idea £65 **Publisher** Idea Ware, New York, USA **Distributor** CBIS International, 50A Pall Mall, London SW1Y 5JH, 01-930 6083 **Format** Disk **Outlets** Dealers





# READOUT



**'Advanced Machine Code Programming for the Commodore 64' by A P & DJ Stephenson, published by Granada, at £7.95 (paperback, 251 pages).**

One great let-down of the Commodore 64 is its archaic version of Basic. It's not surprising therefore that machine code is a subject that most Commodore 64 owners decide to delve into at some stage.

For this reason machine code books keep appearing on the bookshelves, and this title is just one more to add to the throng.

However, this book does stand out from a lot of the others that are available, as it certainly is advanced. Even though the book does start off with the basics of machine code it is far too technical and a beginner would probably find it tough going.

I got the distinct impression that this is why the word advanced was stuck on the front of the title. This means that the first section of the book becomes no more than a refresher course in machine code and a few people will find that they can skip quite a bit of it.

Once you actually get into the book you will soon find it becoming an extremely useful reference guide as well as being an excellent tutorial in the way that your 64 works.

Sections cover sort routines, high resolution graphics, and input output techniques with a few simple circuits to build. Use of sprites in machine code and the sound chip are mentioned only briefly and for a book claiming to be for the 64 these subjects could have been dealt with in a much more informative way.

All in all, this is a handy book to have around. **SC**



**'Intermediate Commodore 64' by Guy Grotke, published by Prentice-Hall at £14.95 (paperback, 184 pages).**

A splendid book with one tragic flaw. Prentice-Hall has shipped it in from the US and done a

straight dollar-to-sterling conversion to price it at £14.95. Even for such excellence that is grossly expensive.

Author Grotke has tackled the difficult aspects of using the 64 and used advanced techniques to do it. This makes the book an ideal choice for someone looking for a guide beyond the well-charted territory of simple Basic programming.

Structured programming, developing algorithms, file handling and graphics all receive comprehensive treatment with carefully explained machine code routines introduced where necessary.

The text is clearly written with a light touch that never stoops to strained humour or condescension, and the example programs and utilities have been well chosen.

Even at as much as £8 this would be essential reading for 64 owners looking to advance their programming skills. As it is, only those with money to spare should bother looking it out. **PW**



**'Disk Programming Techniques For The BBC Micro' by Michael Coleman, published by Prentice-Hall (price £7.75).**

For a book with 224 pages, this volume has little original content.

The first section of the book rehashes the contents of the Acorn disk manual, with lots of nice waffle to fill it out. There is no mention of some of the more advanced features available to the system using the OSWORD & 7F or OSARGS calls.

There is also very little in the way of example programs and utilities that one would expect from a book that purports to be about disk programming techniques.

All the details are really only relevant to the Acorn system, although there is a chapter on alternative DFSs, Amcom and Watford only (two pages each).

Eventually, the book gets around to giving some examples, called case studies. These are: a telephone directory listing, a file-patching program, a procedure library program (without the procedures), a simple data base, a disk soak test, and a fairly simple file recovery program.

The best thing in the book was the way in which these examples are documented. The style is very Pascal-ish with all the variables stated at the beginning, and the rest of the program written in procedure and function blocks. Each one of

these is described in detail and the whole program is listed at the end to allow it to be typed in — if you can work up that much enthusiasm.

Overall, the layout of the book is not particularly appealing, and appears to have been printed on a daisywheel. Whether this is to make the book look more 'computery' or is just cheaper to produce is anybody's guess. The few illustrations are generally very simple block diagrams with lots of white space around them.

If you have bought a disk drive for the BBC then the manual that will come with it, and the abundance of articles on the subject, will be more useful and informative than this amazing piece of tripe. **KG**



**'Assembly Language Programming on the Sinclair QL' by Andrew Pennell, published by Sunshine Books at £7.95 (paperback, 168 pages).**

One thing that many people will be buying the Sinclair QL for (God help them), is to learn 68000 assembly language. In particular, schools and colleges would like their students and pupils to learn a 16-bit micro-processor language.

Since the QL finally came out, there have been quite a number of books for it: this would appear to be one of the first that enables you to try out the assembly code itself.

The book starts out with a chapter entitled bits and bytes. This introduces you to the terms used; RAM being Random Access Memory, ROM is Read-Only Memory, and so on. Yes, it's as simple as that. Unfortunately, the next chapter makes a quantum leap (sorry) and throws you in at the deep end with a fairly concise description of the insides.

If you have had no experience of other microprocessors then this will appear a little complex since it gives details of such as the memory map and processors and architecture.

After this we are introduced to the basic move commands. This would be all very well except for the fact that there is very little explanation about word and byte sizes and instruction formats.

These are basically implied but if you have had any experience of other 16-bit processor coding languages such as MAC 11 then you'll have no trouble at all understanding any of this. If you haven't, then don't worry! A little practice will show you what's happening.

The next chapter of the book

details the condition codes, branches, and arithmetic. This does not cover built-in multiply instructions.

From this point, things go a little down hill. There is less of the instruction, descriptions and examples type of thing and after a few chapters, you get a list and brief description of the commands available.

This latter section is very useful to anyone who has had a little experience of programming on other processors but needs an easy reference guide to the 68008.

The last part of the book consists mainly of a listing of a 68008 disassembler. It would have been nicer to have an assembler but you can't win them all. This listing is well-documented and without typing it in, it appears to be pretty good even though it is written in Superbasic.

Hidden away in the last chapter is multitasking. This is an assembler listing and hopefully, if you have understood the rest of the book, it will make some kind of sense. There could have been a lot more on this subject since the 68008 and the QL are, theoretically, good at it.

The fact that many QL owners could be first-time buyers will probably make this book a little hard going for them. **KG**



**'The Complete Commodore 64' edited by Allan Scott, published by Granada Publishing at £9.95 (paperback, 488 pages).**

A bit of a cheat on two counts, this. First, it contains little — if any — new material. The bulk of it is culled from previous Granada titles on the 64.

The second naughty aspect is in the title. Although it makes a reasonable effort to be 'complete' no book on the 64 can make that claim without a thorough guide to machine code, which this one lacks.

There is a section on assembler but it is nothing more than a cursory look at the subject and you'll find no mention of things like interrupt-driven graphics.

Some of it is very good, particularly Steve Money's section on graphics and sound.

To round things off there's a collection of programs but the emphasis is on games. A better bet would have been a collection of utilities like sprite and graphic designers, and a machine code monitor.

At the price, the book is good value, but there's still room for a real 'complete' guide to this powerful machine. **PW**



## Acorn

**BBC B 1.205**, Cumana S/S 100K d/drive; Acorn d/interface, joysticks; all boxed. Plus serious/games software (cost £115), leads. Excellent condition. £650 ono. Tel: 01-864 2361 (Harrow — evenings).

**BBC (Acorn) disk interface kit**. Unused. Cost £105. Suitable for use with Acorn, Watford, Amcom DFS Eproms, etc £75 ono. Tel: 0532 679319.

**Acorn Electron** as new. Manuals, leads, data recorder and 12 games + all Electron users and other mags. £185 only. Tel: Saxmundham 3281.

**BBC software** for sale originals Philosopher Quest, Snowball, Colossal Adventure, Adventure Quest, Arcadians, Arcade Action, Jet Power pack, £4 each. Tel: Rugby 812940 (evenings) **BBC B** with DFS & Wordwise, £380 ono. Acorn Teletext adaptor, as new, £175 ono. Cumana dual look drives, own psu. Under warranty. £295 ono. Tel: evenings 0227 750600.

**BBC disk software Gemini** — database, Beebcall, Beebplot, boxed as new £12 each. Psion Vu-Call, Vu-File cassette/disk £7 each. Tel: 01-659 1303 after 7pm.

**BBC B OS 12**, 1982 Basic, DFS, £350. Canon 100K disk drive (own power supply), £110. Sanyo colour monitor, £150. All V.G.C. Tel: 01-659 1303 (after 7pm).

**BBC prism acoustic modem** for sale, + ROM software, £40 ono. Tel: Giuseppe 01-672-4212 (after 6pm).

**BBC Disc drives** (Cumana) dual look 40-track half-height with own PSU, under warranty £295 ono. Acorn Teletext adaptor, ROM & manual, immaculate, £175 ono. Tel: 0227 750600.

**Microvitec Cub RGB monitor**, 14" screen, standard resolution for BBC micro, £130. Tel: Mr R Jones (09803) 8865.

**BBC B+ Basic 2** in good condition wanted, + DFS if possible. Tel: (0202) 529787 evenings.

**Upgraded BBC A 32K**, via, ADC, £250 of software, data recorder, leads, books, offers above £250, letters to R. Anderson, 50, Gainsborough Gardens, Golders Green, London.

**BBC B** latest specs, manuals, leads, disk drive, + DOS fitted, + 11 disks, games, utilities 3 blank, will accept £450 for the lot. Tel: Lindsay 051-552-4928.

**BBC B 1.2 OS**, Acorn DFS and Cumana 100K disc drive, also several programs + books. Buyer must collect. £500 ono. Tel: (0272) 20850 after 7pm (Bristol).

**Acorn disk interface kit**, new, £85, including fitting instructions and postage. Juki 6100 daisywheel printer, immaculate, boxed, £315 ono. Tel: Canterbury 750600 evenings and weekends.

**Acorn Electron**, boxed, joystick interface, Quickshot 2, all leads & Acornsoft, A&F Micropower, Imagine Games, £250 ono. Tel: Bedlington (0670) 824379.

**BBC B** software for sale, or to swap, titles include Twin Kingdom Valley, Ghouls. Tel: Dean, Stevenage 351272.

**BBC B OS 1.20**, Acorn data recorder, two joysticks and 15 original software titles, worth £556, excellent condition (still in box) — £330 ono. Tel: Runcorn (09285) 76670 evenings.

**BBC B**, £100 of software, will accept £70 for whole lot. Tel: 01-399 6141, ask for Matthew.

**BBC 40 track 100K Cumana disk drive**, half height, includes power supply and leads, 4 months old, will accept £110 ono. Tel: 01-202 9453.

## Atari

**Atari 400/800 software** for sale: Gorf cartridge, £10; Canyon Climber and Ghost Hunter cassettes, £5 each. Originals. Will swap all for Tracball. Tel: 01-341 0464 evenings.

**Swap Casio MT-70** musical keyboard for Atari 1020 printer or a dot Matrix printer or sell £100 ono. Tel: 0283 48415.

**Atari Basic Cart** £11. Ghost Town, Mystery Fun House, Slime, Protector, Touch Typing, £5. Wanted assembler editor, Action, Basic XL, American hardware W.H.Y. Tel: Rotherham 876306.

# PCN Billboard

**Shinwa CP80 dot-matrix printer** and Atari interface wanted. For sale: complete set "Computer and Video Games", offers? Buyer collects. Tel: 01-341-0464 evenings.

**Wanted:** Atari: Touch-Tablet, Tracball, 850 interface and Atari/Synapse Synfile + Database disc, cash waiting. For sale: Le Stick joystick, £10. Tel: 01-341-0464 evenings.

**Atari 800XL**, program recorder and wico joystick, software includes Pole Pos, Donkey Kong, boxed as new, £199. Tel: (01) 550-5075, after 5pm.

**Atari 400 16K** including cassette recorder, games, Zaxxon, Preppie, Pacman, Star Raider, Shamus, Donkey Kong, Darts, Jumbo Jet Pilot, Galaxion etc, including books, basic, £190 ono. Tel: 02227 55405.

**48K Atari 400** + 410 recorder + Basic + manuals + Paddles + joystick + over £200 original software includes Defender, Pacman, Soccer all for only £100. Tel: (Glasgow) 649 0037.

**Atari software** for sale: Multiboot Polycopy, DOS Polycopy, label printer, address label printer, Multicart/Pill converter, Binary menu, Pill Menu II. Tel: Slough 28029.

**Atari owner** would like to swap and sell games on disk. Tel: (073128) 262 (Jon).

**Atari software** for sale, Star Raiders, £10. Oric Attack, £10. Jumbo Jet pilot, £9. Plus some disks and cassette software. Tel: Iver 654785.

**Atari 400**, eight carts, lots of tapes, two joysticks, 1010 recorder, all newly serviced, and books, £160 ono. Tel: (04862) 67469 after 5pm.

**Atari software**, swap/sell disks, Raster Blaster and Crypt of the Undead, cassettes: ACE, Airstrike 2, Firefleet, Preppie 1, Gridrunner, Flight Simulator, Financial Management. Tel: 0225 23276.

**Atari 800 48K**, many games, £140 ono. Tel: West Wratting 022 029 830.

**Atari software** for sale: War in Russia, Carrier Force, Combat Leader, Paris in Danger, Reforger 88, Flight Simulator II. Tel: 01-941 6163.

**Atari 600XL** computer, with printer, tape recorder and £200 software (games) including Zaxxon, Pacman, Defender, Star Raiders, Computer War, £220 ono. Tel: (064 73) 3392 anytime.

**Atari VCS** for sale, includes 17 games, plus all types of controllers available. Cost £350, sell for around £95 ono. Tel: Weybridge (0932) 55203 eves.

**Atari 800 48K**, Basic cartridge, tape recorder and joysticks, superb machine, excellent condition, £240 ono. Tel: (0454) 316836.

**Atari 400 16K** + cassette recorder, Basic, assembler, Pole Position, Defender, Star Raiders + cassettes, joysticks, manuals including De-Re Atari, cost £500, sell £195ono. Tel: Stephen (047-47) 3104.

## Commodore

**Vic 20 16K** switchable RAM Intro to Basic land 2, joystick, mags, books, dustcover, games, £150 ono. Tel: Derek 950 0685 after 5pm.

**TV monitor** with remote control, composite video and sound inputs, suitable for Commodore 64, only £299. Tel: 01-567 6872 after 6pm, ask for Matthew.

**Vic 20 32K** RAM switch CN2 and joystick. Games: Bongo, Jet-Pak, Computer-War, Matrix + magazines, £195 the lot. Tel: Epping 73754.

**CBM 64**, C2N cassette recorder, Simons Basic, joystick, 12 games, including Hunchback, Revenge, educational software, manuals, leads, all good condition £300 ono. Tel: Adil, 01-677-6272 after 5pm.

**Vic 20** expander, cassette, joystick, many good games, £100. Tel: 01-441 5906 evenings.

**Vic 20 C2N 16K** switchable, RAM motherboard, joystick, dustcover, reference guide, Sargon II, chess, 14 tapes, literature, £200. Tel: Paul 01-644 5701 evenings.

**Commodore 64** unwanted present, hardly used, offers around £150, cassette deck £25. Tel: Romford (0708) 756495.

**Vic-20 C2N** cassette deck, Quickshot joystick, Basic, part 1, books mags, software, £110 ono. Tel: Matt 01-393 0119.

**CBM 1520** printer plotter £70, original software to swap or sell. Tel: 0904 707699.

**Vic 20**, cassette deck, 16K RAM, manuals, books, covers, £65. Games, joystick £120 ono. Tel: Aldridge 54484 after 5pm.

**CBM 64** software for sale: Jumpman (cassette) £10, Pharaoh's Curse, £8, Protector II £8. Soccer £5. Tel: Waterlooville 266855 after 6pm.

**Vic20** computer with cassette recorder, 16K switchable RAM, 40-column screen converter, books, and software, only £90. Tel: 01-952 7855.

**Vic20** starter packs, 32K, + joystick + cassette recorder + centronics interface + original software, accept £180. Tel: 01-807 1724.

**Vic-20** 80-column screen expander with WP on tape and spread sheet on disk, £95 ono. Tel: 01-907 0209 after 7.

**Commodore 64** C2N cassette recorder, twelve software, Quickshot, two joysticks, magazines, all £230. Tel: Esher 66272.

**Commodore 64** plus cassette drive, Basic and software, worth £350, will accept £300 or offers. Tel: 01-572 1869 daytime.

**Commodore 64** O'level history, Maths '2', £12 the two, brand new, also software to swap on disk or tape. Tel: 051 423 5493 after 6.30pm please.

**Commodore 64** software sale, half price, all originals, write to A Jmel, 7 Holly Road, Northampton NN1 4QL.

**Vic 20 starter**, includes tape player, 11 cartridges, Quickshot joystick, cassette, large number of games all excellent condition, £200 ono. Apply: R Chamberlain. Tel: Milton Keynes 583076.

**Swap CBM 64** with printer plotter, cassette Simon's Basic, joysticks, books and software, for BBC B or Memotech MTX512. Tel: (0245) 357492, will sell £340 ono.

**Simons Basic** £30, Scrabble, £8, lots of others, Hobbit, Soccer, Miner etc, for cash or swaps for EPROM blower etc. Tony 0474-824155 after 7.30pm.

**Commodore 4023** dot matrix printer, friction and tractor feed, very good condition, worth £400, selling for just £250 ono. Tel: (0272) 736666 after 4.00pm.

**Software for 64**, about £170 worth inc Simons Basic and Soccer Cart. Cash or swaps for CBM64 EPROM blower. Tel: Tony 0474-824155 after 7.30pm.

**Wanted 1541** disk drive for CBM 64, must be excellent condition plus extra's including manuals, disks and any software, price negotiable. Tel: (0438) 359583.

**Vic 20 + C2N** good condition, 16K switchable, cartridges including Gorf, Superslot, Adventure land + Mang, cassettes including Skyhawk, Donkey Kong, 2 books. £110 ono. Tel: Deeping 342249.

**Vic 20** computer, 10 games, super-expander, joystick 3 books intro set, cassette recorder, £150, also printer, £120. Tel: Ferndown (0202) 873379.

**Vic 20** starter pack, 16K RAM, 12" TV, Quickshot joystick, 40 tapes, magazines, Vic revealed, £250. Tel: 0279 33687 after 6pm.

## Dragon

**Wanted** disk drive for the Dragon 32 (will consider ultra drive) reasonable price carriage and paid. Tel: Brierley Hill 74308.

**Dragon 32**, 1 joystick, £90 software, mags, cassette recorder + leads + manuals sell, £100, + DASM/Demon assembler monitor + 2M/C books, sell, £25. Tel: 047485 2026.

**Dragon** software for sale: Sprite Magic, Pettigrews Diary, UGH! Eight Ball, Skrambe, Ring of Darkness, Chess

cartridge, plus microdeal joysticks, £40. Write to: 60A Hartuft Rd, Hull, HU5 4LJ.

**Dragon 32**, joystick, user magazines, dustcover and software, £110. Seikosha GP100A printer and lead, £130, both for £230 boxed and hardly used. Tel: 0622 62650.

**Dragon 32** under guarantee, boxed as new, complete with accessories, including dustcover — £120. Dasm/Demon cartridge, £30 — games £5-£7 each plus books. Tel: 01-571-0634.

**Dragon 32**, guaranteed, boxed plus leads, manual, various books, magazines, software — £75 (buyer collects), £83 p/p'd. Tel: Glasgow 952 6136 Mon-Fri evenings. Ask for John.

**Dragon 32** for sale, joystick, books, mags, £100 of original software, worth over £370, just £90 ono. Contact Richard on Ramsbottom (070682) 2025.

## Memotech

**Memotech MTX-500** + tape deck, £125. Tel: (0253) 403994.

**MTX 512 64K** computer. Software tapes, books, nearly new, under guarantee. £280 ono. Tel: 01-607 4839.

**Memotech MTX512** 80K RAM fitted Newword word processor ROM and Memotech DMX80 printer boxed manuals, £500 — will consider cheap computer plus cash. Tel: Southend 529169.

**Memotech MTX 512**, 64K, tape recorder, five games, book, guaranteed, £265, also Vic-20 starter pack, £80. Tel: Dudley (0384) 57360.

## Newbrain

**Newbrain AD** c/w green monitor, compatible cassette, software incl, Database, Pascal, Textwriter, Home Budget and games. Manuals, guide, leads, £220 ono. Tel: Cheltenham (0242) 522518.

**Newbrain AD**, tape recorder, technical manual, database, much software and Newbrain literature (software). £250. Tel: Medway 63427 (evenings only).

**Newbrain AD**, very little use, also tape recorder, printer, cable, spare p/supply, all mounted on one board, optional monitor. £225 or £325. Tel: Brighton (0273) 556184.

## Oric

**Oric Atmos 48K**. New, still boxed, £100. Tel: Tonbridge (0732) 364185.

**Oric 148K** with Quickshot joystick, £80 software including, Hobbit, Xenon, Zorgon's Revenge. All originals, MCP-40 printer, £190. Tel: 01-460 9334 evenings.

**Oric-1 48K** in vgc, complete with software including Zorgons Revenge, 2-Gun Turtle, leads and manual, £89. Tel: 01-642 9803.

**Oric 1 software**, Hobbit, Wordprocessor, £6, Chess, Toolkit, £4, Xenon, Loki, Centipede, Starfighter £3. All original. Tel: John Wright Ripley 860653.

**Oric 1 48K**, plus software, includes Zorgons Revenge, Hunchback etc, books, £110 ono. Tel: Fleet, 28394.

**Oric 1 48K** excellent condition + software including Zorgons, Zenon, Hunchback, Hobbit plus tape recorder only, £150. Tel: Jamie, Newquay (06373) 5130.

**Oric 48K** in good condition, plus £50 worth software, leads, and books £80 ono. Tel: 041-952 6589 evenings.

**Last chance** to buy my Atmos, 4 months old, still in box plus some extras, phone me an offer. M. Swanson, Spilby, Lincs. Tel: (0790) 52120.

**Oric-1 48K** includes cables for RGB printer and Byte Drive 500 disk drive cable, £100+ of software, £150 ono. Tel: Sunbury-on-Thames 84039 (evenings).

**Oric Atmos 48K**, perfect condition plus £45 worth of software including The Hobbit and cassette recorder, 9 months guarantee remaining, £130. Tel: 021-429 6056.

**Oric Atmos 48K** excellent condition, boxed, cassette player, over £70 of software inc Hobbit, Xenon 1, etc, worth over £270, will sell for £130. (01)-876-4332 (eves).



## Sharp

**Sharp MZ80K** 48K, monitor, cassette recorder, £400 of software, Pascal, Forth, Xtal, assembler and 100 games, user notes good condition, £325. Tel: (0282) 692276.

**Sharp MX80A** one year old worth, £450 new, plus £100 software and monitor, tape recorder, 15 blank tapes, £200 ono. Tel: Tony on Cardiff (0222) 842948.

**Sharp MZ-80K**, 48K RAM, built in tape unit and monitor, plus dual disk drive, printer and manuals, £620 ono. Tel: (064 73) 3392. Chagford, Devon.

**Sharp MZ700**, 11 months old, excellent condition with £70 s/w, data recorder, manuals and magazines, sell for £240 ono, will separate. Tel: (0282) 865821 evenings.

## Sinclair

**Prism VTX 5000** modem for Spectrum, best condition with box, instructions etc, £60. Tel: (01) 886 4797.

**Software Spectrum**, sold or scrapped! Psion Chess 48K, The Hobbit, Spectrum Forth, all guaranteed originals Tel: (0273) 725650.

**Spectrum 48K**, Prism VTX 5000 modem, CPD 8300 Data Recorder, £62 original software, all £200. Tel: (051) 678 7261.

**48K Spectrum** interface 1, microdrive, three cartridges, lightpen, joystick interface, joystick, ZX printer, paper, sound board, over £100 worth tapes, and books. Only £325 ono. Tel: Guildford 65644.

**48K Spectrum** with printer, sound amplifier, dust cover and software and magazines, only £165. Tel: Slough 41066.

**48K Spectrum** interface 1, microdrive cartridges, WH Smith tape recorder, programmable interface and joystick plus software including White Lightning. £325. Tel: (0943) 863028 after 5.30pm.

**48K Spectrum**, Kempston interface + Quickshot 2 joystick, cassette recorder, DK Tronics keyboard, lots of mags. All for £220. Tel: (0279) 20045.

**Spectrum 48K**, Fuller Box, Quickshot, Interface Kempston/Cursor, 170 progs, books mags, £180 ono. Casio PT30 keyboard, £40. Tel: (0494) 443184.

**48K Spectrum**, Microdrive, interface 1, Alphacom printer, software, cartridges, perfect condition, with manuals, all for £280. Tel: after 4pm, (0267) 234719.

**Spectrum 48K**, ZX printer, B/W TV, tape recorder, joystick and interface, Currah n speech, software, books and magazines. £199, may split. Tel: Huddersfield 656886.

**ZX81 (16K)** + full size keyboard cassette player, B/W NEC T.V. Lots of software: Rocketman, Fortyniner, Night Gunner + manual and leads, worth £172, bargain at £85. Tel: (0272) 744427.

**ZX81 16K** 5 games, all leads and manuals, £20 ono. Write to: Robin Jones, Morlan Bangor Road, Caernarfon, Wales.

**48K Spectrum** Alphacom printer plus books, selection of software. Value over £300, accept offers over £150. Tel: 01-459 3278 (evenings).

**48K ZX Spectrum**, tape recorder + over £200 of software, joysticks + interface guarantee, £180 ono. Swap for Electron, BBC-B cash adjustments maybe. Tel: 01-995 1874 after 4pm.

**QL for sale** Offers? Also Epson MX100 printer to suit. Tel: Gerrards Cross (0753) 882686.

**For sale:** interface 1 + two microdrives and RS232C cable + five microdrive cartridges and cartridges holder all leads + manual, worth about £200, sell for £130. Tel: 01-504 0565.

**Spectrum 48K** interface 1, two microdrives, DK Tronics keyboard, ZX printer, Tasword 2 wordprocessor plus software, books and manuals, boxed VGC £270. Tel: 01-898 0482.

**48K Spectrum**, Currah speech, light pen, software, lots of mags, sell for, £220 or swap for Commodore 64, joystick, cassette recorder, software. Tel: 01-207 1806.

**48K Spectrum**, RAM Turbo, joystick + cartridge interface, Quickshot II joystick, ZX printer, 4 rolls of paper, DK Tronics light pen, tape recorder, books, magazines, software, £250 ono. Tel: Peterboro (0733) 241354.

**48K Spectrum** + Alphacom printer (hardly used) + 5 rolls printer paper, software, magazines. Sell for £200 ono, buyer collects, York area. Tel: 03477 577 after 5pm.

**Spectrum 48K** plus recorder nine months old, hardly used, lots of games including Jet Set Willy, Stonkers, Blue Thunder. Only £110 ono. Tel: 01-735 6094.

**Spectrum 48K**, DK Tronics keyboard, interface one, microdrive, Alphacom printer, Currah speech, RAM Turbo, joysticks plus software, half price, £350 ono. Dave Tel: 0702 552249.

**ZX81 16K** RAM, power supply in custom case with Maplin keyboard, software, books, £50 ono, or part exchange. Tel: Belbroughton (0562) 730 197.

**48K Spectrum**, ZX printer, Competition joystick and interface, nine games, one utility, all leads, five books, £50 ono. Wolverhampton/Birmingham area. Tel: (09073) 75200 for quick sale.

**48K Spectrum**, Kempston interface and joystick, lots and lots of software including the latest, mags, book, £120 ono. Computer one month old! Tel: Michael on 01-340 2630.

**48K Spectrum**, black and white television, Kempston joystick and interface, cassette recorder and leads, books, 10 programs including Penetrator, VU-3D, Hurg, Trans-Am, £165 complete. Tel: Ipswich (0473) 49025.

**Spectrum 48K**, interface 1, Microdrive, Saga keyboard, Kempston printer interface, £250 of software, may split, for details and offers ring (0377) 42803 after 7pm.

**Spectrum software** half price, Transform keyboard, £55, Fox programmable joystick interface, £25. Will deal for ZX printer and paper and for Currah Microspeech. Tel: 01-951-0007 after 6pm.

**48K Spectrum** tape recorder, stack, light rifle, 2 books, lots of games, offers. Tel: Steve 0203 418809, won't split!

**48K Spectrum** £50; interface, £30; Microdrive, £25; Spectrum printer, £15; Seikosha GP-100A printer, Kempston interface, £180; carriage extra, offers to Hinds. Tel: (0792) 69688.

## Texas Instruments

**T199/4A mini memory** £38, editor assembler, £40, Blasto cartridge, £7. P+P extra. Tel: 0245 72572 after 6.00pm.

**Texas TI 99/4A** bargain package. Console + extended Basic + several modules and cassettes, TI cassette + speech + joysticks + books + colour TV, £220 ono, buyer must collect. Tel: Pontefract 700702.

**Wanted T199/4A** extended Basic module with manual, will pay max. £25. Casio VL-10 mini keyboard for sale, £15. Tel: (0401) 50154 after 6pm.

**T199/4A** boxed, all leads, extras, personal record keeping, Parsec, Wumpus, Blasto, Tombstone City, cassettes, books magazines, all for, £150 ono. Tel: (0303) 44653 after 7pm.

**T199/4A** computer, 3 cartridges, including extended Basic and Parsec, with speech synthesizer, manuals, magazines and cassette lead. £200 ono. Tel: 01-804 3382.

**Texas TI-99/4A**, cassette unit, leads, adventure module and 3 Scott Adams adventures, TI-pilot and Blood-Bank £80 ono. Tel: 021-743 5203 after 6pm, Dave.

## Peripherals

**Kempston** competition pro joystick and interface for Spectrum, 3 months old only, £15 ono. Tel: 01-883-0776.

**DOT** matrix printer, prints in 7 colours, mint condition, fast 125cps, parallel interface, £250 ono. Tel: 0865 750600 evenings.

**Wanted** simple working terminal with RS232 interface or 20MA coop, preferably VDU type, may consider teletype will pay around, £50. Tel: (0903) 42013 WABBS.

**Alphacom 32** thermal printer plus one roll of paper, only five months old, Spectrum compatible, no interface required, £43. Tel: Shrewsbury 59356.

**Qume Q30** daisywheel printer, 30CPS, perfect condition, 16-bit parallel bus with wheels and ribbons, interface and software for Nascom II if req. will demonstrate, £200. Tel: 061-236-8406 (day).

**Seikosha GP100A** printer, BBC cable, 5 spare ribbons and paper, £145. Also BBC software: Acornsoft, Micro-Power, etc. Originals, £3 each. Tel: Richard 01-236 6640.

## Others

**Flight simulator II** user group (UK), having problems? phone us, diagrams of approaches, advice, monthly air race. Tel: Ray Jones (09803) 8865.

**Video Genie I** built-in cassette, Centronics printer interface, software Tandy compatible, £80 ono. Tel: after 6pm 0480 75036. or will exchange for Texas Extras an mini-memory.

**Disc software** for Apple 2, Flight Simulator 2, £30, Blade of Blackpool, £12. CBM 64 cassette software from £1, all originals, as new. Tel: Slough 71392.

**Colour Genie** EG2000, 32K RAM, boxed and complete with demo and manuals, immaculate, unwanted gift, accept £120. Tel: Dave, Southampton (0703) 897110.

**Sharp MZ-80A** 48K computer with built in monitor and tape recorder, Basic and software tapes, will sell for £350. Tel: 01-373 4156.

**Swap Sharp MZ80A**, 100+progs 4 languages, wanted Commodore 64 with C2N cassette, and T.V monitor. (Excellent condition please). Tel: (0202) 672669.

**Adam owners** join the independent users club, P.O Box 9, Towcester, Northants, NN12 7QG.

**Lynx 48K**, boxed as new, manual leads, demo tape, plus Level 9 assembler, Lynx User magazines, plus extras, bargain, £80 ono. Tel: 061-962 5964.

**PCN** every issue to date including trade — only test issue. £10 the lot. Tel: Windsor 51963.

**For Sale:** Vextrex with original boxing plus Atari with 4 cartridges. All for £130 or exchange for 48K Spectrum. Tel: Joseph 01-672 6382.

**Swap Ham** International Puma 120 channel transceiver PSU aerial, valued at £130, for computer and accessories of equal value. Tel: Andrew (0294) 57164.

**PCN issues** 1 to 80 for £10, must collect, Tel: Barnsley (0226) 285703.

**Lynx 48K** boxed plus Lynx computing and software, £60 ono, owner upgraded to 96K. Tel: Tony on Warrington 812014

**Sirius** £2,347.55 plus Wordstar disk (no manual) MS-DOS, CPM86 Apricot, £1,919.75 plus Wordstar disk (no manual) MSDOS, Basic, Supercalc. Tel: 01-883 1681.

**48K Spectrum** software worth over £245; Kempston interface with joystick, blank tapes, under guarantee. Worth £400, sell £200. Tel: 01-808 5575 any time.

**Spectrum 48K** ZX printer + 5 rolls paper, joystick interface 2, Ferguson tape recorder, plus £500 of best software worth £700, under guarantee, sell for just £200 ono. Tel: 0254 55364.

**Sinclair QL** for sale. No donggles. Tel: 01-802 7798.

**48K Spectrum**, ZX printer, tape recorder and software worth over, £300, total value, £490; sell for £150. Tel: Miguel 01-354 2879 after 5pm.

**48K ZX Spectrum** + joystick and interface + over £200 of software, guarantee + tape recorder, £180 ono or swap for BBC B or Electron. Cash adjustment maybe. Tel: 01-995 1874 after 3.30pm.

**Digital Circuit Design Program (48K Spectrum)**, £8. Lords of Time, £5. Adventure Quest £5 Write to D. Hawkins, 107 Butts Hill Road, Woodley, Reading, Berkshire. Tel: 0734 698094.

**Spectrum 48K** brand new with software, unused and unwanted present with one year guarantee, £120 includes delivery. Tel: 01-636 9636.

**Interface 1** and microdrive for sale. Three weeks old. Will sell for £60, also £130 of software top titles offers. Tel: Atherton, Manchester 878707.

## Billboard Buy & Sell Form

**Free forever** — from now on you can advertise your second-hand equipment and (almost) anything else you want for free in PCN. To place your Billboard ad, fill in the form on the left with a maximum of 24 words. Send the completed form to:

**Billboard, Personal Computer News, 62 Oxford Street, London W1A 2HG.**


Note that we cannot guarantee that your ad appears in any specific issue, and that we cannot accept ads from commercial organisations of any sort.

Your name: .....

Address: .....





Telephone: .....





Its army to enormous dimensions, soon its attack on mankind will commence. Exploring the outer regions of a weird landscape, your secondhand 'ground skimmer' has only a single laser in its armoury. Discovering the Dodo's secret means you must destroy as many beings as possible, as the Dodo will try anything in its power to prevent the secret getting out. The game has 9 attack waves with progressive difficulty and speed. There's a bonus life every 10,000 points and bonus points after every wave, dependant on which level you are on (Bonus = Wave Number x 1000). After the wave bonus the Dodo must be hit 12 times, by bringing the number on the right of the score from 88 to 100. The number of 'Mults', 'Wallys' and 'Buildas' is also dependant on the wave number. WARNING: 'Mults' are not affected by laser fire, but in fact, feed on it. The 'ground-skimmer' can be destroyed on collision with any enemy or enemies weapons, or by letting the 'BBs' (purple coloured enemy) getting to the far right of the screen.



Available on the unexpanded VIC 20



Oh what a night, drinking, dancing and singing 'til dawn. Now it's time for all the revellers to make their way home. Being a little worse for drink, you decide to walk home in the cool night air, rather than taking a taxi. Singing merrily along the way, you walk through the park and skip lightly over the ducks and catch the notes of music that seem to hang in the air. But be careful when approaching the railway, trains still run at this time of day and wild dogs are in search of food! When you have collected all the notes on the level you are on you will proceed to the next, collecting a time bonus on the way.

Minor Willy's first outing on the Commodore VIC 20.


Available on the VIC 20 + 16K expanded



# SOFTWARE PROJECTS


Software Projects Limited, Bearbrand Complex, Allerton Road, Woolton, Liverpool L25 7SF.  
Telex: 627520 Telephone: 051-428 9393 (4 lines).





Deep in the kitchen of one of the towns first class restaurants amongst the hustle and bustle, Little Thwifty Thwilly has just been selected from the aquarium as a customers main course . . . panic . . . sitting in the oven his first thought is survival and how to escape. As the oven is ignited and the flames start to rise he realises his only hope is to collect the dripping condensation from the pipe at the top of the oven and try to extinguish the flames. It's going to be tough, he must survive through ten different ovens and face added hazards such as the rotating spit, spinning food debris, oven foam and the restaurants pet dog, Fatty Schizo Henry, who by the way often enjoys a snack from the restaurants aquarium. Can you help him?

Available on the unexpanded VIC 20





Once you were the head gardener in charge of a group of ten power-flowers. These have been stolen and hidden in a set of caves, from which you must retrieve them. The flowers are protected by forcefields, gates, begonias and patrolling snap-dragons. Be careful as the flowers are poisonous and you must find a pot to put each flower in before you try to pick it up.

The beans in the cave are harmless and extra points will be achieved by picking them up along the way, but don't touch their stalks.

If anything is touched other than a pot, beans, fuel dumps for re-fueling, sprays which can be used to stun the snap-dragons, or a plant if you have a spare pot, the result will be that you are teleported to the start of the game. It is possible for you to leave your transported back to your teleport. You begin the game with four teleport charges and an extra charge is gained for every flower collected.

Available on the Commodore 64



You play the roll of a spider in this extremely compelling game and you are faced with escaping from some very perilous situations.

You are trapped in a hole from which you must escape, but there are other insects in the hole which make your task more difficult, as contact with any of them will lead to instant death. However you are not totally defenceless you are capable of leaving a web trail which only snails can cross. By collecting the twigs that are littered around and storing them against the left hand side of the hole between the two stones a bridge will form and you will be able to climb out. But be careful — there are 15 hazardous situations to contend with — each one more difficult than the last.

Available on the Commodore 64

Send a large stamped addressed envelope for more detailed information on our new releases, plus a free large poster.

All sales enquiries to:  
Colin Stokes  
(Sales and Marketing)

For Mail Order only:  
Software Projects, P.O. Box 12, L25 7AF

Selected titles available from:-  
John Menzies, HMV, Boots, Woolworth, Spectrum and other large department stores and all good major software retailers.

Please send me a copy of

HEEBIE JEEBIES

☐ £7.95

GALACTIC GARDENER

☐ £7.95

Please tick where applicable

PERILS OF WILLY ☐ £5.95

DODO LAIR ☐ £5.95

FATTY HENRY ☐ £5.95

I enclose cheque/PO for .....

(Please add £1.00 for orders outside UK)

Access Card No. ....

Name .....

Address.....

For Mail Order only:

Software Projects, P.O. Box 12, L25 7AF



# MICROSHOP

**Rates:** £12 per single column cm. Minimum size 3cm. Series discount available. Also spot colour available. **Mechanical Data:** Column width, 1 column 57mm. 2 colours 118mm. 3 columns 179mm. **Copy Dates:** 10 days prior to publication.

**Contact:** Tony O'Reilly

## LOWEST PRICES IN UK?

| MICROS                                | PRICES INC VAT |
|---------------------------------------|----------------|
| Spectrum 48K (free six pack software) | £124.95        |
| Commodore 64                          | £184.95        |
| Commodore 16                          | £134.95        |
| BBC B (free cassette player/software) | £389.00        |
| BBC B + DFS                           | £455.00        |
| O.L.                                  | £389.00        |

### FOR YOUR MICROS

|                                 |         |
|---------------------------------|---------|
| ZX Microdrive                   | £47.95  |
| ZX Interface 1                  | £47.95  |
| ZX Interface 2                  | £18.95  |
| Microdrive Cartridge            | £4.75   |
| Quickshot II Joystick           | £9.95   |
| Programmable Joystick Interface | £22.95  |
| Commodore C2N Cassette Unit     | £40.00  |
| Commodore 1541 Disk Drive       | £199.00 |
| Commodore 1701 Monitor          | £199.00 |
| Commodore MPS 801               | £184.95 |
| Epson RX80FT                    | £255.00 |
| Alphacom 32 printer             | £74.95  |

### CASIO

|        |         |
|--------|---------|
| PB700  | £123.95 |
| FX750P | £85.95  |
| FX720P | £47.95  |
| PB410  | £47.95  |
| PB110  | £37.95  |

### CASIO KEYBOARDS

|       |         |
|-------|---------|
| MT46  | £79.95  |
| MT68  | £119.95 |
| MT200 | £111.95 |
| MT800 | £224.95 |

Complete range of Casio calculators, watches and keyboards



**K.K. STATIONERS**  
P&P £3.00 (within UK)

187 Edgware Road, Marble Arch, W2 1ET  
Tel. 01-723 1436

126 Edgware Road, Marble Arch, W2 2DZ  
Tel. 01-402 4592

**WHY DO SPECTRUM USERS FROM LONDON, DEVON, ESSEX & CAMBRIDGE SEND THEIR MICROS TO US FOR REPAIR?**

- Only Co. in all U.K. offering while-you-wait service
- Or 24 hour turnaround every micro insured for return journey
- Phone or send for free estimate enc. £1.60 U.K., I.O.M., Eire, C.I.

- No hidden handling charges
- Special rates for schools
- Please phone for appt



**MANCOMP LTD. (dept. PCN)**  
Printworks Lane, Lavenham, Suffolk  
Tel: 061 224 1888

## WANTED

**PERSONAL COMPUTERS**  
all models bought for cash

Morgan Camera Company  
160 Tottenham Court Road,  
London W1. Tel: 01-388 2562

## COMPUTER SOFTWARE:

**BUSINESS AND GAMES FOR MOST COMPUTERS.**

Commodore 64, Vic 20, BBC, Atari, Dragon, Spectrum, MZ700, ZX81.  
New Releases for CBM 64, Spectrum, BBC, Atari, Dragon, Spectrum, MZ700, ZX81.  
New releases for CBM 64, Spectrum, BBC. Every 2 weeks — just send S.A.E. and we send you a new list every 2 weeks.

Altai C10 data cassettes 40p each. 5 C15 data cassettes £2.40 5 1/4" floppy discs D/sided — DL density. £2.30 each or 5 for £10.

Send to: M.J. Seaward,  
St. Olaf's Road, Stratton Nr. Bude,  
Cornwall EX23 9AF. Tel: (0288) 4179

**DISCOUNT SOFTWARE**  
**PCN TOP 30 ALL 10% OFF.**

Post & Packing FREE.

UTILITIES AND BUSINESS PROGRAMS FOR ALL POPULAR HOME MICROS. 'PHONE FOR OUR SPECIAL PRICES.

PLEASE ENCLOSE CHEQUE/P.O. WITH ORDER.

**SOFT OPTIONS**  
TEL: 0279 32953.

**97 OLD ROAD,**  
**HARLOW, ESSEX.**

## PHONE



**TO GET MORE OUT OF  
YOUR MICRO!**

The WHAT? WHERE? WHEN? &  
HOW MUCH? of the

**PAN/PERSONAL COMPUTER NEWS**  
**LIBRARY of programs for**  
**your micro!**

■ BBC MICRO ■ SINCLAIR ZX SPECTRUM  
■ ORIC I ■ DRAGON 32 ■ ELECTRON  
■ VIC 20 ■ COMMODORE 64

☆ Credit Cards accepted ☆



**Pan**

**PERSONAL**  
**COMPUTER**  
COMPUTER NEWS LIBRARY

## "COMPUTER COURSES"

Bournemouth, Mid-week and week-end courses, beginners to advanced basic.  
Machine code and assembler courses available on request. Commodore 64's and BBC B's used or bring your own micro and we will adapt our course to your machine.

For further information write to:-

**Micro learning centre,**  
**10 St. Swithuns Rd South, Bournemouth.**  
**Tele: (0202) 290677**

## BLANK CASSETTES

Guaranteed top quality computer/ audio cassettes at great budget prices.

**Packed in boxes of 10 with labels, inlay cards and library case.**

Prices include VAT, post and packing.

|               |               |
|---------------|---------------|
| □ (C5) £4.35  | □ (C30) £4.70 |
| □ (C10) £4.40 | □ (C60) £5.30 |
| □ (C12) £4.45 | □ (C90) £7.00 |
| □ (C15) £4.50 |               |

## BASF FLOPPY DISCS

Prices of boxes of 10

|                                    |        |
|------------------------------------|--------|
| □ 5 1/4 Single side/Double density | £19.95 |
| □ 5 1/4 Double side/Double density | £21.85 |
| □ 5 1/4 Double side/Quad density   | £28.75 |

## MICRO FLEXI DISCS

Price per unit

|                      |            |
|----------------------|------------|
| □ 3 1/2" Single side | £4.00 each |
| □ 3 1/2" Double side | £4.75 each |

Indicate quantity of each product required in boxes. Free delivery U.K. only. Cheque/P.O. Enclosed for £:

NAME .....

ADDRESS .....

**PROFESSIONAL  
MAGNETICS LTD**

Cassette House, 329 Hunslet Road, Leeds LS10 3YY  
FREEPOST Tel. (0532) 706066 "P.C.N."

## SPECTRUM 48K SOFTWARE

Spectrum Sound Effects turns your Spectrum into a synthesiser. Machine code effects can be used in your own programmes — £7.95 (including P&P and VAT). P.C. Weekly Sept 84 "Zaps and Pows never thought possible... the best of these programmes... good fun."

Double Dealer two card games, Black Jack and Stud Poker on one tape — £6.50 (including P&P and VAT). Time Out Aug 84 "The computer makes a formidable opponent."

Send cheques or postal orders (overseas add 55p P&P) to:

**MFM Data Services Ltd,**  
**Dept PCN, 141A Camden Road,**  
**Tunbridge Wells, Kent TN1 2RA**  
Access, Credit Card Hotline 0892 48832 (24hrs)

## 'Fantastic Bargains'

BBC Model B £350 including VAT. Two thousand sheets of listing paper from £13 (9 1/4 x 11). One box of 5 1/4 inch disks from £14. All printer ribbons in stock.

Phone for other prices or send cheque to:

**Cassidy Computer Supplies**  
**14 The Warren, Radlett, Herts**  
**Tel: Radlett 7953**

(all prices include VAT, please add £1.50 for p&p)

## Diskettes at Bargain Prices

All with manufacturers guarantee

| 5 1/4 inch diskettes | SS/SD | SS/DD | DS/DD | SS/Quad | DS/Quad |
|----------------------|-------|-------|-------|---------|---------|
| Boxes of 10          |       |       |       |         |         |
| Athana               | 10.75 | 11.40 | 14.20 | 15.00   | 17.90   |
| BASF                 | 11.90 | 14.40 | 17.50 | 18.75   | 21.90   |
| C.D.C                |       | 11.90 | 15.70 | 18.20   | 20.65   |
| Dysan                |       | 20.00 | 27.65 | 27.65   | 34.70   |
| Verbaton             |       | 18.50 | 22.75 | 22.75   | 28.75   |
| Maxell               |       | 19.25 | 26.70 | 24.60   | 37.80   |
| Memorex              |       | 18.50 | 22.40 | 26.40   | 28.95   |
| T.D.K                | 17.65 |       | 27.65 |         | 34.25   |
| 3M                   |       | 15.90 | 21.65 | 24.25   | 28.20   |

8 inch, 3 1/2 inch, Listing Paper, Interface cables & cleaning kits also at low prices.  
Prices exclusive of VAT + delivery

Quantity discounts and bulk packages available at lower prices.  
Competitive trade prices also available, for details call or write to:

**Monas Overseas UK Ltd**  
**Unit 34, Cannon Workshops, Cannon Drive, West India Dock**  
**London E14 9SU**  
**Tel: 01-987 3213**  
subject to availability



# BENARI COMPUTERS

PRICES  
INCLUDE  
VAT

| COMPUTERS                 |     | PRINTERS                       |     |
|---------------------------|-----|--------------------------------|-----|
| SANYO MBC 555             | 975 | EPSON RX80                     | 225 |
| SANYO MBC 550             | 750 | EPSON RX80F/T                  | 259 |
| BBC B                     | 379 | EPSON FX80                     | 372 |
| free recorder & software  |     | EPSON FX100                    | 499 |
| ACORN Electron            | 189 | CANNON PW10580A                | 299 |
| COMMODORE 64              | 187 | CANNON PW1156A                 | 399 |
| SINCLAIR Spectrum         | 125 | CANNON PJ1080A                 | 429 |
| free software worth £56   |     | COMMODORE MPS 801              | 199 |
| MONITORS                  |     | SINCLAIR Alphacom 32           | 65  |
| SANYO DM2112              | 75  | DAISYWHEELS                    |     |
| SANYO DM8112CX hires      | 99  | EPSON DX100 (S) or (P)         | 430 |
| SANYO CD3125 col          | 197 | JUKI 6100                      | 380 |
| SANYO CD3117M col med res | 325 | DAISYSTEP 2000                 | 258 |
| SANYO CD315H col hires    | 455 | DRIVES & CASSETTES             |     |
| COMMODORE 1701 col        | 199 | COMMODORE 1541                 | 199 |
| <b>Delivery</b>           |     | COMMODORE C2N                  | 40  |
| <b>Pro Pack</b>           | £15 | SUPER SAVER cassette           | 32  |
| <b>Vizastar</b>           | £2  | SINCLAIR Micro Drive           | 49  |
| <b>Other Items</b>        | £6  | SINCLAIR Micro Drive Interface | 49  |

## COMMODORE 64 PRO PACK

COMMODORE 64  
MPS 801 PRINTER  
1541 DISK DRIVE  
EASY FILE INTRO TO BASIC 1  
EASY SCRIPT PLUS 6 GAMES

**£550**

VIZASTAR DATABASE  
RECOMMENDED FOR  
PRO PACK  
£99

**Benari Computers**

92, WARGRAVE AVENUE, LONDON N15  
01-800 3191 TILL 8PM

# COMMODORE 64

## LIGHTNING LOAD

- Loading speed is 10 (ten) times faster than normal!
- A 10 minute program takes just 1 minute to load
- Converts almost all your favourite software & games.
- Easy and automatic conversion into super fast form.
- Faster than disc drive!
- Converted programs load independently.
- 100% Machine Code.
- This amazing program £7.95 incl. P&P & VAT.

## COPYCAT

### THE ULTIMATE BACK-UP COPIER

- Copies almost all protected software.
- Spectacular multicoloured load and save.
- Wizard audio sounds.
- Cassette magic sense.
- We can't find a program this won't copy!
- Superb value at £5.95 inc. P&P & VAT.

These professional programs are dispatched within 24 hours  
of the order!  
Cheques/POs to:

## WIZARD SOFTWARE

59 The Marles, Exmouth, Devon EX8 4NE

# GRIFFEN COMPUTERS

## SOFTWARE

|                 |              |
|-----------------|--------------|
| Acornsoft (C)   | £7.10        |
| Micro power (C) | £6.50        |
| Micro power (D) | Please ring. |
| Wordwise (R)    | £36.00       |
| Graphics (R)    | £27.50       |
| Disc doctor (R) | £27.50       |
| Caretaker (R)   | £27.50       |
| Printmaster (R) | £27.50       |

## HARDWARE

|                  |                                |
|------------------|--------------------------------|
| BBC B            | Please ring for latest offers. |
| Acorn electron   | £195.00                        |
| Disk drives 100K | £99.00                         |

A full range of peripherals is available, prices on application. Printers—£172.00. Monitors—£199.00. Discs from only £12.00.

All the above prices include V.A.T. @ 15%  
(C)—Cassette (D)—Disk (R)—ROM

GRIFFEN COMPUTERS  
S. RAINFORD ROAD, STAINSLAND  
ESSEX CH24 8DU  
Tel. 0279 812295



# SOFTBOX

## WORDSTAR PROFESSIONAL PACKAGE HUGE REDUCTIONS

|            |   |        |
|------------|---|--------|
| Wordstar   | — | £295   |
| Mailmerge  | — | £145   |
| Spellstar  | — | £145   |
| Star Index | — | £116 + |

Wordstar Professional — ~~£701~~  
**£395 inclusive**

★ Now available for the IBM PC and compatibles ★  
Works on nearly all CP/M 80 machines

**SOFTBOX**  
48 Lashford Lane  
Dry Sandford  
Abingdon  
Oxon  
OX13 6DZ

Send details of your  
machine with a che-  
que for £395 made  
payable to Softbox

If in doubt about your machine, phone  
**0865 735280**



## Funny business

In smoke-filled rooms and dingy alleys around the country deals are being struck to get software to you. In the picture some of Palace Software's clean-living executives are signing an agreement (needing just a little gentle persuasion) to distribute Ram Jam titles. Or



## In the flesh

Curious goings-on in the Midlands last week, with the Birmingham Post reporting the case of a 15-year-old who had a 2in by 3in piece of flesh sewn back on.

Microsurgery isn't too uncommon these days but the

at least, that's what Palace says is happening. What do you think is being said?

Send us your suggestions and we'll award four ladies (£20) to the winner of this Laughline competition. The address to note is PCN, Evelyn House, 62 Oxford Street, London W1A 2HG. The winner will be announced in issue 85.

bizarre feature of the case was that the piece of flesh was discovered in a home micro store before being re-united with its owner.

We wish the lad a speedy recovery. But Midlands readers should take care when visiting their local dealers — it sounds as if Pacman's running amok.

## Flight path

Now here's a puzzler. A member of the PCN staff was recently enjoying a quiet game of darts in the pub. Aiming for the treble 20 his first dart flew into the treble 11.

The second he also aimed at the treble 20. It followed an identical arc and — with surgical precision — pierced the dead centre of the first dart's flights. And there they hung.

An animated conversation ensued. What are the odds against this happening?

Easy, said one computer-literate observer. A dart board can be divided into 360 degrees, so its 360 times 360 to one.

But hang on a minute. What about the distance from the centre of the board?

Matters started to get out of hand and we want you to help us out. Can you offer an algorithm to solve the problem?

## BT not so OK

Which telephone number in this sceptred isle would you expect to be most often free from interference that gives you the engaged tone, the dialling tone, and acrossed line all in the space of seconds? You guessed it. The British Telecom technical press enquiries number.

## SYNTAX ERROR

There are no Syntax Errors this week. Either we kept a clean sheet or you're not reading the magazine as closely as you used to.

## NEXT WEEK

### Commodore Four

Is Plus 4 the oddest name of the year or the biggest sure-fire winner? We get inside its skin.

### Output

Treat yourself to a Tony Crowther original in our butterfly game for the Commodore 64 — back to back with listings for Spectrum, Amstrad and Oric owners. BBC/Electron users can also take advantage of our memory monitor.

### Peripherals

Ravens have an eye for bright objects; we check one that aims to save memory on the BBC's displays. For Spectrum owners there's also a review of the Cheetah keyboard.

### Software



Visual database management? What else would Filevision be for but Apple's Macintosh. Plus we review Musicale for the Commodore 64.

### Gameplay

Boulder Dash is the game of the week, but look out for the low-down on the latest games for Spectrum, Commodore 64, and BBC.

### Regulars

The latest news in Monitor, food for thought in Random Access, guidance from Routine Inquiries, surf's up in Microwaves, and all our usual dainties.



## PCN DATELINES

| Event   | Dates          | Venue                    | Organisers  |
|---|----------------|--------------------------|---|
| Localnet Exhbn  | October 10-12  | San Diego, USA           | Online Conferences, 01-868 4466                                   |
| Apricot & Sirius Computer Show                        | October 16-18  | Manchester               | Paradox Group Ltd, 01-241 2354                                    |
| London Business Equipment Exhbn — LBES                | October 23-26  | Earl's Court, London     | BED Exhibitions, 01-647 1001                                      |
| Computer Exhbn — Computers                            | October 24-27  | Johannesburg, S. Africa  | Specialised Exhbns, 01-486 1951                                   |
| Computer Exhbn — Computers                            | October 24-27  | Johannesburg, S. Africa  | Specialised Exhbns, 01-486 1951                                   |
| Electron & BBC Micro User Show                        | October 25-28  | Alexandra Palace, London | Database Publications, 061-456 8383                               |
| Home Tech '84   | October 26-29  | Exhbn Complex, Bristol   | Nationwide Exhibitions, 0272-650465/15                            |
| Computer Security Conf & Exhbn                        | October 29-30  | Conf Centre, Nottingham  | Elsevier Int Bulletins, 0865-512242                               |
| COMDEX/Europe   | Oct 29-Nov 1   | Amsterdam, Holland       | Interface Group Inc., Amsteldijk 166, 1079 LH, Amsterdam, Holland |
| SE Asian Personal Computer Exhbn & Conf — PerCompAsia | Oct 29 — Nov 2 | Singapore                | Overseas Exhbns Services, 01-486 1951                             |
| Computers in Action                                   | Oct 30-Nov 1   | Anderson Centre, Glasgow | Trade Exhibitions, 0764-4204                                      |
| Personal Computer Fair                                | Oct 30-Nov 1   | Town Hall, Bournemouth   | Mike Schofield Promotions, 0202-36899                             |
| Computer Conf & Exhbn —                               | Oct 30-Nov 2   | Anaheim, USA             | Electronic Conventions Inc, CA 90045                              |

**EDITORIAL:** Editor Peter Worlock **Production editor:** Lorraine Turner **Deputy production editor:** Leach Batham **Sub editor:** Harriet Arnold **Editor's assistant:** Karen Isaac **News editor:** David Guest **News writer:** Ralph Bancroft **Sub editor:** Sandra Grandison **Features editor:** John Lettice **Software editor:** Bryan Skinner **Peripherals editor:** Kenn Garroch **Hardware editor:** Stuart Cooke **Programs editor:** Nickie Robinson **Art director:** Jim Dansie **Art editor:** Dave Alexander **Assistant art editor:** Tim Brown **Layout artist:** Bruce Preston **Publisher:** Cyndy Miles **Publishing assistant:** Tobe Bendeth

**ADVERTISING:** Group advertising manager Peter Goldstein **Advertisement manager:** Bettina Williams **Assistant advertisement managers:** Sarah Barron, Phil Pratt **Senior sales executives:** Laura Cade, Claire Rowbottom **Sales executives:** Claire Barnes, Phil Benson, Mike Blackman, Paul Evans, Tony Keefe, Christian McCarthy, Amanda Moore, Sarah Musgrave, Tony O'Reilly **Production:** Richard Gaffrey **Advertisement assistant:** Jan Moore **Subscription enquiries:** Gill Stevens **Subscription address:** 53 Frith Street London W1A 2HG 01-439 4242 **Editorial address:** 62 Oxford Street London W1A 2HG, 01-636 6890 **Advertising address:** 62 Oxford Street London W1A 2HG 01-323 3211 **Published by:** VNU Business Publications, Evelyn House, 62 Oxford Street London W1A 2HG © VNU 1983. No material may be reproduced in whole or in part without written consent from the copyright holders. Photoset by Quickset, 184-186 Old Street, London EC1. Printed by Chase Web Offset, St Austell, Cornwall. Distributed by Seymour Press, 334 Brixton Road, London SW9, 01-733 4444. Registered at the PO as a newspaper



# MUSIC MICRO PLEASE!!



ECHO I  
£99.95\*  
ECHOSOUND  
£49.95\*  
ECHOKIT  
£4.95\*

**LVL's** ECHO I is a high quality 3 octave keyboard of 37 full sized keys operating electronically through gold plated contacts. The keyboard which is directly connected to the user port of the computer does not require an independent power supply unit.

The ECHOSOFT Programme "Organ Master" written for either the BBC Model 'B' or the Commodore 64 supplied with the keyboard allows these computers to be used as real time synthesizers with full control of the sound envelopes. The pitch and duration of the sound envelope can be changed whilst playing, and the programme allows the user to create and allocate his own sounds to four pre-defined keys.

Additional programmes in the ECHOSOFT Series are in the course of preparation and will be released shortly.

Other products in the range available from your LVL Dealer are our:

**ECHOKIT (£4.95)\*** - External Speaker Adaptor Kit, allows your Commodore or BBC Micro-computer to have an external sound output socket allowing the ECHOSOUND Speaker amplifier to be connected.

**ECHOSOUND (£49.95)\*** - A high quality speaker amplifier with a 6" dual cone speaker and a full 6 watt output will fill your room with sound. The sound frequency control allows the tone of the sound output to be changed.

Both of the above have been specifically designed to operate with the ECHO Series keyboard.

The ECHO PRODUCT FAMILY breaks both the SOUND and PRICE BARRIERS, representing outstanding quality and value for money.

\* Inclusive of VAT



Scientific House,  
Bridge Street, Sandiacre  
Nottingham NG10 5BA  
Telephone (0602) 394000

AVAILABLE FROM ALL LVL DEALERS (FOR FURTHER INFORMATION TELEPHONE 0602 394000).





**THE FIRST  
GENERATION  
of Eye-friendly Filters.**

# Treat your eyes to a Romag CEAF. Only £19.95

## Unique technology: British made laminated glass, aspherically curved Contrast Enhancement Antiglare Filter.

Up to now, contrast-enhancing filters have always been flat — and so has their performance, because the screen of your TV, monitor or VDU is curved.

Up to now, most filters have been plastic — because it takes mindbending technology to bend optical-quality laminated glass.

Up to now, filters have been expensive — awkward production techniques have meant price tags from around £50 to well over £100.

Forget all that: the Romag CEAF is here. British designed and manufactured by space age military technologists, CEAF is profiled to fit your display screen, giving you the ultimate in contrast enhancement and antiglare performance. For under £20, this first generation of eye-friendly filters diffuses all specular reflections, gives sharper image clarity from edge to edge of the screen and greatly enhances display colours.

Mounted and removed in seconds by invisible velcro fastenings, the anti-static, anti-shatter CEAF is a major step forward in the operational safety of

computer displays — unprotected screens can cause blurred vision, watery and itchy eyes, headaches and (according to such authorities as the Institute of Ophthalmology) even permanent changes in eyesight.

Scratch-resistant, durable and easily cleaned without expensive sprays and agents, 9", 12" and 14"

CEAFs are available from leading retailers at only £19.95 including VAT.

Or fill in the Freepost coupon and your CEAF will be despatched within 48 hours. Orders can also be placed around

the clock by phoning the CEAF Department on (091) 414 5524, quoting your Access Card number. For other screen sizes, please ring or write — the CEAF prices for 'specials' would be considered very competitive.... if there was any competition!

**To FREEPOST ROMAG, CEAF Dept. PCN, Blaydon on Tyne, Tyne & Wear NE21 5SG. Telephone: (091) 414 5524**

My TV/Monitor/VDU is: \_\_\_\_\_ (make)  
\_\_\_\_\_ (model) \_\_\_\_\_ (size)

My Computer is: \_\_\_\_\_ (make/model)

Please send me: \_\_\_\_\_ 9" CEAF(s)  
\_\_\_\_\_ 12" CEAF(s)  
\_\_\_\_\_ 14" CEAF(s)  
at £19.95 each, inc. P&P.

I enclose cheque/P.O. No. \_\_\_\_\_  
for £ \_\_\_\_\_ made payable to ROMAG.

OR My Access Card No. is


Name \_\_\_\_\_

Address \_\_\_\_\_

Tel: \_\_\_\_\_

**ROMAG  
CEAF**

The filter which eliminates all competition  
CEAF is a Registered Trade Mark.



ROAD FROG by courtesy of Ocean Software.

MTA 4626