



Brainteasers for the Spectrum 48K



Brainteasers for the Spectrum 48K

Geneviève Ludinski
B.Sc.(Hons) A.M.B.C.S.

Phoenix Publishing Associates
Bushey, Herts.

Copyright © Geneviève Ludinski
All rights reserved

First published in Great Britain by
PHOENIX PUBLISHING ASSOCIATES
14 Vernon Road, Bushey, Herts. WD2 2JL

ISBN 0 9465 7610 6

Printed in Great Britain by
Billing & Sons Limited
Cover design by
David Berkoff
Typesetting by
Prestige Press (UK) Ltd.

CONTENTS

Introduction	6
Hexagon Puzzle	7
Odd One Out	12
Safecracker	17
Fractions and Percentages	21
Saints to Sinners	26
Don't Paint the Cat	32
A-Maze-Ing	37
Spot the Difference	42
Profit and Loss	48
Stats Painter	54
Sequence Countdown	59
Elementary Statistics	63
Name the Graph	69
Francis Drake Adventure Game	73
Wire Maze	86
Pattern Pairs	91
Western Adventure Game	96
Fraction Car Chase	102
Bar Charter	107
Word Search	111
Decisive Hero	116
Whodunnit	123

INTRODUCTION

Before you dive into this book, here are a few tips you may find useful when keying in the programs.

You may miss out all the REM statements except the first two. These statements are just to help you understand how the program works.


You can also omit the spaces between the line number and the start of the statement. However BASIC is rather pedantic about spaces elsewhere, so I advise you to copy the rest of the statement exactly. Also, to be safe, always put a space before words OR and AND. Any spaces within quotation marks must also be copied exactly.

Remember also to put in all punctuation exactly as it appears. If you miss out a comma, the program may not work. If the program still does not work after you have corrected the errors reported by the computer, check the following. See whether you have confused any zeros for the letter O, or alternatively ones and the letter I. Check, also, that you have not missed any program lines. This is easily done if program lines look similar. Most program line numbers go up by ten at a time, so read your line numbers to find this one.

You may find some of the procedures useful, and you are welcome to put these in any programs you write for your own use. You may not, of course, sell or give them away.

I hope you enjoy the book, and that your brain is not teased too heavily.

HEXAGON PUZZLE



You are really up against the clock on this one as you must solve as many puzzles as possible. A series of numbers, or letters, will be positioned around five of the sides of a hexagon and you will be asked to provide the missing letter or number. The relationship between the numbers or letters may be with their corresponding number or letter on the opposite side of the hexagon, or it may follow in sequence from an adjacent number.

The decision is yours.

The program will give you eleven puzzles, so see how many you can solve.

How to play

Key in the number, or letter, of your choice and press RETURN key.

Programming hints

One change to make the puzzle easier, is to reduce the size of the numbers used. S(2) on line 150 is the value of the first number in the sequence if the pattern is a sequence of numbers going around the hexagon. IC on line 160 is related to the interval between the numbers going round the hexagon. So if the 9 in line 150 is changed to a smaller number and IC is always 1 this will make the puzzle easier.

If you wish to make the puzzle more difficult (and you must be brave or a genius to want to do so), then you could either increase the possible values of S(2) or IC or increase the number of different types of sequence. At present there are five different types of sequences depending on whether W is 0 to 4. If you allow W to become 5 or larger in line 170, you could add a new sequence type for W=5 after line 230.

Program

```

1  GO SUB 800
10 REM
20 REM ?
40 DIM S(8): DIM P$(255)
50 CLS
70 LET TE=0: LET CR=0
80 CLS
90 LET TE=TE+1
100 IF TE=11 THEN GO TO 670

```



```

110 REM
120 REM work out sequence
130 REM
140 LET S(1)=0
150 LET S(2)=INT (RND*9+1)
160 LET ic=INT (RND*4+1)
170 LET W=INT (RND*5)
175 IF w=2 AND s(2)>2 THEN GO TO 170
180 FOR I=3 TO 8
190 IF W=0 THEN LET S(I)=2*S(I-1)-S(I-2)+IC: LET M$="The interval increases by "+STR$ (IC)+" each time"
200 IF W=1 THEN LET S(I)=S(I-1)+S(I-2)+IC: LET M$="Each number is the sum of the previous two plus "+STR$ (IC)
210 IF W=2 THEN LET S(I)=S(2)^(I-1): LET M$="Each number is "+STR$ (S(2))+" to the power of 2,3,4,5,6 and 7"
220 IF W=3 AND I>5 THEN LET S(3)=S(2): LET S(4)=IC: LET S(5)=INT ((S(2))+IC)/2: LET S(I)=S(2)*S(I-3): LET M$="Each number is "+STR$ (S(2))+" times the number opposite it."
230 IF w=4 AND i>5 THEN LET s(3)=s(2): LET s(4)=ic: LET s(5)=INT ((s(2)+ic)/2): LET s(i)=ic*s(11-i): LET m$="The numbers on the left hand side of the wheel are "+STR$ (ic)+" times the numbers on the right hand side"
240 NEXT I
250 FOR I=1 TO 13: PRINT : NEXT I
260 REM
270 REM display number wheel
280 REM
290 PLOT 135,159: DRAW 48,-18: DRAW 0,-48: DRAW -48,-18: DRAW -48,18: DRAW 0,48: DRAW 48,18: DRAW 0,-84: DRAW -48,18
300 DRAW 96,47: DRAW 0,-48: DRAW -96,47
400 REM print numbers or letters
410 IF S(8)>26 OR s(7)>26 OR s(6)>26 THEN LET LE=0: PRINT AT 4,18;S(3);AT 7,19

```



```
;S(4);AT 10,17;S(5);AT 10,14;S(6);AT 7,1
1;S(7)
```

```
420 IF S(8)<=26 THEN LET LE=1: PRINT A
T 4,18;CHR$ (64+INT S(3));AT 7,19;CHR$ (
64+INT S(4));AT 10,18;CHR$ (64+INT S(5))
;AT 10,14;CHR$ (64+INT S(6));AT 7,12;CHR
$ (64+INT S(7))
```

```
430 REM
```

```
440 REM input answers
```

```
450 REM
```

```
455 INPUT I$: GO TO 500
```

```
459 STOP
```

```
460 LET IX=1
```

```
480 PRINT AT 4,IX+12;P$(IX);: LET IX=IX
+1
```

```
482 LET P$(IX)=INKEY$
```

```
483 IF INKEY$<>"" THEN GO TO 483
```

```
484 IF INKEY$="" THEN GO TO 484
```

```
485 INPUT P$(IX): PRINT AT 4,IX+12;P$(
IX): REM PRINT AT 4,IX+12;P$(IX);: LET
IX=IX+1
```

```
486 LET P$(IX)=INKEY$: IF P$(IX)="" THE
N GO TO 486
```

```
488 IF P$(IX)<>CHR$ (13) THEN GO TO 48
0
```

```
489 LET P$(IX)=INKEY$
```

```
490 LET I$="0": FOR I=1 TO IX-1: LET I$
=I$+P$(I): NEXT I
```

```
500 REM
```

```
510 REM check answer
```

```
520 REM
```

```
530 REM
```

```
535 IF LE=1 THEN GO TO 550
```

```
540 IF LE=0 AND VAL (I$)=S(8) THEN INK
2: PAPER 6: PRINT CHR$ (8): PRINT AT 19
,5;"?": LET CR=CR+1: INK 3: GO TO 610
```

```
550 IF LE=1 AND (I$=CHR$ (64+S(8))) THE
N PAPER 5: INK 0: PRINT CHR$ (8): PRINT
AT 5,19: INK 2;"?": LET CR=CR+1: PAPER
3: GO TO 610
```




```

560 PRINT AT 14,0;"No the answer = ";
570 IF LE=0 THEN PRINT S(8)
580 IF LE=1 THEN PRINT CHR$(64+S(8))
590 IF LE=1 THEN PRINT : PRINT "Replac
e each letter by its      position numbe
r e.g. 1 for A, 2 for B etc."
600 PRINT M$
610 PRINT AT 21,0;"Press return to cont
inue"
620 INPUT A$
630 GO TO 80
640 REM
650 REM score sheet
660 REM
670 CLS : PRINT
680 PRINT "Number of puzzles completed
=";TE
690 PRINT : PRINT "Number correct =" ;CR
710 LET IQ=INT (CR*100/5.3)
720 PRINT : PRINT "Your IQ level (numer
acy)=" ;IQ
730 PRINT
740 IF CR>=7 THEN PRINT "this is class
ed as SUPERIOR      (upper 10%)" : GO TO 7
70
750 IF CR>=6 THEN PRINT "This is class
ed as GOOD (upper 20%)" : GO TO 770
760 IF CR=5 THEN PRINT "This is classe
d as FAIR (upper 60%)"
770 STOP
800 FOR n=0 TO 7
810 READ r: POKE USR "p"+n,r
820 NEXT n
830 DATA 0,0,1,2,4,136,80,32
840 RETURN
9999 PAPER 7: BORDER 7: INK 0

```


ODD ONE OUT



Nine pictures are displayed on the screen and you are given only a few seconds to compare them and identify the odd one out.

A score sheet will be displayed, showing the number of puzzles completed, number correct and the time and average time taken.

How to play

Each of the pictures on the screen will be identified by a number, and you must key in the appropriate number as your guess.

If you get the answer wrong, you will be told the correct answer, to the accompaniment of a low pitched little tune. Get it right, however, and you will hear a pleasant little tune.

After each attempt you will be asked if you wish more (Y for Yes) or wish to stop (N for No).

Remember to press RETURN.

Programming hints

The rainbows are drawn using the PLOT and DRAW commands, except to speed up the drawing the PLOT command is replaced by a machine code routine at 32000.

If you decide to make the arcs of the rainbow thicker then increase the 2 in line 720.

Program

```

10 REM odd one out
20 REM copyright ? G.Ludinski 1983
30 BORDER 7: PAPER 7: INK 0
40 LET rainbow=640
50 DEF FN u()=INT ((65536*PEEK 23674+2
56*PEEK 23673+PEEK 23672)/50)
60 DEF FN l(m,n)=(m+n+ABS (m-n))/2
70 DEF FN t()=FN l(FN u(),FN u())
80 DIM a(3): DIM s(3): DIM z(3): DIM d
(9)
90 LET nu=0: LET cr=0
100 LET t1=FN t()
110 GO SUB 860
120 CLS
130 LET nu=nu+1

```



```

140 LET pt=0
150 REM
160 REM draw windows
170 REM
180 LET w=66: LET h=30: FOR y=140 TO 56
STEP -42: FOR x=10 TO 255 STEP 85
190 PLOT x,y: DRAW w,0: DRAW 0,h: DRAW
-w,0: DRAW 0,-h
200 DRAW 5,5: DRAW w-10,0: DRAW 5,-5: D
RAW -5,5: DRAW 0,h-10: DRAW 5,5: DRAW -5
,-5: DRAW -w+10,0: DRAW -5,5: DRAW 5,-5:
DRAW 0,-h+10
210 NEXT x
220 NEXT y
230 REM
240 REM generate rainbows
250 REM
260 LET wh=INT (RND*9+1)
270 LET hi=h-10
280 LET a(3)=-ASN (hi/(w-10)): LET a(2)
=-ASN (hi/(w-25)): LET a(1)=-ASN (hi/(w-
40))
290 FOR i=1 TO 3: LET s(i)=1-COS a(i):
LET z(i)=hi: NEXT i
300 REM
310 REM draw rainbows
320 REM
330 LET x=15: LET y=145
340 FOR i=1 TO 9
350 LET d(i)=0
360 NEXT i
370 LET d(wh)=5
380 GO SUB rainbow
390 REM
400 REM question
410 REM
420 INK 0: PRINT AT 16,0;" Which wind
ow is different"
430 LET i$="": LET i=0
440 LET i$=INKEY$: IF i$="" AND i<50 TH
EN LET i=i+1: GO TO 440

```



```

450 IF i$<>" AND (i$<STR$ 1 OR i$>STR$
9) THEN GO TO 440
460 IF i$="" THEN GO TO 480
470 IF VAL i$=wh THEN PRINT : PRINT "Y
es,you are right": BEEP 2,12: LET cr=cr+
1: GO TO 490
480 PRINT : PRINT "No,";wh;" is differe
nt": BEEP 1,5: BEEP .5,4
490 PRINT : PRINT "Do you want more (Y/
N)"
500 INPUT r$
510 IF r$<>"n" AND r$<>"N" THEN GO TO
120
520 REM
530 REM score sheet
540 REM
550 CLS
560 PRINT TAB 10;"Odd one out"
570 FOR i=1 TO 7: PRINT : NEXT i
580 PRINT : PRINT "Tests completed = ";
nu
590 LET tm=FN t()-t1
600 PRINT : PRINT "Tests correct = ";cr
610 PRINT : PRINT "Time taken = ";tm;"
seconds"
620 IF cr<>0 THEN PRINT : PRINT "Time
per test = ";INT (tm/cr);" seconds"
630 GO TO 930
640 REM rainbow subroutine
650 LET wi=w-10
660 LET pt=pt+1
670 INK 0: FOR q=5 TO 18 STEP 5: FOR k=
2 TO 32 STEP 11: PRINT AT q,k;pt: LET pt
=pt+1: NEXT k: NEXT q
680 LET xx=x+1
690 LET cv=0
700 FOR g=xx+30 TO xx STEP -15
710 LET cv=cv+1: INK cv
720 FOR j=0 TO 2
730 LET ra=wi+x-(g+j)

```



```

740 POKE 32006,g+j+d(1): POKE 32007,y:
RANDOMIZE USR 32000: DRAW ra*s(cv),z(cv)
,a(cv)

```

```

750 POKE 32006,g+j+85+d(2): POKE 32007,
y: RANDOMIZE USR 32000: DRAW ra*s(cv),z(
cv),a(cv)

```

```

760 POKE 32006,g+j+170+d(3): POKE 32007
,y: RANDOMIZE USR 32000: DRAW ra*s(cv),z
(cv),a(cv)

```

```

770 POKE 32006,g+j+d(4): POKE 32007,y-4
2: RANDOMIZE USR 32000: DRAW ra*s(cv),z(
cv),a(cv)

```

```

780 POKE 32006,g+j+85+d(5): POKE 32007,
y-42: RANDOMIZE USR 32000: DRAW ra*s(cv)
,z(cv),a(cv)

```

```

790 POKE 32006,g+j+170+d(6): POKE 32007
,y-42: RANDOMIZE USR 32000: DRAW ra*s(cv)
),z(cv),a(cv)

```

```

800 POKE 32006,g+j+d(7): POKE 32007,y-8
4: RANDOMIZE USR 32000: DRAW ra*s(cv),z(
cv),a(cv)

```

```

810 POKE 32006,g+j+85+d(8): POKE 32007,
y-84: RANDOMIZE USR 32000: DRAW ra*s(cv)
,z(cv),a(cv)

```

```

820 POKE 32006,g+j+170+d(9): POKE 32007
,y-84: RANDOMIZE USR 32000: DRAW ra*s(cv)
),z(cv),a(cv)

```

```

830 NEXT j

```

```

840 NEXT g

```

```

850 RETURN

```

```

860 RESTORE

```

```

870 FOR v=0 TO 11

```

```

880 READ by

```

```

890 POKE 32000+v,by

```

```

900 NEXT v

```

```

910 RETURN

```

```

920 DATA 62,2,205,1,22,1,0,0,205,229,34
,201


```

```

930 REM end

```


SAFECRACKER



Are you a quick-thinker or a deep thinker? I hope you are one or the other, or you will never be able to crack open someone else's safe!

This game can be played two different ways, depending on whether you are a quick or deep thinker. If you are not sure which you are, then I suggest you play it both ways, and find out which way gives you the highest score.

In all cases, a closed safe is displayed and you are given two clues about the secret code that opens it. If you work out the exact answer before keying in the code, you are given 2 minutes to do it. If you make guesses, then you are only allowed 16 seconds. Wrong answers are ignored.

If you take too long you are surprised by the caretaker who switches on the light. He then presses the alarm button and you hear the police sirens wailing and you know all is lost.

If you do manage to crack the code in time, the safe opens, revealing gold bullion.

How to play

You are given two clues such as those shown above. The code is always a two digit number. Key in the number (you need not press RETURN).

To end the program, press BREAK.

Programming hints

To reduce the number of digits allowed, reduce the number inside the RND brackets for XX and YY in line 510.

If you find the game too easy then do the opposite.

Program

```

10 REM safe cracker
20 REM ? G. LUDINSKI 1984
25 DEF FN c$(a$,n)=a$( TO n)
30 DEF FN e$(a$,m)=a$(m TO )
40 LET BL=0: LET RD=1: LET YE=2: LET W
H=3: LET B=4
45 DIM i$(2)
50 LET SC=0
70 PAPER BL+B: INK WH

```



```

80 CLS
90 PRINT AT 0,1;"Score": PRINT " ";SC
100 REM
110 REM draw safe closed
120 REM
130 INK 2: PAPER 6: PRINT AT 8,20;"?":
PLOT 79,159: DRAW 109,0: DRAW 0,-96: DRA
W -109,0: DRAW 0,96: PLOT 88,151: DRAW 9
3,0: DRAW 0,-80: DRAW -93,0: DRAW 0,80
170 GO SUB 500
180 INK 1: PRINT AT 14,1;"If you multip
ly the first digit by ";INT A1;" and the
second digit by ";ABS INT (B1);" and ";
S$;" the result is ";INT C1;". "
190 PRINT AT 18,1;"The 1st digit ";V$
200 PRINT AT 18,20;"the 2nd digit is ";
INT C2: INPUT "what is the code?";i$
220 PAUSE 10
230 IF I$(1)=FN c$(A$,1) AND I$<>"E" TH
EN GO TO 280
240 IF I$="E" THEN GO TO 700
260 PRINT I$
280 IF i$(2)=FN e$(A$,2) THEN GO TO 30
0
290 PAUSE 60: GO TO 380
300 PRINT i$(1);i$(2)
310 LET Z#=I$(1)+i$(2)
320 IF Z#=A$ THEN LET SC=SC+1: GO SUB
630: GO TO 60
330 PRINT " No the code is ";ABS (VAL A
$)
335 PAUSE 200
340 GO TO 60
350 REM
360 REM SWITCH ON LIGHT AND SOUND SIREN
S
370 REM
380 PRINT "no the code is ";A$: FOR I=1
TO 6: BEEP 1,10: BEEP 1,12: BEEP 1,10:
BEEP 1,12: LET R#=INKEY$: GO TO 60

```




```

390 REM
500 REM question
510 LET A1=INT (RND*8)+2: LET B1=INT (R
ND*8)+2: LET XX=INT (RND*10): LET YY=INT
(RND*10)
520 LET W1=-1: IF RND>0.5 THEN GO TO 5
25
523 LET W1=1
525 LET W2=-1: IF RND>0.5 THEN GO TO 5
30
527 LET W2=1
530 LET B1=B1*W1
540 LET C1=(A1*XX)+(B1*YY)
550 LET C2=XX+(W2*YY)
560 LET S$="add them then": IF W1=-1 TH
EN LET S$="subtract them"
570 LET V$="plus ": IF W2=-1 THEN LET
V$="minus "
580 LET A$=STR$ (ABS (XX))+STR$ (ABS (Y
Y))
590 RETURN
600 REM
610 REM draw safe open
620 REM
630 INK 2: PAPER 6: PLOT 79,159: DRAW 1
09,0: DRAW 0,-96: DRAW -109,0: DRAW 0,7:
PLOT 79,159: DRAW 0,-9: PLOT 88,151: IN
K 2: DRAW 93,0: DRAW 0,-80: DRAW -93,0:
INK 7: DRAW 0,80
640 PRINT AT 8,20;" ": INK 2: PLOT 88,1
51: DRAW -80,-16: DRAW 0,-80: DRAW 80,16
698 PAUSE 200
699 RETURN
700 STOP

```


FRACTIONS AND PERCENTAGES



If you have trouble converting percentages to fractions and vice versa then this is for you.

How to play

The playing instructions are the same as those in the Profit and Loss program which is to be found elsewhere in this book.

Programming hints

The conversion from fraction to percentage routine

expects the percentage value to be entered to two places of decimals i.e. it expects the player to key in 66.66 not 66.7. The trick to write a number to a certain number of decimal places is to multiply it by 10 to the power of the number of decimal places you require, then find the integral part, then divide by the same number. In the program the fraction F/G is multiplied by a further 100 before conversion as the number is a percentage.

Even though the answer is given to a certain number of decimal places any answer, provided it is within 1 of the correct answer is accepted. This is so that the answer is marked correct however inaccurate the method used to obtain it.

Different types of problems can be added as described in Profit and Loss.

Program

```

10 REM quiz
20 REM ?
30 PAPER 5: INK 0: BORDER 1: CLS
32 DEF FN r$(l$,n)=l$( TO n): REM left
$
35 DEF FN t$(l$,m)=l$(m TO ): REM right
t$
40 DIM P$(255)
50 LET S$=""
"
60 LET H$=""      Higest score ": LET K$=
"    SCORE"
70 PRINT H$: PRINT : PRINT "Quiz game
3 - Fractions and      Percentages"
80 PRINT : PRINT
90 INPUT "Hello, what is your name ";N
$: PRINT : PRINT "Here are some problems
";: IF N$<>"NO SOUND" THEN PRINT N$

```



```

100 LET W=1: LET C=0: LET T=1: LET I$=""
": LET P=0: LET MAX=0
102 LET P=P+1
104 GO SUB 248
106 PRINT
110 PRINT : PRINT Q$; "=";: GO SUB 560:
PRINT : IF W=-1 THEN INPUT I$; "/"; V$: G
O TO 130
115 IF W=1 THEN INPUT i$: GO TO 140
130 IF LEN STR$ (j)=1 THEN LET u=1: LE
T s=3
131 IF LEN STR$ (j)=2 THEN LET u=2: LE
T s=4
135 IF W=-1 AND i$=FN r$(1$,u) AND v$=F
N t$(1$,s) THEN GO TO 160
140 IF W=1 AND i$=1$ THEN GO TO 160
150 GO TO 180
160 PRINT : PRINT "Yes, congratulations
": LET C=C+1: PRINT : PRINT : IF N$="NO
SOUND" THEN GO TO 210
170 BEEP .2,12: BEEP .1,16: BEEP 1,20:
BEEP .2,10: BEEP .1,15: BEEP .4,20: GO T
O 220
180 IF T=1 THEN PRINT "No, ";H$;" try
again": LET T=2: GO TO 110
190 PRINT "Sorry, the answer is = ": PR
INT L$: PRINT M$: PAUSE 1000
200 PRINT C$
220 IF p=10 THEN GO TO 610
221 LET I$=INKEY$: PRINT : PRINT "Do yo
u want more? (Y/N)": GO SUB 560: PRINT
230 IF I$<>"Y" AND I$<>"N" AND I$<>" " A
ND I$<>"y" AND I$<>"n" THEN GO TO 220
240 IF I$="Y" OR I$="y" OR I$="" THEN
LET T=1: CLS : GO TO 102
244 GO TO 9999
248 REM QUESTION
250 LET L$="": LET M$="": LET C$=""
260 LET W=-W: LET F=INT (RND*9)+1
270 LET G=INT (RND*9)+1: LET J1=INT (RN
D*19)+1

```



```


280 IF F=G OR F/G=INT (F/G) OR G/F=INT
(G/F) THEN GO TO 260
290 IF F<G THEN LET E=INT (F/G*100): L
ET J=J1*5
300 IF G<F THEN LET E=INT (G/F*100): L
ET H=G: LET G=F: LET F=H: LET J=J1*2
310 LET E$=STR$ (E): LET F$=STR$ (F): L
ET G$=STR$ (G): LET J$=STR$ (J)
320 IF W=1 THEN GO TO 410
330 LET Q$=J$+"% converted into a fract
ion"
340 LET H$="F% is F/100. If top and
bottom of the fraction are exactly
divisible by the numbers, then di
vide by these numbers."
350 LET HU=100: FOR I=1 TO 8
360 IF J/5=INT (J/5) AND HU/5=INT (HU/5
) THEN LET J=J/5: LET HU=HU/5
370 IF J/2=INT (J/2) AND HU/2=INT (HU/2
) THEN LET J=J/2: LET HU=HU/2
380 NEXT I: LET A$=STR$ (J)+"/"+STR$ (H
U)
390 LET L$=A$
400 LET M$="as "+J$+"/100 = "+A$
410 IF W=-1 THEN GO TO 460
420 LET Q$=F$+"/"+G$+" expressed as a p
ercentage"
430 LET H$="P/Q IS (P/Q)x100%"
440 LET A$=STR$ (INT (F*10000/G)/100):
LET L$=A$+"%"
450 LET M$="as (" +F$+"/"+G$+")x100="+A$
460 RETURN
560 PAUSE 0
570 LET I=1: LET VP=0: LET HP=10
572 LET P$(I)=INKEY$: IF P$(I)="" THEN
PAPER 3: INK 2: PRINT ;1,0; " ";H$;MAX;
K$;C: PAPER 2: INK 4
590 LET I$="": FOR x=1 TO I-1: LET I$=I
$+P$(I): NEXT x
600 RETURN
610 REM score

```



```
620 CLS
630 PRINT : PRINT "Number of problems c
ompleted =";P
640 PRINT : PRINT "Number correct =";C
670 IF C>MAX THEN LET MAX=C
680 LET P=0; LET C=0
690 GO TO 220
700 REM
```


SAINTS TO SINNERS



Here is a musical test for the members of your family who have a keen ear for a tune.

The object of the game is to guess the tune being played and to make it easy, to begin with, we have allowed your computer to play the entire tune. After the first ten 'numbers' you will only hear a short snatch from the tune.

We have included a very large selection of tunes suitable for 'saints and sinners'.

To make life more difficult for the player we have entered the tunes, using a special code, so that they cannot be guessed at in advance.

How to play

When you think that you have guessed, correctly, the title of the tune being played, type in the full title press RETURN and find out if your ear is musical, or tin.

Programming hints

Lines 200-470 contains the procedure that plays the tune. The notes of the tune are held in the first and second, if any, elements of the array A\$ and the name of the tune is held in N\$. W is the indicator determining which tune is to be played. The tune stored in array A\$ is terminated by the letters XXXXX. If more than one element of the array is needed to store the tune, the first element is terminated by the letters NNNNN. Storing data in a string variable is a very useful trick when there are too many fields to be assigned to use assignment statements, and when you do not wish to use DATA statements, as you will be accessing data randomly, not sequentially. See the section entitled Possible alterations for further details.

The obvious alteration that can be made, are that when you know the names of the tunes you will want to change them. If you wish to increase the number of tunes that can be played then you must increase the maximum value of W held in line 100. You could then include your tune between 380 and 390 starting with a statement ensuring that the tune is skipped over if the value of W is not the correct one. You could then work out the tune you require on an instrument, or else you could copy a musical score. If you are copying a musical score then you should refer to the User Guide, but if you are doing it for fun then I recommend a child's musical instrument which usually just has the octave that starts with middle

C which is the most common octave. The pitch numbers for this octave are:

Middle C 053
 D 061
 E 069
 F 073
 G 081
 A 089
 B 097
 C 101

The duration of the notes should be smaller numbers than specified in the User Guide as processing the array takes time. Therefore I suggest that the durations should be 03,08 and 18 approximately for notes of short, middle or long duration. When you have worked out the pitch and duration of all the notes, you should assign them to the first and, if more room is required, the second element of the array. The pitch number must have three digits and the duration must have two and they should be joined together and separated from details of the next note by a space. As stated before, the first element is terminated by NNNNN and the second element by XXXXX.

I do not expect you will bother to put the name of the tune in code, but in case you do N\$ is made up of the ASCII values of the letters of the name of the tune, remembering to include spaces which have an ASCII value of 32.

Program

```
10 REM saints to sinners
20 REM ?
25 DIM a$(60)
```



```

30 DEF FN t$(a$,n,M)=a$(n TO M)
60 PAPER 2: INK 0: BORDER 1: CLS
80 PRINT INK 7; BRIGHT 1; AT 1,5; " SAI
NTS TO SINNERS"
90 GO SUB 500
100 LET W=INT (RND*4)+1
110 GO SUB 190
112 REM LET a$="": FOR i=1 TO LEN (m$)
STEP 2: LET A$=a$+CHR$ (VAL FN t$(m$,i,
i+1)): NEXT i
114 REM INPUT AND CHECK ANSWER
115 PRINT AT 4,0;"What is the tune call
ed?"
120 INPUT i$
130 IF i$<>M$ THEN GO TO 136
135 PRINT AT 6,0;"Yes, you are right":
GO TO 140
136 PRINT : PRINT "No, it is called ";M
$
140 INPUT "Do you want more? (Y/N)";e$
150 IF e$<>"y" AND e$<>"Y" AND e$<>"n"
AND e$<>"N" THEN GO TO 140
155 IF e$="y" OR e$="Y" THEN GO TO 10
160 GO TO 700
190 REM play tune
200 IF w<>1 THEN GO TO 260
210 LET m$="FRERE GUSTAV"
220 BEEP 1,0: BEEP 1,2: BEEP .5,3: BEEP
.5,2: BEEP 1,0
230 BEEP 1,0: BEEP 1,2: BEEP .5,3: BEEP
.5,2: BEEP 1,0
235 BEEP 1,3: BEEP 1,5: BEEP 2,7
240 BEEP 1,3: BEEP 1,5: BEEP 2,7
245 BEEP .75,7: BEEP .25,8: BEEP .5,7:
BEEP .5,5: BEEP .5,3: BEEP .5,2: BEEP 1,
0
250 BEEP .75,7: BEEP .25,8: BEEP .5,7:
BEEP .5,5: BEEP .5,3: BEEP .5,2: BEEP 1,
0
255 BEEP 1,0: BEEP 1,-5: BEEP 2,0
257 BEEP 1,0: BEEP 1,-5: BEEP 2,0

```



```


258 RETURN
260 REM
265 IF w<>2 THEN GO TO 350
270 LET m$="THE FIRST NOEL"
280 BEEP .5,4: BEEP .5,2: BEEP .7,0: BE
EP .2,4: BEEP .5,5: BEEP .5,7: BEEP .7,9
: BEEP .3,11: BEEP .5,12: BEEP .5,11: BE
EP .5,9: BEEP .5,7: BEEP .5,9: BEEP .5,1
1: BEEP .5,12: BEEP .5,7: BEEP .5,5: BEE
P .5,4: BEEP .2,4: BEEP .4,2: BEEP .5,0
290 BEEP .5,2: BEEP .5,4: BEEP .5,5: BE
EP .5,7: BEEP .5,9: BEEP .5,11: BEEP .5,
12: BEEP .5,9: BEEP .5,7: BEEP .5,9: BEE
P .5,11: BEEP .5,12: BEEP .5,11: BEEP .5
,9: BEEP .5,7: BEEP .5,9: BEEP .5,11: BE
EP .5,12: BEEP .5,5: BEEP .5,4
349 RETURN
350 REM
354 IF w<>3 THEN GO TO 410
356 LET M$="ONCE IN ROYAL DAVID'S CITY"
360 BEEP .5,5: BEEP .5,9: BEEP .5,10: B
EEP .2,10: BEEP .5,10: BEEP .5,10: BEEP
.5,9: BEEP .5,10: BEEP .5,11: BEEP .5,11
: BEEP .5,10: BEEP .5,10: BEEP .7,14: BE
EP .7,16: BEEP .3,14: BEEP .3,12: BEEP .
5,11: BEEP .5,10: BEEP .5,9: BEEP .5,7
409 RETURN
410 REM
415 IF w<>4 THEN GO TO 450
416 LET M$="GOOD KING WENCESLAS LAST LO
OKED OUT"
420 BEEP .5,5: BEEP .5,5: BEEP .5,5: BE
EP .5,7: BEEP .5,5: BEEP .7,5: BEEP .5,0
: BEEP .5,2: BEEP .5,0: BEEP .5,2: BEEP
.6,4: BEEP .7,5: BEEP .5,5: BEEP .5,5: B
EEP .5,5: BEEP .5,5: BEEP .5,5: BEEP .7,
7: BEEP .4,5: BEEP .4,5: BEEP .4,0: BEEP
.4,2: BEEP .6,0: BEEP .7,2: BEEP .5,4:
BEEP .5,5: BEEP .5,5
449 RETURN
450 REM

```



```
455 IF w<>5 THEN GO TO 100
456 LET M$="MORNING HAS BROKEN"
460 BEEP .5,0: BEEP .5,4: BEEP .4,7: BE
EP .5,12: BEEP .5,14: PAUSE 10: BEEP .5,
11: BEEP .5,9: BEEP .5,7: BEEP .5,9: BEE
P .5,7: PAUSE 10: BEEP .5,0: BEEP .5,2:
BEEP .5,4: BEEP .5,7: BEEP .5,9
470 BEEP .5,7: BEEP .5,4: BEEP .5,0: BE
EP .5,2: PAUSE 10: BEEP .5,0: BEEP .5,4:
BEEP .5,7: BEEP .5,12: BEEP .5,14: BEEP
.5,11: BEEP .5,9: BEEP .5,7: BEEP .5,9:
BEEP .5,7: PAUSE 5: BEEP .5,0: BEEP .5,
2: BEEP .5,4: BEEP .5,7: BEEP .5,9: BEEP
.5,4: BEEP .5,0: BEEP .5,2: BEEP .5,0
499 RETURN
500 REM DRAW RADIO
510 PLOT 63,63: DRAW 96,0: DRAW 0,-56:
DRAW -96,0: DRAW 0,56: DRAW 0,-8: DRAW 9
6,0: DRAW 0,-8: DRAW -96,0
520 CIRCLE 74,36,4: CIRCLE 90,36,4: PLO
T 103,39: DRAW 40,0: DRAW 0,-24: DRAW -4
0,0: DRAW 0,24
600 RETURN
610 REM
700 STOP
```


DON'T PAINT THE CAT



Seems a strange title for a program. I mean, who would want to emulsion paint the family mogg anyway?

Well you see, the family have decided that you have to paint the garden fence. You lost the draw — it might have been your sister instead who had to do it, but never mind there is always next time. Across the fence from you and your fantastic paint brush, is your neighbour's transistor. As a mental challenge you have decided to paint the fence according to the high/low pitch of your neighbour's music.

Look out for your cat, it's parked at the end of the fence.

How to play

As the game begins you will hear just two notes to compare but, everytime you get the answer correct the next tune will have an extra note.

You will be told which two notes to compare, and you must key in H or L for High or Low.

If you take too long to answer, the cat will wind up getting covered in paint.

Press the RETURN key when you want a new tune.

Program

```
1 REM
9 REM Don't paint the cat
10 REM
11 REM ?
12 REM
13 REM define graphic
14 RESTORE : GO SUB 800
30 REM
35 REM clear screen
36 REM
40 DIM N(11)
50 BORDER 1: PAPER 4: INK 0: CLS
140 REM
150 REM start game
160 REM
170 FOR j=2 TO 9
180 REM
190 REM draw fence
195 REM
200 GO SUB 600
300 REM
310 REM choose which notes
```



```

320 REM
340 LET W=INT (RND*J)+1: LET A=INT (RND
 *J)+1: IF W=A THEN GO TO 340
350 LET F$="th": IF W=1 THEN LET F$="s
t"
360 LET G$="th": IF A=1 THEN LET G$="s
t"
370 IF W=2 THEN LET F$="nd"
380 IF A=2 THEN LET G$="nd"
390 IF W=3 THEN LET F$="rd"
400 IF A=3 THEN LET G$="rd"
410 PRINT AT 16,0;"Is the ";W;F$;" note
in the tune higher or lower than th
e ";A;G$;" note.": PRINT "Press H or
L": PAUSE 30
440 REM
450 REM PLAY THE TUNE
460 REM
465 FOR k=1 TO j
470 LET N(K)=INT (RND*20): IF k=1 THEN
GO TO 490
475 REM
476 REM ensure no note is repeate
d
477 REM
480 FOR q=k-1 TO 1 STEP -1: IF N(K)=N(q
) THEN GO TO 470
485 NEXT q
490 BEEP .75,N(K)
500 NEXT K
501 REM
502 REM calculate correct answer
503 REM
505 IF N(W)>N(A) THEN LET A$="H"
510 IF N(W)<N(A) THEN LET A$="L"
515 REM
516 REM paint fence
517 REM
520 GO SUB 850
525 REM
526 REM check answer

```



```

527 REM
530 IF (a$="H" AND (i$="H" OR i$="h"))
OR (a$="L" AND (i$="L" OR i$="l")) THEN
  PRINT AT 20,0;"Yes, you are correct": F
OR w=1 TO 100: NEXT w: PRINT AT 21,0;"an
y key to continue": PAUSE 0: PAUSE 0: NE
XT j: GO TO 2000
540 PRINT AT 20,0;"You are incorrect.
the answer      was: """;a$;""""
550 FOR w=1 TO 250: NEXT w: GO TO 10
598 REM
599 REM draw fence
600 REM
601 INK 0: PAPER 4: BORDER 1: CLS
602 FOR x=15 TO 169 STEP 16
605 LET y=159: LET z=8: LET q=104
610 PLOT x,y: DRAW z,0: DRAW 0,-q: DRAW
-z,0: DRAW 0,q
612 NEXT x
620 FOR a=23 TO 151 STEP 16: LET b=143:
LET c=135: LET d=79: LET e=71
630 PLOT a,b: DRAW 8,0: NEXT a
635 FOR a=23 TO 151 STEP 16: LET b=143:
LET c=135: LET d=79: LET e=71
640 PLOT a,c: DRAW 8,0: NEXT a
645 FOR a=23 TO 151 STEP 16: LET b=143:
LET c=135: LET d=79: LET e=71
650 PLOT a,d: DRAW 8,0: NEXT a
655 FOR a=23 TO 151 STEP 16: LET b=143:
LET c=135: LET d=79: LET e=71
660 PLOT a,e: DRAW 8,0: NEXT a
670 PRINT AT 14,24;"?"
704 REM
705 REM draw border
706 REM
710 PLOT 0,0
720 DRAW 255,0: DRAW 0,175: DRAW -255,0
: DRAW 0,-175
730 RETURN
790 REM
791 REM define graphic

```




```

792 REM
800 FOR n=0 TO 7
810 READ r: POKE USR "p"+n,r
820 NEXT n
830 DATA 0,36,60,60,60,25,62,60
840 RETURN
844 REM
845 REM paint fence
846 REM
851 FOR x=15 TO 159 STEP 16
860 FOR y=55 TO 159: LET r=8
861 REM
862 REM check for answer
863 REM
865 IF INKEY$<>" " THEN LET i$=INKEY$:
GO TO 900
870 INK 7: PLOT x,y: DRAW r,0: NEXT y:
NEXT x
880 PRINT AT 14,24: PAPER 4: INK 7: "?":
GO TO 1000
900 IF i$<>"1" AND i$<>"L" AND i$<>"h"
AND i$<>"H" THEN GO TO 870
910 RETURN
990 REM
995 REM cat painted
996 REM
1000 PRINT AT 20,0: "Too late! The correc
t answer          was: """;A$;""""
1010 FOR w=1 TO 300: NEXT w: INPUT "agai
n? Y/N":r$: IF r$<>"n" AND r$<>"N" THEN
GO TO 10
1020 NEW
1990 REM
1995 REM all 8 correct
1996 REM
2000 FLASH 1: PRINT AT 0,0: OVER 1:,,.,.,
.,.,.,.,.,.,.,.,.,.,.,.,.,.,.,.,.,.,.,.,.:
FOR w=1 TO 500: NEXT w: FLASH 0: CLS
2001 BORDER 5: PAPER 2: INK 7: CLS : PRI
NT AT 11,2: "A musician like yourself
should not be painting fences!": STO

```


A-MAZE-ING



You are at the bottom of a complicated maze, and your objective is to reach the top in the quickest possible time, but also with the fewest number of moves possible.

Don't rush headlong into this one, as a little forward planning can save you time and points.

Every step counts as a point and every time you try to cross a barrier counts as a point.

You must aim for the nearest exit at the top.

How to play

You are represented by a dot in the lower left hand side of the maze, and you move by using the ARROW cursor keys. Do not press the shift key, just the keys with the arrows on.

Your score will be displayed at the top of the screen. The number of steps taken has a greater effect on your final score than the time factor.

You may, of course, retrace your steps and begin again from any point you wish to. When you reach the top, or you wish to give up, press the BREAK key, (shifted space) and then RUN.

We hope you make it, as there are plenty of other 'Brainteasers' waiting for you on the outside.

Programming hints

The maze is created of cells, each of which have one side blocked off. The cell shapes are drawn using user-defined graphics.

You could increase the size of the maze by changing 21 and 25 in lines 230 and 260. The maze shown is 24 columns wide by 20 rows. the maze array m must be DIMensioned 2 columns and 2 rows larger than the actual array to allow for checking for the (x+1)th and (x-1)th columns, and (y+1)th and (y-1) rows. If you want the maze in the centre on the screen then change line 240.

The lines drawn down the side of the maze in lines 310 and 320 would have to be changed, so would the start

position of the dot in lines 330 and 340. In a 20 row maze the 21st row is the row the dot starts on, so special conditions apply to this row in lines 370 to 460. If a different number of rows is chosen this 21 and 22 must be changed. The 21st row of the maze is represented by the 22nd row of the array m. It was made this way to allow the top and bottom row to be checked.

Program

```

10 REM A-maze-ing
20 REM copyright      G.Ludinski 1983
30 DIM m(26,23)
40 BORDER 7: PAPER 7: INK 1: CLS
50 LET l$="5": LET r$="8": LET d$="6":
LET u$="7"
60 DEF FN u()=(65536*PEEK 23674+256*PE
EK 23673+PEEK 23672)/50
70 DEF FN m(q,r)=(q+r+ABS (q-r))/2
80 DEF FN t()=FN m(FN u(),FN u())
90 RESTORE
100 FOR n=1 TO 8: READ p$
110 FOR f=0 TO 7
120 READ a: POKE USR p$+f,a
130 NEXT f
140 NEXT n
150 DATA "a",3,3,3,3,3,3,3,3
160 DATA "b",0,0,0,0,0,0,255,255
170 DATA "c",192,192,192,192,192,192,192,19
2,192
180 DATA "d",255,255,0,0,0,0,0,0
190 DATA "e",3,3,3,BIN 00011011,BIN 000
11011,3,3,3
200 DATA "f",0,0,0,BIN 00011000,BIN 000
11000,0,255,255
210 DATA "g",192,192,192,BIN 11011000,B
IN 11011000,192,192,192
220 DATA "h",255,255,0,BIN 00011000,BIN
00011000,0,0,0

```



```


230 FOR i=2 TO 21
240 PRINT : PRINT "      ";
250 LET m(1,i)=0
260 FOR j=2 TO 25
270 LET m(j,i)=INT (RND*4)
280 PRINT CHR$ (144+m(j,i));
290 NEXT j
300 NEXT i
310 PLOT 31,168: DRAW 0,-160
320 PLOT 224,168: DRAW 0,-160
330 LET st=0: LET x=2: LET y=22: LET x1
=2: LET y1=22: LET t1=FN t()
340 PRINT AT y-1,x+2;".":CHR$ 8;
350 LET sc=st+INT ((FN t()-t1)/5)
360 LET i$=INKEY$: IF i$="" OR CODE i$<
53 OR CODE i$>56 THEN PRINT AT 0,0;INT
(FN t()-t1);" secs  Score = ";sc;" Step
s = ";st: GO TO 360
370 IF (x=2 AND i$=l$) OR (x=25 AND i$=
r$) OR (y=2 AND i$=u$) OR (y=22 AND i$=d
$) THEN GO TO 350
380 IF i$=l$ AND ((m(x-1,y)<>0 AND m(x,
y)<>2) OR y=22) THEN LET x=x-1
390 IF i$=r$ AND ((m(x+1,y)<>2 AND m(x,
y)<>0) OR y=22) THEN LET x=x+1
400 IF i$=d$ AND ((m(x,y+1)<>3 AND m(x,
y)<>1) OR y=22) THEN LET y=y+1
410 IF i$=u$ AND ((m(x,y-1)<>1 AND m(x,
y)<>3) OR y=22) THEN LET y=y-1
420 LET st=st+1
430 IF y1=22 THEN PRINT AT 21,x1+2;" "
;
440 IF y=22 THEN PRINT AT 21,x+2;".":
450 IF y1<>22 THEN PRINT AT y1-1,x1+2;
CHR$ (144+m(x1,y1));CHR$ 8;
460 IF y<>22 THEN PRINT AT y-1,x+2;CHR
$ (148+m(x,y));CHR$ 8;
470 IF x=x1 AND y=y1 AND st<>0 THEN BE
EP 1,0

```



```
480 IF y=2 AND m(x,y)<>3 THEN FOR i=-1  
0 TO 0: BEEP 0.0125,i: NEXT i: FOR i=0 T  
0 -5 STEP -1: BEEP 0.0125,i: NEXT i: GO  
TO 480  
490 LET x1=x: LET y1=y  
500 GO TO 350
```


SPOT THE DIFFERENCE



I suppose that this could have been called Star and Stripe, the difference as you will see when you run this colourful eye test.

Two pictures, composed of stars and stripes, in red, green and blue appear on the screen, and you will be asked to identify which of the items is different.

How to play

Items are keyed as follows:

Blue stripe	1
Green stripe	2

Red stripe	3
Blue star	4
Green star	5
Red star	6

Identify the differences and key in the number and press RETURN. If you are correct you will hear a high pitched tune, but if you are wrong your answer will be crossed.

To help you, numbers previously keyed in are displayed in brackets. When all the numbers required have been keyed in a further tune will be played. Just hope that it is high pitched for a correct answer.

To continue, or stop, press Y or N and RETURN.

At conclusion you will see your score sheet showing tries, correct answers, and time/average taken.

Programming hints

You might find the routine star useful in your non-commercial programs as it draws a star. You just have to specify the bottom left-hand corner of the star (x,y), the width of the bottom of the star (w), the height of the star (h) and the colour that it is to be displayed in (cl).

You could make the puzzle easier by increasing the range of possible values for the shapes that are going to be different. The function FNm (n,m) is used to define the minimum and maximum value of any shape. Remember if you increase the maximum value m you must reduce the minimum value n by the same value, or the picture will extend beyond the allocated area.

Program

```

10 REM Spot the difference
20 REM copyright ? G.Ludinski 1983
30 LET stripe=780: LET star=840: LET a
nswer=900: LET httriang=1030: LET triang=
980
40 PAPER 7: BORDER 7: INK 0: CLS
50 DEF FN u()=(65536*PEEK 23674+256*PE
EK 23673+PEEK 23672)/50
60 DEF FN l(m,n)=(m+n+ABS (m-n))/2
70 DEF FN t()=FN l(FN u(),FN u())
80 DIM w(6): DIM b$(6,1)
90 LET time1=FN t(): LET cr=0: LET nq=
0
100 POKE 23561,255: REM remove automati
c key repeat
110 GO TO 130
120 DEF FN m(n,m)=INT ((m-n)*RND+n)
130 RESTORE
140 FOR n=1 TO 2
150 READ p$: FOR l=0 TO 7: READ row: PO
KE USR p#+1,row: NEXT l
160 NEXT n
170 DATA "?",30,30,30,30,30,30,30,30
180 DATA "?",0,BIN 00010000,BIN 0011100
0,BIN 11111110,BIN 01111100,BIN 01101100
,BIN 11000110,BIN 10000010
190 CLS
200 LET nq=nq+1
210 PLOT 0,45: DRAW 255,0
220 DRAW 0,130: DRAW -255,0: DRAW 0,-13
0
230 PLOT 127,45: DRAW 0,130
240 LET nz=0
250 FOR i=1 TO 6
260 LET w(i)=INT (2*RND)
270 IF w(i)=1 THEN LET nz=nz+1
280 NEXT i
290 IF nz=0 THEN GO TO 250

```



```

300 FOR j=1 TO 3
310 LET x=40*(j-1)+7
320 LET w=FN m(5,10)
330 LET ij=j
340 LET c1=j: IF j=2 THEN LET c1=4
350 IF j=3 THEN LET c1=2
360 GO SUB stripe
370 LET x=x+127: LET w=w+(w(ij)*FN m(5,
10)): GO SUB stripe
380 LET x=40*(j-1)+27: LET h=FN m(w,2*w
): LET w=5: LET y=FN m(45,175-h)
390 LET ij=j+3
400 LET c1=j: IF j=2 THEN LET c1=4
410 IF j=3 THEN LET c1=2
420 GO SUB star
430 LET x=FN m(x+127,40*(j-1)+154): LET
w=w+(w(ij)*FN m(3,6)): LET h=h-(w(ij)*F
N m(h/4,3*h/4)): GO SUB star
440 NEXT j
450 INK 0: PRINT AT 18,0;" Which shap
es are different"
460 PRINT " ";: INK 1: PRINT "1 =
? ";: INK 4: PRINT "2 = ? ";: INK 2: P
RINT "3 = ? "
470 PRINT " ";: INK 1: PRINT "4 =
? ";: INK 4: PRINT "5 = ? ";: INK 2: P
RINT "6 = ?"
480 GO SUB answer
490 INK 0
500 LET r$=""
510 FOR i=1 TO (LEN a$+1)/2
520 LET i$=INKEY$: IF i$="" THEN GO TO
520
530 PRINT AT 21,0;"
";AT 21,0;i$;" (";r$;" )";
540 LET ki=0
550 FOR k=1 TO na
560 IF i$=b$(k) THEN LET b$(k)="O": LE
T ki=1: BEEP .5,12: LET r$=r$+i$
570 NEXT k
580 IF ki=0 THEN PRINT " X": GO TO 600

```



```

590 PRINT
600 IF INKEY$<>" " THEN GO TO 600
610 NEXT i
620 FOR i=1 TO na
630 IF B$(i)<>"0" THEN GO TO 660
640 NEXT i
650 GO TO 670
660 PRINT AT 18,0;"
      ": PRINT AT 18,0;"No, answer
=";a$: BEEP .5,10: BEEP .2,4: GO TO 680
670 PRINT AT 21,11;"Yes, you are right":
BEEP 2,12: LET cr=cr+1
680 PRINT AT 21,0;"Do you want more (Y/
N)      ";
690 INPUT i$
700 IF i$<>"n" THEN GO TO 190
710 CLS : PRINT : PRINT "      Spot the
difference": FOR i=1 TO 4: PRINT : NEXT
i
720 PRINT : PRINT "Puzzles attempted ="
;ng
730 PRINT : PRINT "Puzzles correct =" ;c
r
740 LET tm=INT (FN t()-time1)
750 PRINT : PRINT "Time taken =" ;tm; " s
ecs"
760 IF cr<>0 THEN PRINT : PRINT "Time
taken per puzzle =" ;INT (tm*100/cr)/100;
" secs"
770 GO TO 1080
780 REM stripe subroutine
790 INK cl
800 FOR i=x TO x+w
810 PLOT i,45: DRAW 0,130
820 NEXT i
830 RETURN
840 REM star subroutine
850 INK cl
860 LET x0=x: LET y0=y: LET x1=x+(w/2):
LET y1=y+(h/3): LET x2=x+(w/2): LET y2=
y+h: GO SUB triang

```



```
870 LET x0=x+w: LET y0=y: GO SUB triang
880 LET x1=x-w/2: LET y1=y+(2*h/3): LET
x0=x+w/2: LET y0=y+h/3: LET x2=x+(3*w/2
): LET y2=y+(2*h/3): GO SUB htriang
890 RETURN
900 REM answer subroutine
910 LET a$="": LET im=0
920 FOR l=1 TO 6
930 IF w(l)=1 THEN LET im=im+1: LET b$
(im)=STR$ l: LET a$=a$+STR$ l+", "
940 NEXT l
950 LET a$=a$( TO LEN a$-1)
960 LET na=im
970 RETURN
980 REM triang subroutine
990 FOR p=y1-y0 TO y2-y0
1000 PLOT x0,y0: DRAW x1-x0,p
1010 NEXT p
1020 RETURN
1030 REM htriang
1040 FOR p=x1-x0 TO x2-x0
1050 PLOT x0,y0: DRAW p,y1-y0
1060 NEXT p
1070 RETURN
1080 REM end
```


PROFIT AND LOSS

If a shopkeeper buys chocolates for 49 pence and sells them for 52 pence. His profit as a percentage of his cost price
=
?
76
Yes, congratulations

How much do you know about profit and loss?

Do you know how much you would make if you sold your car, or even your bike?

How to play

You will be given five minutes to answer as many questions as possible, and you may press P and RETURN for pass if you cannot work out an answer.

You will not be penalised for 'passes'.

At the end of five minutes, or sooner if you enter N for NO in answer to the question "do you want any more", your score sheet showing tries, correct answers and average time per answer will appear. If you wish to proceed, then press Y and RETURN and the program will continue to ask you questions.

You can have two tries at each question if you wish. After the first attempt, you will be given a hint as to the correct answer. If your second answer is wrong, you will be told the solution and how it was obtained.

If you cannot work out an answer then press ? and RETURN and your computer will turn into a calculator and you can then use the normal mathematical symbols on the keyboard. To clear the calculator from the screen press AC and RETURN. For the calculators answer press = and RETURN. To return to the main game press ? and RETURN. Always remember to press RETURN after each required response.

Programming hints

This program includes a useful procedure that enables a programmer to fit a sentence, or string, of any length onto a screen of any size, without splitting a word between one screen line and another, i.e. wraparound, and is found on line 530.

Assign the string, or sentence in quotes, to variable FL\$. B holds the number of characters on the screen in the case of Mode 4 it is 40. On exit the field FL\$ contains the string, or sentence, re-formatting so no words are split between one 40 column line and another.

You may want to add some different types of problems

on profit and loss. To do this, instead of W alternating between -1 and +1, it should be allowed to take a random value between 0 and one more than the number of problem types you are going to add. The details of the problem must be put in the QUESTION subroutine. Q\$ holds the question, H\$ the hint, A and A\$ the answer and L\$, M\$ and N\$ the answer and explanation.

Program

```

20 REM
30 DEF FN e$(a$,n,n)=a$(n TO n)
32 DEF FN v$(a$,m)=a$(m TO )
35 DEF FN z$(a$,b)=a$( TO b)
40 DIM p$(10)
45 PAPER 6: INK 2: BORDER 6: CLS
50 LET S$=""
60 LET C$="Highest score ": LET K$="
Score "
70 PAPER 6: INK 2: PRINT : PRINT : PRI
NT : PRINT " QUIZ GAME 1 -- PROFIT AND L
OSS"
80 PRINT : PRINT
90 INPUT "Hello, what is your name
";N$: PRINT : PRINT "Here are some p
roblems ";: IF N$<>"NO SOUND" THEN PRIN
T N$
100 LET P=0: LET MAX=0: LET C=0: LET W=
1
110 LET T=1: LET I$=""
120 LET P=P+1
130 GO SUB 320
140 PRINT : PRINT
150 CLS : PRINT AT 7,0;Q$;" = ";
160 GO SUB 740
180 IF ABS (VAL (I$)-A)<=X AND I$<>" " T
HEN GO TO 200
190 GO TO 220

```



```

200 PRINT AT 17,0;"YES, CONGRATULATIONS
": LET C=C+1: IF N$="NO SOUND" THEN GO
TO 250

```

```

210 BEEP .4,2: BEEP 1,5: BEEP .6,10: BE
EP .25,5: BEEP .3,5: GO TO 250

```

```

220 IF T=1 THEN PRINT AT 17,0;"NO, ";H
$;: FOR f=1 TO 1000: NEXT f: PRINT " TRY
AGAIN": FOR f=1 TO 75: NEXT f: LET T=2:
CLS : PRINT : GO TO 150

```

```

230 PRINT AT 17,0;"SORRY, THE ANSWER IS
= ";L$; " ";M$

```

```

240 PRINT j$

```

```

260 INPUT "DO YOU WANT MORE Y/N";i$: IF
i$="y" OR i$="Y" THEN CLS : GO TO 110

```

```

270 IF i$="n" OR i$="N" THEN CLS : GO
TO 800

```

```

310 REM

```

```

320 REM QUESTION

```

```

330 LET L$="": LET M$="": LET J$="": LE
T B=40: LET X=1

```

```

340 LET E=INT (RND*8)+1: LET F=INT (RND
*90)+10: LET E$=STR$ (E): LET F$=STR$ (F
)

```

```

350 LET W=-W

```

```

360 IF W=1 THEN GO TO 430

```

```

370 LET R$="If a shopkeeper buys chocol
ate for "+F$+" pence and sells them for
"+STR$ (E+F)+" pence. His profit as a
percentage of his cost price"

```

```

380 LET Q$=R$: GO SUB 530

```

```

390 LET H$="Percentage profit =
((sell - cost)/cost)x100% where sell =
selling price and cost = cost price"
400 LET A=INT (E/F*100): LET A$=STR$ (A
)

```

```

410 LET L$=A$+" %"

```

```

420 LET M$="as (( "+STR$ (E+F)+" - "+F$+
")/ "+F$+" )x100% = "+STR$ (INT (E/F*100))

```

```

430 IF W+-1 THEN GO TO 520

```

```

440 LET V=INT (E*100): LET V$=STR$ (V)

```



```

450 LET R$="A dealer wishes to make a p
rofit of "+F$+"%. If the car cost him
"+V$+" then his selling price must be"
460 LET Q$=R$: GO SUB 530
470 LET H$="find the profit in money
terms, then add it to the cost price"
480 LET A=INT (V+(F*E)): LET A$=STR$ (A
): LET Y$=STR$ (INT (F*E))
490 LET L$=" "+A$
500 LET M$="as profit=("+F$+"/100)x"+V$
+"="+Y$
510 LET J$="so selling price= "+V$+"+"+
Y$+"="+I$
520 RETURN
530 REM fit in
540 LET LF=LEN (R$): IF LF<=B THEN GO
TO 620
550 FOR I=1 TO INT (LF/40)
560 LET EL=B*I
570 IF FN e$(R$,el,1)=" " THEN GO TO 61
0
580 IF FN e$(R$,el+1,1)=" " THEN LET R$
=FN z$(r$,el)+FN v$(r$,lf-el-1): LET lf=
lf-1: GO TO 610
590 FOR k=1 TO 30: IF FN e$(r$,el-k,1)=
" " THEN LET r$=FN z$(r$,el-k)+FN v$(s$
,k)+FN v$(r$,lf-el+k): LET lf=lf+k: GO T
O 610
600 NEXT K
610 NEXT I
620 RETURN
630 STOP
640 REM CALC
650 INPUT z$: IF z$="?" THEN PRINT AT
15,0: PAUSE 0: RETURN
660 PRINT AT 21,0;,,;AT 21,0;(INT ((VAL
z$)*100)/100): GO TO 650
740 REM KEYIN
750 LET X=1
760 LET P$(X)=INKEY$: IF P$(X)=" " THEN
INK 2: PAPER 7: PRINT AT 0,1;" ";C$;M

```




```

AX;K$;C: INK 3: PAPER 6: GO TO 760
761 PRINT AT 21,0;,,,AT 21,0;: FOR i=1
TO x: PRINT p$(i);: NEXT i
762 IF CODE p$(x)=12 THEN LET p$="
": LET x=1: PRINT AT 21,0;p$: GO T
O 760
765 IF p$(x)="?" THEN LET p$(x)=" ":
GO SUB 640: GO TO 760
770 IF CODE p$(x)=13 THEN LET p$(x)="
": GO TO 780
772 IF p$(x)<>"1" AND p$(x)<>"2" AND p$
(x)<>"3" AND p$(x)<>"4" AND p$(x)<>"5" A
ND p$(x)<>"6" AND p$(x)<>"7" AND p$(x)<>
"8" AND p$(x)<>"9" AND p$(x)<>"0" THEN
LET p$(x)=" ": GO TO 760
775 LET x=x+1: GO TO 760
780 LET i$="": FOR i=1 TO x-1: LET i$=i
$+p$(i): NEXT i
790 RETURN
800 REM score
810 PRINT AT 7,0;"Number of problems co
mpleted=";p;AT 8,0;"Number correct=";c;A
T 11,0;n$;"'s success rate=";INT (c/p*10
0);"%": IF c>max THEN LET max=c: LET p=
0: LET c=0: INPUT "play again? (Y/N)";i$
: IF i$="Y" OR i$="y" THEN GO TO 110
820 NEW

```


STATS PAINTER



You are the director of Rockets Unlimited, and yesterday you were very pleased in the way the company was going. Then these officious accountants came, studied the figures and reckoned you were making a loss.

All weekend the sales figures are preying on your mind. Even while you are painting the fence you are trying to find out where the accountants went wrong. Sometimes you get so lost in thought that you end up painting the bird on the fence. If you can work accurately and quickly, you will find out where the accountants went wrong, and you will be able to prove to them that Rockets Unlimited is the success you always knew it was.

How to play

The questions are on the modes or medians of a given set of numbers. The mode of a set of numbers is the number occurring most frequently. The median of a set of numbers is the middle number. The numbers are arranged in ascending order. Just key in the answer without pressing RETURN.

If you are right you may move on to the next question by pressing RETURN. If you are wrong, or take too long to answer, the bird ends up by getting painted. After nine consecutive correct answers you find out where the accountants went wrong.

Programming hints

If you wish to use the graphics but to set different types of questions, replace routines at lines 400, 590 and 640. Assign the question to Q\$ and the answer to A\$ and the hint to H\$. Questions in this program must have answers one digit or letter long.

Program

```

10 REM stats painter
20 REM ?
30 REM
40 DIM n$(5): DIM d(15): DIM c(5)
50 PAPER 4: CLS
60 REM GO TO 190
70 REM
90 DEF FN x$(d$,n)=d$( TO n)
95 DIM g(10)
100 DEF FN b$(n$,n,n)=n$(n TO n)
160 REM

```



```

170 REM bird shape
180 REM
190 FOR k=0 TO 7
200 READ r: POKE USR "p"+k,r
210 NEXT k
220 DATA 48,248,60,30,14,11,9,8
230 REM draw fence
238 FOR m=1 TO 9
239 INK 0: PAPER 4: BORDER 2
240 LET r=16: LET z=56: LET y=71
245 FOR x=7 TO 223 STEP 24
250 PLOT x,y: DRAW r,0: DRAW 0,z: DRAW
-r,0: DRAW 0,-z: NEXT x
260 IF x<>247 THEN GO TO 250: GO TO 27
0
265 FOR p=0 TO 223 STEP 24: LET o=79: L
ET u=87: LET t=111: LET e=119
266 IF p<>247 THEN PLOT p,o: DRAW 7,0:
PLOT p,u: DRAW 7,0: PLOT p,t: DRAW 7,0:
PLOT p,e: DRAW 7,0:
267 IF p<>240 THEN NEXT p: GO TO 266:
IF p=264 THEN STOP
270 PRINT AT 5,28;"?"
280 GO SUB 400
285 REM print question and check answer
290 PRINT AT 15,0;"q$
300 LET i=0: LET i$="": LET id=0
309 GO TO 710
320 IF i$=a$ AND id=0 THEN PRINT "Yes,
you are right": GO TO 360
330 IF i<200 THEN PRINT i$;: GO TO 725
340 REM FOR j=1 TO 3: BEEP 1,10: BEEP
.4,23: BEEP .2,15: NEXT j
350 PRINT AT 18,0;"No, "h$: GO TO 360
355 PRINT AT 18,0;"Too late, "h$
360 PRINT AT 21,0;"Press enter for more
": INPUT r$: CLS
370 IF i$<>a$ THEN GO TO 230
380 NEXT m
390 PRINT AT 15,0;"Eureka! you found it

```



```

. Get on the phone quick": GO TO 810
400 REM stat
410 LET mc=0: LET dn=1: LET mo=0: LET w
=INT (RND*2)+1
420 FOR i=1 TO 5
430 LET c(i)=INT (RND*4): IF c(i)=mc TH
EN GO TO 430
440 IF c(i)>mc THEN LET mc=c(i): LET m
o=1
450 IF c(i)=0 THEN GO TO 500
460 FOR l=dn TO dn+c(i)-1
470 LET d(l)=i
480 NEXT l
490 LET dn=dn+c(i)
500 NEXT i
510 IF dn/2=INT (dn/2) THEN LET dn=dn+
1: LET d(dn)=6
520 LET d$="": FOR i=1 TO dn: LET d$=d$
+STR$ (d(i))+", ": NEXT i: LET d$=FN x$(d
$, (dn*2)-1)
530 LET t$="th": LET m=INT (dn/2)+1: IF
m=1 THEN LET t$="st"
540 IF m=2 THEN LET t$="nd"
550 IF m=3 THEN LET t$="rd"
560 IF w=1 THEN GO SUB 590
570 IF w=2 THEN GO SUB 640
580 RETURN
590 REM calculate mode
600 LET q$="What is the mode of "+d$
610 FOR f=1 TO 10: LET g(f)=0: NEXT f:
LET r=0: LET e=0
611 FOR f=1 TO LEN d$ STEP 2: LET g(VAL
(d$(f))+1)=g(VAL (d$(f))+1)+1: NEXT f
612 FOR f=1 TO 10: IF g(f)>r THEN LET
e=f-1: LET r=g(f)
613 NEXT f
614 LET a$=STR$ (e)
620 LET h$="there are more "+a$+"s"
630 RETURN
640 REM calculate median

```



```
650 LET q$="What is the median of "+d$
660 LET a=d(1+INT (dn/2)): LET a$=STR$
(a)
670 LET h$=a$+" is middle no."
680 RETURN
690 STOP
700 REM paint fence
710 FOR x=7 TO 223 STEP 24
720 FOR y=71 TO 127: LET r=16
725 IF INKEY$<>" " THEN LET i$=INKEY$:
PAUSE 25: GO TO 320
730 INK 7: PLOT x,y: DRAW r,0: NEXT y:
NEXT x
750 PRINT INK 7;AT 5,28;"?": BEEP .1,1
0: BEEP .4,20: BEEP .2,14: BEEP .75,10
760 GO TO 355
```


SEQUENCE COUNTDOWN



24 SECS

4 6 9 13 18 24

Six numbers, or letters, will be displayed on the screen and it is up to you to provide the next logical item to complete the series.

How to play

When you have worked out your answer, type in your item and press RETURN.

A wrong answer will bring you the correct result from your computer, and then you will be handed back to the next sequence. If you wish to PASS on a question then press P and RETURN and you will be taken on to the next question.

After 11 attempts your score sheet will be displayed showing the number of sequences tried, correct answers, your time, and your IQ level for adaptability.

Programming hints

One change you could make, is to add new sequences. To do this allow W to have a larger maximum value in line 170. The sequence must then be defined after line 210. The sequence is held in S(2), S(3), S(4), S(5), S(6), S(7) and S(8). S(2) is defined in line 150 and is fixed for all sequences. IC is another random value which may be useful when defining a sequence. The message saying how the sequence is created is held in MS\$. If the last number in sequence S(8) is less than 26 then the sequence is converted to letters.

Program

```

10 REM sequence countdown
20 REM ?
30 REM
40 DIM S(8): DIM P$(255)
50 CLS
60 GO SUB 600
70 LET TE=0: LET CR=0
80 CLS
85 PRINT AT 0,6;"SEQUENCE COUNTDOWN"
86 PRINT AT 3,1;"What is the next number in the sequence?"
90 LET TE=TE+1
100 IF TE=11 THEN GO TO 510
110 REM
120 REM work out sequence
130 REM
140 LET S(1)=0

```



```

150 LET S(2)=INT (RND*9)+1
160 LET IC=INT (RND*9)+1
170 LET W=INT (RND*3)
180 FOR I=3 TO 8
190 IF W=0 THEN LET S(I)=2*S(I-1)-S(I-2)+IC: LET M$="The interval increases by "+STR$ (IC)+" each time"
200 IF W=1 THEN LET S(I)=S(I-1)+S(I-2)+IC: LET M$="Each number is the sum of the previous two plus "+STR$ (IC)
210 IF W=2 THEN LET S(I)=S(2)^(I-1): LET M$="Each number is "+STR$ S(2)+" to the power of 1,2,3,4,5,6 and 7"
220 NEXT I
230 FOR I=1 TO 13: PRINT : NEXT I
240 REM
250 REM display sequence
260 REM
270 IF S(8)>26 THEN PRINT AT 8,1;STR$ (S(2));" ";STR$ (S(3));" ";STR$ (S(4));" ";STR$ (S(5));" ";STR$ (S(6));" ";STR$ (S(7));".....";: LET LE=0
280 IF S(8)<=26 THEN LET LE=1: PRINT CHR$ (64+S(2));" ";CHR$ (64+S(3));" ";CHR$ (64+S(4));" ";CHR$ (64+S(5));" ";CHR$ (64+S(6));" ";CHR$ (64+S(7));" .....";
290 REM
300 REM input answer
310 REM
320 LET I=0
350 LET I$="": FOR A=1 TO I-1: LET I$=I$+P$(A): NEXT A
360 REM
370 REM check answer
380 REM
390 INPUT D$
400 IF LE=0 AND VAL (D$)-S(8)=0 THEN INK 2: PRINT " ";"?": LET CR=CR+1: INK 4: GO TO 450
405 IF LE=0 THEN GO TO 440

```



```

410 IF LE=1 AND D$=CHR$ (64+S(8)) THEN
  INK 2: PRINT " "; "?": LET CR=CR+1: INK
4: GO TO 450
420 PRINT : PRINT : PRINT "no the answe
r =" ; S(8)
430 IF LE=1 THEN PRINT : PRINT "Replac
e each letter by its position number e.g
.1 for A, 2 for B etc."
440 PRINT : PRINT M$
450 PRINT : PRINT "Press ENTER to conti
nue"
460 INPUT B$
470 GO TO 80
480 REM
490 REM SCORE SHEET
500 REM
510 CLS : PRINT
520 PRINT "Number of sentences complete
d =" ; TE
530 PRINT : PRINT "Number correct =" ; CR
550 LET IQ=INT (CR*100/53)
560 PRINT : PRINT "Your IQ level (adapt
ability) =" ; IQ
570 PRINT
580 IF CR>=7 THEN PRINT "THIS IS CLASS
ED AS SUPERIOR (UPPER 10%): STOP
585 IF CR=6 THEN PRINT "THIS IS CLASSE
D AS GOOD (UPPER 20%): STOP
590 IF CR=5 THEN PRINT "THIS IS CLASSE
D AS FAIR (UPPER 60%): STOP
595 STOP
600 FOR N=0 TO 7
610 READ R: POKE USR "P"+N,R
620 DATA 0,0,1,2,4,136,80,32
630 NEXT N
640 RETURN

```


ELEMENTARY STATISTICS

Quiz Game 4 - Elementary Statistics

Hello, what is your name? GORDON

Here are some Problems GORDON

Length of histogram rectangle of mark 2
where marks are 3, 2, 1, 2, 2, 3, 4, 3, 4 = 1

No, length is number of scores with mark
2, try again

Length of histogram rectangle of mark 2
where marks are 3, 2, 1, 2, 2, 3, 4, 3, 4 = 2

Sorry, the answer is =

3

as there are 3 scores of mark 2



Could you draw a bar chart (histogram) of a given set of numbers?

Could you understand a bar chart which someone else had written? Here you can test your knowledge on bar charts and means by answering as many questions on these subjects as possible, in five minutes.

This program has an added feature which is that the bar chart will be drawn, by the computer, at the end of the problem. In addition an explanation will be provided.

How to play

You will be given five minutes to answer as many questions as possible, and you may press P and RETURN for pass if you cannot work out an answer.

You will not be penalised for 'passes'.

At the end of five minutes, or sooner if you enter N for NO in answer to the question "do you want any more", your score sheet showing tries, correct answers and average time per answer will appear. If you wish to proceed then press Y and RETURN and the program will continue to ask you questions.

You can have two tries at each question if you wish. After the first attempt you will be given a hint as to the correct answer. If your second answer is wrong you will be told the solution and how it was obtained.

If you cannot work out an answer then press ? and RETURN and your computer will turn into a calculator and you can then use the normal mathematical symbols on the keyboard. Do not type = at the end of your calculation. For the calculator's answer press RETURN. To return to the main game press ? and RETURN. Always remember to press RETURN after each required response.

Programming hints

The box chart is drawn using solid squares. These are user defined characters with all the pixels filled in and are created at the beginning of the program using VDU 2 3. The bar chart is held in N(0) and N(1). The number of each of the marks are held in the array F and the bar chart is drawn from this.

You could increase the number of scores. To do this you must increase the maximum value of J in line 260. The array D would have to be reDIMensioned in line 30. Remember also, if more scores are used then the sum or the marks must be divided by a number larger than 9 in line 340 to get the correct mean value.

The maximum number of any particular mark would also be greater than 9 so the maximum value of I in line 500 would have to be increased.

Program

```

10 REM elementary stats
20 REM ?
25 LET max=0
30 DIM F(4): DIM D(9): DIM N$(5)
40 DEF FN D$(G$,n)=G$( TO n)
50 LET S$=""
51 LET v=0: LET y=0
52 LET Y$="Highest score ": LET K$="
   Score "
60 PAPER 7: INK 0: PRINT : PRINT "QUIZ
   GAME 4 ELEMENTARY          STATISTICS"
70 PRINT : PRINT
80 INPUT "Hello, what is your name?"
   ";A$: PRINT : PRINT "Here are some p
   roblems for you ";A$
90 LET W=1: LET C=0: LET T=1: LET I$=""
   ": LET P=0
100 LET P=P+1
110 GO SUB 252
120 PRINT : PRINT
125 CLS
130 PRINT AT 5,0;Q$;" = ": GO SUB 612
136 IF v=2 THEN LET p=p-1: GO TO 200
142 IF A=0 AND I$<>"0" THEN GO TO 190
145 IF i$=1$ THEN GO TO 170

```



```

150 IF (ABS (VAL (I$)-A)<=X) AND I$<>""
THEN GO TO 170
160 GO TO 190
170 PAPER 7: INK 0: PRINT AT 3,0;"Yes,
congratulations": LET C=C+1:
PRINT : IF A$="NO SOUND" THEN GO TO 22
0
180 BEEP .1,10: BEEP .4,20: BEEP .6,14:
BEEP 2,16: GO TO 230
190 IF T=1 THEN PRINT AT 13,0;"No, "H
$;", try again": PAUSE 0: PAU
SE 0: LET T=2: GO TO 130
200 PRINT "Sorry, the answer is = ": P
RINT L$: PRINT M$
210 PRINT AT 21,0;" 0 1
2 3 "
215 FOR j=1 TO 4: LET h=20: FOR k=20 TO
(20-d(j)) STEP -1: PRINT AT h,j*6;"????
?": LET h=h-1: NEXT k: NEXT j
230 INPUT "Do you want more? Y/N";i$
240 IF I$<>"" AND I$<>"Y" AND i$<>"y" A
ND i$<>"n" AND I$<>"N" THEN GO TO 230
250 IF I$="Y" OR i$="y" THEN LET T=1:
CLS : GO TO 100
251 GO TO 670
252 REM QUESTION
260 LET L$="": LET M$="": LET N$(1)=" "
: LET N$(2)=" ": LET S=0: LET F(1)=0: LE
T F(2)=0: LET F(3)=0: LET F(4)=0: LET G$
=" ": FOR J=1 TO 9
270 LET D(J)=INT (RND*4): LET G$=G$+STR
$ (D(J))+", ": LET S=(S+D(J))
280 FOR K=0 TO 3: IF D(J)=K THEN LET F
(K+1)=F(K+1)+1
290 NEXT K: NEXT J: LET W=-W: LET G$=FN
D$(G$,18)
300 LET Z$=" where values are "+G$
310 IF W=1 THEN LET X=0
320 IF (S/9)=INT (S/9) THEN GO TO 380
330 LET INC=9*INT (S/9)+9-s
340 LET d(9)=d(9)+inc

```



```

350 LET g$=FN o$(g$,16)+", "+STR$ (d(9))
360 LET s=s+inc
370 LET Q$="Mean value scored where val
ues are "+G$
380 LET H$="mean=total values scored
divided by number of scores": LET A=INT
(S/9)
390 LET L$=STR$ (A)+" as sum of (" +G$+"
)/9 = "+STR$ (A)
400 IF W=1 THEN LET M$="": GO TO 510
410 LET X=0: LET P$=STR$ INT ((RND*4)):
LET A=F(VAL (P$)+1)
420 LET Q$="Height of histogram rectang
le of value "+P$+Z$
430 LET H$="Height is number of scores
with value "+P$+" "
440 LET L$=STR$ (A): LET M$="as there a
re "+STR$ (A)+" scores of value "+P$: IF
A=0 THEN LET M$="as there is 1 score o
f value "+P$
450 LET N$(1)="": LET N$(2)=" "
460 FOR I=9 TO 1 STEP -1: FOR K=1 TO 4
470 IF F(K)>=I THEN LET N$(ABS (INT (I
/5)+1))=N$(ABS (INT (I/5)+1))+" "
480 IF F(K)<I THEN LET N$(INT (I/5)+1)
=N$(INT (I/5)+1)+" "
490 NEXT k: NEXT i
500 LET N$(1)=N$(1)+" 1 2 3
4"
510 RETURN
612 REM KEYIN
620 LET G=1: LET VP=21: LET HP=0
625 PRINT PAPER 0: INK 7: AT 1,0: " ";
Y$:MAX:K$:C
630 LET O$=INKEY$: IF O$<>" " THEN GO T
O 640
632 LET y=y+1: IF y=8200 THEN LET p=p-
1: GO TO 670
634 GO TO 630
640 IF CODE o$=112 OR CODE o$=80 THEN
LET v=2: RETURN

```




```

650 IF CODE o$=63 THEN GO SUB 8000: PA
USE 0: GO TO 630
655 LET i$=o$
660 RETURN
670 REM SCORE
680 CLS
700 PRINT "Number of problems completed
= ";INT P
710 PRINT : PRINT "Number correct = ";I
NT C
740 IF C>MAX THEN LET MAX=C
750 LET P=0: LET C=0
760 INPUT "again? (y/n)";b$: IF b$<>"Y"
AND b$<>"y" THEN NEW
770 GO TO 30
8000 INPUT u$: IF u$="?" THEN PRINT AT
21,0;,,,: RETURN
8001 PRINT AT 21,0;,,,:AT 21,0;VAL u$: GO
TO 8000
9999 REM

```


NAME THE GRAPH



This is a game of logic. You have an aim, to find the equation of the graph that is drawn on the screen. You key in numbers to represent an equation. You can see straight away whether you are getting closer to your goal as the graph of the equation you keyed in is drawn on the screen.

By making the three numbers required larger and smaller, positive and negative, you can see how it effects the graph and hopefully, you can watch your graph getting closer and closer to the target graph until you hit it.

If you give up you will be told the answer, but don't cheat.

How to play

All graphs drawn are of the type

$$y = Ax^2 + Bx + C$$

Where A, B and C are constants (that is numbers that can be positive or negative). For example, the equation might be

$$y = -2x^2 + 3x - 5$$

and in this case A would be equal to -2, B equal to 3 and C to -5.

You must key in three numbers all at once on the same line and separated by commas. Press RETURN only after you have keyed in all three numbers. In the example above you would key in

-2, RETURN, 3, RETURN, -5 then RETURN

Then the graph of this expression is drawn and you must make another guess. If you cannot guess the answer key in

WHAT, ENTER, IS, ENTER, IT then RETURN

and you will be given the answer and the program ends.

If you guess the answer correctly then press the escape key and a new graph will be drawn.

It is more fun if you find out how to do it by trial and error, but if you want a hint to get you started then this is it. (Skip the next paragraph if you do not want to know)

If the first number (A) is positive, the graph will point upwards (u shape), and if it is negative the graph will point downwards (n shape).

Program

```

10 REM name the graph
20 REM ?
30 REM
40 OVER 1: BORDER 2: PAPER 5: INK 0: C
LS
59 REM
60 REM draw axes
61 REM
70 FOR f=0 TO 7
80 READ r: POKE USR "p"+f,r
85 READ e: POKE USR "o"+f,e
90 NEXT f
98 DATA 30,0,16,128,16,128,16,128,16,2
55,16,0,16,0,16,0
100 FOR x=0 TO 21 STEP 1: PRINT AT x,0:
"?": NEXT x
110 FOR x=0 TO 31 STEP 1: PRINT AT 11,x
; "?": NEXT x
120 REM
130 REM draw target graph
140 REM
150 LET a=INT (2*RND+1.1): LET d=INT (5
*RND+2.1)
160 LET c=INT (RND*20)
170 FOR H=1 TO (RND*4)+1: LET a=a*-1: L
ET d=d*-1: LET c=c*-1: NEXT H
180 LET p=a: LET q=d: LET r=c
190 INK 0
195 LET AA=A: LET BB=D: LET CC=C
200 GO SUB 1000
210 REM
220 REM input and draw guessed graph
230 REM

```




```

240 LET g=0
245 LET G=G+1: IF G=11 THEN CLS : PRIN
T "THE ANSWER WAS :";A$;",";D$;",";C$;"
      AGAIN? (Y/N)": INPUT Q$: IF Q$<>
"Y" AND Q$<>"y" THEN NEW
246 IF g=11 THEN RUN
250 IF g<>1 THEN PRINT AT 0,0: OVER 0:
"Guess ";g;" Last guess = ";a$;",";b$;",";
c$: INPUT A$;B$;C$: GO TO 270
255 PRINT AT 0,0: OVER 0:" Y=AX^2+BX+C
GUESS;A;B;C"
260 INPUT a$;b$;c$
270 IF a$="WHAT" AND B$="IS" AND C$="IT
" THEN LET g=10: GO TO 245
280 LET J=VAL A$: LET K=VAL B$: LET L=V
AL C$
295 LET AA=J: LET BB=K: LET CC=L
300 GO SUB 1000
305 IF J=A AND K=D AND L=C THEN CLS :
PRINT "CORRECT": FOR F=0 TO 300: NEXT F:
GO TO 1
310 PRINT AT 0,0: OVER 0:" PLEASE WAIT
      ": INK 8: GO SUB 1000:

INK 0
320 GO TO 250
1000 REM
1010 REM graph
1020 REM
1040 FOR x=0 TO 252 STEP 3
1050 LET y=(AA*X^2)/400+(AA*BB*X)/10+CC+
83
1060 IF y>167 OR y<0 THEN NEXT x: GO TO
1100
1090 PLOT x,y
1095 NEXT x
1100 RETURN
9999 PRINT (AA*X^2)

```


FRANCIS DRAKE ADVENTURE GAME



This is by far and away the most ambitious, interesting and testing program in this book.

This is an authentic historical adventure game based on Francis Drake's circumnavigation of the world, from 1577 to 1580. As you travel in the footsteps of the greatest of Elizabeth the First's free-booting adventurers, you will encounter the same problems and challenges as Drake.

Drake sailed in search of the elusive North West Passage that would allow him access to the Pacific, and the galleons of the Spanish Empire. As history books will already have told you, he did not find the object of his quest, but he did find much more, and so will you as you sail into the Francis Adventure Game.

How to play

First you will hear the gentle lapping of waves against the shore and you will see title. Then a map is displayed.

On the map you will see your position marked by a white sailing ship, docked near the port of Lima.

Everytime you use this game, the dangers and treasures will be located in different parts of the ocean, so do not think that you can predict your moves too easily. We didn't feel it was fair, however, to move the rocks and reefs during the game so try and remember their locations. It will help you considerably.

You **must** follow Drake's route by first travelling to the port known as New Albion and thence onward, past Java, to the bottom left hand corner of the map.

Your aim is to reach the bottom of the map with, at least, four times the amount of the cargo with which you began.

If you achieve this feat of daring then you will, naturally, be rewarded by the gift of a knighthood from your grateful, and avaricious, Queen.

You move using the ARROW cursor keys unshifted. That is, do **not** press the CAPS SHIFT key.

If the computer does not understand you, you will hear a beep. this also occurs when you run into a reef or rock.

At intervals you will be told the situation at sea and asked which action you would like to take, from the choice shown.

Remember to consider your options carefully as to the amounts of cargo, food, cannon balls and crew conditions.

Damage rating is based on a 1 to 10 scale. If you are damaged to the level of 10 then I'm afraid that it's into the sea for you, as the Golden Hind settles gently below your feet.

Do your best, as the present Government is emptying the coffers more quickly than you are filling them.

Hints and changes you can make

One of the problems of displaying a map on the screen, is how to reduce the memory required and the number of lines needed to describe the map. This is done here by defining a string array `m`, with the number of elements being equal to the number of rows on the map. Standard shapes that are not available from the keyboard are then defined. The shapes are as shown below. Each is assigned to an element of array `g$`.

								
<code>g\$(1)</code>	<code>g\$(2)</code>	<code>g\$(3)</code>	<code>g\$(4)</code>	<code>g\$(5)</code>	<code>g\$(6)</code>	<code>g\$(7)</code>	<code>g\$(8)</code>	<code>g\$(9)</code>

Each row of the map is assigned to an element of `m$` using the above shapes, and zero (to represent blanks).

If you find the adventure too easy, then reduce the cargo (`ca`), food (`su`), crew (`cr`), and/or cannon balls (`ba`) that you start with. They are on line 1130. If you find that knighthood escapes you, then reduce the 400 in line 1180.

Program

```

10 REM Francis Drake Adventure Game
20 REM Copyright (C) G.Ludinski 1983
30 BORDER 0: PAPER 2: CLS : INK 7
40 LET title=2550: LET sea=2670
50 DATA 33,0,0,14,0,22,34,126,230,24,2
11,254,65,16,254,35,21,32,244,12,32,239,
201
70 GO SUB title
72 GO SUB sea
80 DIM m$(17,32): DIM g$(9,1)
90 BORDER 1: PAPER 1: INK 4: CLS
100 CLS
120 LET g$(1)=CHR$ 131
130 LET g$(2)=CHR$ 140
140 LET g$(3)=CHR$ 138
150 LET g$(4)=CHR$ 133
160 LET z1=BIN 11111110: LET z2=BIN 111
11100: LET z3=BIN 11111000: LET z4=BIN 1
1110000: LET z5=BIN 11100000: LET z6=BIN
11000000: LET z7=BIN 10000000
170 LET 11=BIN 01111111: LET 12=BIN 001
11111: LET 13=BIN 00011111: LET 14=BIN 0
0001111: LET 15=BIN 00000111: LET 16=BIN
00000011: LET 17=BIN 00000001
180 DATA "a",255,z1,z2,z3,z4,z5,z6,z7
190 DATA "b",17,16,15,14,13,12,11,255
200 DATA "c",255,11,12,13,14,15,16,17
210 DATA "d",z7,z6,z5,z4,z3,z2,z1,255
220 LET g$(9)=CHR$ 143
230 FOR n=1 TO 4: READ p$
240 FOR f=0 TO 7
250 READ a: POKE USR p$+f,a
260 NEXT f
270 NEXT n
280 FOR i=0 TO 3: LET g$(5+i)=CHR$ (144
+i): NEXT i
290 LET m$(1)=" 99999930450000007999999
9999000 "

```



```

300 LET m$(2)=" 9999993000000000000799999
9995000 "
310 LET m$(3)=" 999999300000000000099995
1730000 "
320 LET m$(4)=" 999995000000000000077990
0030000 "
330 LET m$(5)=" 79950000000000000000990
0000000 "
340 LET m$(6)=" 09980030000000000000792
9000000 "
350 LET m$(7)=" 04790000000000000000011
9200000 "
360 LET m$(8)=" 04800002000000000000000
0702220 "
370 LET m$(9)=" 08700600000000000000000
0019999 "
380 LET m$(10)=" 07806902000000000000000
00004999 "
390 LET m$(11)=" 00709903082200000000000
00069999 "
400 LET m$(12)=" 00022000007981000000000
00049999 "
410 LET m$(13)=" 00000001000000000000000
00009999 "
420 LET m$(14)=" 00000000690800000000000
00004999 "
430 LET m$(15)=" 00000069998900000000000
00000999 "
440 LET m$(16)=" 00000699999980000000000
00000099 "
450 FOR j=1 TO 16: PRINT CHR$(64+j); "
";: FOR i=2 TO 31: LET p=VAL ((m$(j))(i)
): IF p=0 THEN PRINT " ";: GO TO 470
460 PRINT g$(p);
470 NEXT i
480 PRINT
490 NEXT j
500 PAPER 4: INK 1: PRINT AT 0,19;"New
Albio";: PAPER 1: INK 4: PRINT "n": PAP
ER 1: INK 7: PRINT AT 14,25;"Lima";: INK
1: PAPER 4: PRINT ".": INK 7: PAPER 1:
PRINT AT 12,2;"Java"

```



```

520 INK 4: PAPER 1: PLOT 15,47: DRAW 24
0,0: DRAW 0,128: DRAW -23,0: PLOT 15,47:
DRAW 0,128: DRAW 136,0

```

```

522 PAPER 7: INK 0: PRINT AT 16,0:"Fran
cis Drake left Plymouth in 1577 to sear
ch for a North-West passage to the Pacif
ic.He encountered stormy weather i
n the Straits of Magellan and losttwo
ships.Then the wind dropped "

```

```

740 LET s$="

```

```

"

```

```

760 LET blank=1710: LET isert=2170: LET
instr=1490: LET reef=1570: LET namship=
1750: LET ship=1850: LET trade=2110: LET
hostile=2140

```

```

770 DEF FN r(n)=INT (RND*n+1)

```

```

780 LET al=0

```

```

800 FOR f=0 TO 7

```

```

810 READ a

```

```

820 POKE USR "e"+f,a

```

```

830 NEXT f

```

```

840 DATA BIN 00010000,BIN 01011010,BIN
01011011,BIN 01010010,BIN 01010111,BIN 1
1111110,BIN 01111110,BIN 00111110

```

```

860 LET h$=CHR$ 148

```

```

870 LET l$="5": LET t$="8": LET d$="6":
LET u$="7"

```

```

1020 LET m$(15)=" 0000006999890000000000
0eeee999 "

```

```

1030 LET m$(16)=" 00000699999780000000000
0eeee99 "

```

```

1040 FOR y=1 TO 16

```

```

1050 FOR x=2 TO 31

```

```

1060 LET c$=(m$(y))(x)

```

```

1070 IF c$="9" THEN GO TO 1120

```

```

1080 IF c$="0" THEN LET is=INT (7*RND):
GO SUB isert: GO TO 1120

```

```

1090 IF c$="e" THEN LET is=4: GO SUB is
ert: GO TO 1120

```

```

1100 IF (x>4 AND x<15 AND y>7 AND y<14)
THEN LET is=INT (2*RND+7): GO SUB isert

```



```

: GO TO 1120
1110 LET is=10: GO SUB isert
1120 NEXT x: NEXT y
1130 LET ca=100: LET su=100: LET cr=85:
LET ba=100: LET da=0: LET wk=1
1140 LET en=0
1150 LET x=29: LET y=16: LET x1=29: LET
y1=16
1160 IF wk=1 THEN PAPER 1: INK 7: PRINT
  AT y-1,x+1:h$
1170 PAPER 6: INK 0: PRINT AT 16,0:"Week
  Cargo Food Crew Balls Damg.
      ";
1172 IF wk=1 THEN GO SUB blank
1180 IF x=1 AND y=16 THEN PAPER 7: PRIN
T AT 18,0:"You have survived the unknown
  and now know you are the first fleet
  commander to sail around the world.":
  IF ca>=400 THEN PRINT "Arise Sir Franc
is": GO TO 2210
1190 IF x=1 AND y=16 THEN LET en=1
1200 IF (x=17 AND y=1) OR (x=18 AND y=2)
  OR (x=19 AND y=4) THEN LET al=1
1210 IF x<15 AND al=0 THEN GO SUB blank
: PRINT AT 18,0:"Go back to New Albion"
1220 IF su<=0 THEN GO SUB blank: PRINT
AT 18,0:"Your food has been used up so
  your crew mutinBies,and kills you": L
ET su=0: LET en=1
1230 IF cr<=0 THEN GO SUB blank: PRINT
AT 18,0:"Your crew have all been killed
  or have died of scurvy,typhus ordysente
ry.You are stranded without them.":
  LET cr=0: LET en=1
1240 IF da>10 THEN GO SUB blank: PRINT
AT 18,0:"Your ship has filled with water
  and sunk": LET en=1
1250 IF ba<0 THEN LET ba=0
1270 INK 0: PAPER 6: PRINT AT 17,0;wk;AT
  17,5;ca;AT 17,11;su;AT 17,16;cr;AT 17,2
1;ba;AT 17,27;da

```



```

1272 IF en=1 THEN GO TO 2210
1280 LET i$=INKEY$: IF i$="" THEN GO TO
1280
1290 GO SUB blank
1300 IF (x=1 AND i$=1$) OR (x=30 AND i$=
t$) OR (y=1 AND i$=u$) OR (y=16 AND i$=d
$) OR (i$<>u$ AND i$<>d$ AND i$<>1$ AND
i$<>t$) THEN GO TO 1280
1310 IF i$=1$ THEN IF m$(y)(x-1)<>"0" A
ND m$(y)(x-1)<>"9" AND m$(y)(x)<>"2" THE
N LET x=x-1
1320 IF i$=t$ AND (m$(y)(x+1)<>"2" AND m
$(y)(x+1)<>"9" AND m$(y)(x)<>"0") THEN
LET x=x+1
1330 IF i$=d$ AND (m$(y+1)(x)<>"3" AND m
$(y+1)(x)<>"9" AND m$(y)(x)<>"1") THEN
LET y=y+1
1340 IF i$=u$ THEN IF (m$(y-1)(x)<>"1"
AND m$(y-1)(x)<>"9" AND m$(y)(x)<>"3") T
HEN LET y=y-1
1350 LET wk=wk+1
1360 IF da<>0 THEN LET da=da+1
1370 LET su=su-1
1380 PAPER 1: INK 7: PRINT AT y1-1,x1+1;
". ";
1390 PRINT AT y-1,x+1;h$
1400 IF x=x1 AND y=y1 AND wk<>1 THEN BE
EP 1,0: GO SUB reef: GO TO 1470
1410 IF m$(y)(x)="a" AND da<>0 THEN LET
da=0: GO SUB blank: PRINT AT 18,0;"You
have arrived at a port so you can now
get your ship repaired": GO TO 147
0
1420 IF m$(y)(x)="4" THEN GO SUB blank:
GO TO 1470
1430 IF m$(y)(x)="5" THEN GO SUB namshi
p
1440 IF m$(y)(x)="6" THEN GO SUB ship
1450 IF m$(y)(x)="7" THEN GO SUB trade
1460 IF m$(y)(x)="8" THEN GO SUB hostil
e

```



```

1470 LET x1=x: LET y1=y
1480 GO TO 1170
1490 REM instr subroutine
1500 LET p=0
1510 IF LEN r$=0 OR LEN c$>LEN r$ THEN
RETURN
1520 FOR p=1 TO LEN r$-LEN c$+1
1530 IF r$(p TO p+LEN c$-1)=c$ THEN RET
URN
1540 NEXT p
1550 LET p=0
1560 RETURN
1570 REM reef subroutine
1580 LET w=INT (2*RND)
1590 IF x<15 THEN LET e$="reef": GO TO
1610
1600 LET e$="rock"
1610 GO SUB blank
1620 IF w=0 THEN PRINT AT 18,0;"There i
s a ";e$;" ahead.Turn          around": GO T
O 1700
1630 PRINT AT 18,0;"You have run aground
on a ";e$;". Are you going to throw car
go andguns overboard,or put out an      an
chor to windward"
1640 POKE 23658,0: INPUT r$: LET c$="ove
rboard": GO SUB instr: IF p<>0 THEN LET
r$=c$: GO TO 1670
1650 LET c$="anchor": GO SUB instr: IF p
<>0 THEN LET r$=c$: GO TO 1670
1660 BEEP 1,0: GO TO 1640
1670 IF r$="overboard" THEN GO SUB blan
k: LET ca=ca-FN r(20): GO TO 1700.
1680 LET w2=INT (2*RND): GO SUB blank: I
F w2=0 THEN PRINT AT 18,0;"You have bro
ken free without anys significant damage":
GO TO 1700
1690 PRINT AT 18,0;"Your ship,the Golden
Hind,is      holed.Return to dry land at
onceor it will sink": LET da=da+1
1700 RETURN

```



```

1710 REM blank subroutine
1720 PAPER 7: PRINT AT 18,0;"s$;s$;s$;s$;
1730 INK 0
1740 RETURN
1750 REM namship subroutine
1760 GO SUB blank
1770 IF RND>0.5 THEN PRINT AT 18,0;"You
  see a Spanish galleon,the Cacafuego.Are
  re you going to attack it or ignore
  it": GO TO 1790
1780 PRINT AT 18,0;"You see a Spanish ga
  lleon,the Esprito Santo.Are you going
  to attack it or ignore it": GO TO 1790
1790 POKE 23658,0: INPUT r$: LET c$="att
  ack": GO SUB instr: IF p<>0 THEN LET r$
  =c$: GO TO 1820
1800 LET c$="ignore": GO SUB instr: IF p
  <>0 THEN LET r$=c$: GO TO 1820
1810 BEEP 1,0: GO TO 1790
1820 IF r$="attack" AND ba<=0 THEN GO S
  UB blank: PRINT AT 18,0;"You draw alongs
  ide the galleon and then find you have
  no cannonballs left,so the Spanish win
  the battle and leave you to die": LET e
  n=1: GO TO 1840
1830 IF r$="attack" THEN GO SUB blank:
  PRINT AT 18,0;"You fight a fierce battle
  and finally take command of the g
  alleon and transfer its cargo to the ho
  ld of your ship": LET ca=ca+FN r(20): LE
  T ba=ba-FN r(20)
1840 RETURN
1850 REM ship subroutine
1860 GO SUB blank
1870 PRINT AT 18,0;"You see a Spanish ga
  lleon.Are you going to attack it or ig
  noreit"
1880 POKE 23658,0: INPUT r$: LET c$="att
  ack": GO SUB instr: IF p<>0 THEN LET r$
  =c$: GO TO 1910
1890 LET c$="ignore": GO SUB instr: IF p

```



```

<>0 THEN LET r$=c$: GO TO 1910
1900 BEEP 1,0: GO TO 1880
1910 IF r$="ignore" THEN RETURN
1920 GO SUB blank
1930 PRINT AT 18,0;"Are you going to fir
e cannons atthe galleon,or set fire to s
ome old ships and let them drift to-ward
s it,or sneak up & board it"
1940 POKE 23658,0: INPUT r$: LET c$="can
non": GO SUB instr: IF p<>0 THEN LET r$
=c$: GO TO 1980
1950 LET c$="set fire": GO SUB instr: IF
p<>0 THEN LET r$=c$: GO TO 1980
1960 LET c$="sneak": GO SUB instr: IF p<
>0 THEN LET r$=c$: GO TO 1980
1970 BEEP 1,0: GO TO 1940
1980 GO SUB blank
1990 IF r$<>"cannon" THEN GO TO 2020
2000 IF RND>0.5 THEN PRINT AT 18,0;"You
r ship gets holed and some ofyour crew a
re shot.Return to dryland at once": LET
da=da+1: LET ba=ba-FN r(20): LET cr=cr-F
N r(10): GO TO 2020
2010 PRINT AT 18,0;"As your ship is smal
ler and lower than the galleon,you
manage to put it out of action and
board it": LET ca=ca+FN r(20): LET su=su
+FN r(20): LET ba=ba+FN r(20)
2020 IF r$<>"set fire" THEN GO TO 2060
2030 GO SUB blank
2040 IF RND>0.5 THEN PRINT AT 18,0;"The
wind changes direction and the burning
ships towards your ship setting the mi
zen mast alight.Return to port at on
ce": LET da=da+1: GO TO 2060
2050 PRINT AT 18,0;"The burning ships dr
ift towards the galleon setting it aligh
t. The captain surrenders and you tran
sfer his cargo to your hold": LET ca=ca+
FN r(20): LET su=su+FN r(20): LET ba=ba+
FN r(20): GO TO 2060

```



```


2060 IF r$(">"sneak" THEN GO TO 2100
2070 GO SUB blank
2080 IF RND>0.5 THEN PRINT AT 18,0;"The
y see you approaching and open fire,s
hooting some of your crew and damaging y
our ship. Return to port at once": LE
T ba=ba-FN r(20): LET da=da+1: LET cr=cr
-FN r(10): GO TO 2100
2090 PRINT AT 18,0;"They assume you are
Spanish as English ships have never bee
n this far before,so you board the gall
eon and capture it": LET ca=ca+FN r(20):
LET su=su+FN r(20): LET ba=ba+FN r(20)
2100 RETURN
2110 REM trade subroutine
2120 GO SUB blank: PRINT AT 18,0;"You bu
y cloves cheaply from the islanders": LE
T ca=ca+FN r(20): LET su=su+FN r(20)
2130 RETURN
2140 REM hostile subroutine
2150 GO SUB blank: PRINT AT 18,0;"Hostil
e islanders pelt you with stones killing
some of your crew": LET cr=cr-FN r(20)
2160 RETURN
2170 REM isert subroutine
2180 IF is(">"10 THEN LET m$(y)(x)=STR$ i
s: GO TO 2200
2190 LET m$(y)(x)="a"
2200 RETURN
2210 STOP
2550 REM title subroutine
2560 CLS
2570 FOR i=1 TO 9: PRINT : NEXT i
2580 PRINT " FRANCIS DRAKE": PRI
NT : PRINT " Adventure Game"
2590 FOR i=1 TO 8: PRINT : NEXT i
2600 INK 6: PRINT " Copyright ? G.Ludin
ski 1983":
2610 FOR i=1 TO 3: RANDOMIZE USR 23296:
NEXT i

```



```
2620 RETURN
2670 REM sea subroutine
2680 RESTORE
2690 FOR i=23296 TO 23318
2700 READ a: POKE i,a
2710 NEXT i
2720 RETURN
```


WIRE MAZE



Well at last you have your own robot to cut the grass, clean the car, wash the windows and take the dog for a walk. There is one snag, however.

Your robot has been wired up incorrectly. It must have been Friday afternoon when the other robots put your model together. At the moment, if you press the arm-control button the robot's legs move. You, I'm afraid, are going to have to rewire your new family friend.

How to play

As the program begins, your robot will be drawn on the

screen. When the robot shape is completed, the screen will go black and the wiring will be added along with the control buttons. The robot, complete with wires and buttons will reappear and you will then have to trace the wiring.

Control buttons are:

Red	1
Yellow	2
White	3

At the top of the screen will appear the word Head and the three colour buttons. You must decide which of these buttons is connected to the head and press the corresponding number key and RETURN. One wrong try means you must try again, and a subsequent wrong guess will cause your computer to give you the correct answer. If you think about it, if you have guessed two wrong from three, you should know the answer by now anyway.

You continue for the arms, legs.

To play again, with a different maze, press RUN.

Programming hints

You might find the wire maze too easy. It can be made more difficult by increasing the length of each wire by increasing the larger number in line 420.

Program

```
10 REM wire maze
20 REM copyright (c) G.Ludinski 1983
```



```

30 DIM x(3)
40 DIM y(3)
50 DIM w(3)
60 DIM p$(10)
70 DIM a$(10)
75 PAPER 7
80 CLS
90 REM
100 REM draw robot
110 REM
130 LET a=70: LET b=550: LET c=125: LET
d=125: GO SUB 680
140 LET a=0: LET b=500: LET c=275: LET
d=35: GO SUB 680
150 LET a=0: LET b=350: LET c=35: LET d
=150: GO SUB 680
160 LET a=240: LET b=350: LET c=39: LET
d=150: GO SUB 680
170 LET a=75: LET b=350: LET c=125: LET
d=150: GO SUB 680
180 LET a=75: LET b=200: LET c=125: LET
d=150: GO SUB 680
190 LET a=35: LET b=150: LET c=200: LET
d=35: GO SUB 680
200 INK 2: PAPER 7
220 REM decide which controls connect t
o which parts
230 REM
240 FOR i=1 TO 3
250 LET w(i)=INT (RND*3+1)
260 IF (i=2 AND w(i)=w(1)) OR (i=3 AND
(w(i)=w(2) OR w(i)=w(1))) THEN GO TO 25
0
270 NEXT i
280 REM
290 REM draw wires
300 REM
320 LET x(1)=300: LET y(1)=600: PLOT 40
,100: DRAW x(1)/5-40,y(1)/6-100
330 LET x(2)=300: LET y(2)=400: PLOT 27
5/5,400/6: DRAW x(2)/5-275/5,y(2)/6-400/
6

```



```

340 LET x(3)=300: LET y(3)=300: PLOT 40
,50: DRAW x(3)/5-40,y(3)/6-50
350 LET x1=1: LET y1=1
390 FOR i=1 TO 3
400 LET x1=x1*-1: LET y1=y1*-1: LET xs=
x1: LET ys=y1
410 PLOT x(i)/5,y(i)/6
420 FOR j=1 TO 100
430 LET dx=xs*INT (RND*30+10)
440 IF ((x(i)+dx)<300 OR (x(i)+dx)>1200
) THEN LET xs=-xs: GO TO 430
450 LET x(i)=x(i)+dx
460 LET dy=ys*INT (RND*20+10)
470 IF ((y(i)+dy)<80 OR (y(i)+dy)>960)
THEN LET ys=-ys: GO TO 460
480 LET y(i)=y(i)+dy
490 DRAW dx/5,dy/6
500 NEXT j
510 REM
520 REM draw buttons
530 REM
540 LET a=x(i): LET b=y(i): LET c=20: L
ET d=10: GO SUB 680: LET a=x(i)+5: LET b
=y(i)+10: LET c=10: LET d=10: GO SUB 680
550 PRINT AT INT ((1023-y(i))/46-1),INT
(x(i)/64)+1;w(i);
560 NEXT i
570 REM
640 REM write questions
650 REM
660 FOR i=1 TO 3: GO SUB 730: NEXT i
670 GO TO 850
680 REM block sub
690 LET a=a/5: LET b=b/6: LET c=c/5: LE
T d=d/6
700 PLOT a,b: DRAW c,0: DRAW 0,d: DRAW
-c,0: DRAW 0,-d
720 RETURN
730 REM question sub
740 IF i=1 THEN LET p$="HEAD"
750 IF i=2 THEN LET p$="ARM "

```




```

760 IF i=3 THEN LET p$="LEG "
770 PRINT AT 2,0;p$;" =";: INK 1: PRINT
"1";: INK 2: PRINT "2";: INK 3: PRINT "
3";
780 PRINT AT 4,0;"      ": PRINT "
      "
790 LET t=1
800 INPUT a$: IF a$(1)<>"1" AND a$(1)<>
"2" AND a$(1)<>"3" THEN PRINT AT 4,0;"N
o.": GO TO 800
810 IF VAL (a$)=w(i) THEN PRINT AT 4,0
;"yes      ": GO TO 840
820 PRINT AT 4,0;"No,try again": IF t=1
THEN LET t=2: GO TO 800
830 IF t=2 THEN PRINT AT 4,0;"answer =
";w(i);"      ":
835 PAUSE 400
840 RETURN

```


PATTERN PAIRS



If you have tried Odd One Out in this book, then you will find this following puzzle a little more difficult.

There are nine patterns displayed on the screen, in a range of colours, and you have only a few seconds to compare them and nominate the pair, you believe, are a match.

How to play

Identify your pair, note the numbers alongside and key in your answer. You don't have to key in your answer in strict chronological order. Just punch in your numbers and wait. Correct responses will be awarded with a

pleasant little high pitched tune, but wrong answers will be faced with a low pitched little dirge.

To continue, press Y for Yes and to stop, press N for No, remembering to press RETURN after your response.

A score sheet will appear at the end showing your tries, results, time and average time.

Programming hints

Each of the patterns is slightly different except for the matching pair. This is done by displaying rows of graphic characters with different INK and PAPER colours.

To reduce the time allowed to spot the matching pair reduce the 200 in line 430.

Program

```

10 REM pattern pairs
20 REM copyright ? G.Ludinski 1983
30 BORDER 7: PAPER 7: INK 0
40 LET testcard=640
50 DEF FN r(z)=INT (RND*z+1)
60 DEF FN u()=INT ((65536*PEEK 23674+2
56*PEEK 23673+PEEK 23672)/50)
70 DEF FN l(m,n)=(m+n+ABS (m-n))/2
80 DEF FN t()=FN l(FN u(),FN u())
90 DIM c(2,9): DIM g(16)
100 POKE 23562,255
110 LET nu=0: LET cr=0
120 LET t1=FN t()
130 CLS
140 LET nu=nu+1
150 LET pt=1
160 REM

```



```

170 REM draw televisions
180 REM
190 LET w=56: LET h=27: FOR y=138 TO 54
STEP -40: FOR x=10 TO 255 STEP 88
200 PLOT x,y: DRAW w+10,0: DRAW 0,h: DR
AW -w-10,0: DRAW 0,-h
210 PLOT x+5,y+5: DRAW w-10-8,0: DRAW 0
,h-10: DRAW -w+18,0: DRAW 0,-h+10
220 PLOT x,y: DRAW -5,5: DRAW 0,h: DRAW
5,-5: DRAW -5,5: DRAW w+10,0: DRAW 5,-5
230 NEXT x
240 NEXT y
250 REM
260 REM generate testcards
270 REM
280 LET w1=FN r(9)
290 LET w2=FN r(9): IF w2=w1 THEN GO T
O 280
300 LET w$=STR$ w1+STR$ w2
310 LET v$=STR$ w2+STR$ w1
320 LET rd=INT (RND*47+11)
330 REM
340 REM draw testcards
350 REM
360 GO SUB testcard
370 REM
380 REM question
390 REM
400 INK 0: PRINT AT 16,0;"          Which tw
o are the same"
410 LET r$="": LET i=0: LET ic=0
420 IF INKEY$<>" " THEN GO TO 420
430 LET i$=INKEY$: IF (i$="" OR i$<"1"
OR i$>"9") AND i<200 THEN LET i=i+1: GO
TO 430
440 PRINT i$;
450 IF ic=0 THEN LET ic=ic+1: LET r$=r
$+i$: GO TO 420
460 LET r$=r$+i$
470 IF r$=w$ OR r$=v$ THEN PRINT : PRI
NT "Yes,you are right": BEEP 2,12: LET c

```



```


r=cr+1: GO TO 490
480 PRINT : PRINT "No,";w1;" and ";w2;"
are the same": BEEP 1,5: BEEP .5,4
490 PRINT : PRINT "Do you want more (Y/
N) "
500 INPUT r$
510 IF r$<>"n" AND r$<>"N" THEN GO TO
130
520 REM
530 REM score sheet
540 REM
550 CLS
560 PRINT TAB 10;"Pattern pairs"
570 FOR i=1 TO 7: PRINT : NEXT i
580 PRINT : PRINT "Tests completed = ";
nu
590 LET tm=FN t()-t1
600 PRINT : PRINT "Tests correct = ";cr
610 PRINT : PRINT "Time taken = ";tm;"
seconds"
620 IF cr<>0 THEN PRINT : PRINT "Time
per test = ";INT (tm/cr);" seconds"
630 GO TO 800
640 REM testcard subroutine
650 FOR q=5 TO 15 STEP 5
660 FOR k=2 TO 32 STEP 11
670 PRINT AT q-1,k:pt: INK 2: PAPER 5:
PRINT AT q-2,k+6;"?"
680 LET cs=pt+rd: LET gs=pt: IF pt=w1 0
R pt=w2 THEN LET cs=rd: LET gs=0
690 FOR t=1 TO 2
700 FOR b=0 TO 3
710 LET cs=cs+1: IF cs>66 THEN LET cs=
11
720 LET gs=gs+1: IF gs>16 THEN LET gs=
1
730 INK VAL ((STR$ cs)(1)): PAPER VAL (
(STR$ cs)(2)): PRINT AT q-t-1,k+b:CHR$ (
127+gs)
740 NEXT b

```



```
750 NEXT t
760 INK O: PAPER 7: LET pt=pt+1
770 NEXT k
780 NEXT q
790 RETURN
800 REM end
```


WESTERN ADVENTURE GAME



Your rough, tough and ready desperado colleagues have fled into the scrubland, dropping their guns and the loot.

Well we all know that a man, or a Calamity Jane, has got to do what ever it is. So, you are on your own outside the bank and you have to make it to the horses, which some idiot left on the outskirts of town.

On the way you can collect money and guns with bullets and then decide, if you run into the Sheriff's posse, whether to bribe or blast your way to freedom. Obviously your aim is to reach the horses with some bullets and some money.

We are not advocating here that crime pays — that is up to you.

How to play

Use the ARROW keys to make your moves. However you need not press the SHIFT key with the ARROW keys. When you have read each message on the screen press ENTER.

Your footsteps will appear on the screen as you move toward the horse in the top left hand corner of the screen.

Your progress will be recorded on the bottom of the screen, and you will, in your progress, be told that you have run into the posse, and you will then be asked if you intend to shoot or bribe your way out.

Key in 'shoot' or 'bribe' then press the ENTER key.

Should you run out of bullets I'm afraid that a lynching is your fate, as the posse were playing poker when you robbed the bank, and the Sheriff had a Royal Flush.

If you key in an incorrect response a note is played. This is different to the shooting noise that you hear after you shoot someone or get shot.

Programming hints

You can increase the number of events in the adventure by allowing w on line 440, to be larger.

A subroutine describing the event, and the effect of it, on the money and bullets can be written.

The new subroutines can be called after line 480 and included after any of the subroutines.

Remember that

bu is number of bullets
 mo is money
 x is the random amount to increase/
 decrease

Program

```

10 REM Western adventure game
20 REM copyright ? G.Ludinski 1983
30 BORDER 6: PAPER 6: INK 0
40 LET x0=25: LET y0=17
50 LET blank=710: LET posse=510: LET b
ullets=610: LET money=660: LET gunshot=7
40
60 LET s$="": FOR i=1 TO 96: LET s$=s$
+" ": NEXT i
70 POKE 23562,255: REM switch off auto
matic key repeat
80 CLS
90 REM
100 REM cactus and horse
110 REM
120 FOR n=1 TO 2: READ p$
130 FOR f=0 TO 7
140 READ a: POKE USR p$+f,a
150 NEXT f
160 NEXT n
170 DATA "a",BIN 11011011,BIN 11011011,
BIN 11011011,255,255,BIN 00011000,BIN 00
011000,BIN 00011000
180 DATA "b",0,0,BIN 01100000,BIN 01110
000,BIN 01011111,BIN 00011111,BIN 000100
01,BIN 00010001

```



```

190 INK 4: FOR i=1 TO 190: PRINT CHR$ 1
44;" ";: NEXT i
200 INK 0: PRINT AT 1,1;CHR$ 145
210 REM
220 REM gunshot noise
230 REM
240 GO SUB gunshot
250 REM
260 REM draw bank
270 REM
280 PAPER 2: INK 7: PRINT AT 15,27;"
": PRINT AT 16,27;"BANK": PRINT AT 17,2
7;" ": PAPER 6: INK 0
290 REM
300 REM
310 LET bu=5: LET mo=5: LET di=1
320 GO SUB blank: PRINT AT 19,0;di;" ) M
oney = ";mo;" Bullets = ";bu
330 IF bu<=0 THEN RANDOMIZE USR 32300:
PRINT "You get shot.You have travelled
";di;" yds.": GO TO 780
340 IF x0=1 AND y0=1 THEN GO TO 780
350 LET x=INT (RND*5+2)
360 LET t$=INKEY$: IF t$="" THEN GO TO
360
370 IF CODE t$<53 OR CODE t$>56 THEN B
EEP 1,0: GO TO 360
380 IF t$="5" AND x0<>0 THEN LET x0=x0
-1
390 IF t$="8" AND x0<>31 THEN LET x0=x
0+1
400 IF t$="6" AND y0<>17 THEN LET y0=y
0+1
410 IF t$="7" AND y0<>0 THEN LET y0=y0
-1
420 PRINT AT y0,x0;"?";
430 LET di=di+1
440 LET w=INT (RND*4+1)
450 INK 0
460 IF w=1 THEN GO SUB posse
470 IF w=2 THEN GO SUB bullets

```



```


480 IF w=3 THEN GO SUB money
490 GO TO 320
500 REM
510 REM posse subroutine
520 PRINT AT 20,0;"You meet one of the
sheriff's posse. Do you shoot or bribe
?";
530 INPUT i$
540 IF i$<>"shoot" AND i$<>"bribe" AND
i$<>"SHOOT" AND i$<>"BRIBE" THEN BEEP 1
,0: GO TO 530
550 IF (i$="bribe" OR i$="BRIBE") AND m
o<=0 THEN BEEP 1,0: GO TO 530
560 IF i$="shoot" OR i$="SHOOT" THEN R
ANDOMIZE USR 32300: LET bu=bu-x
570 IF i$="bribe" OR i$="BRIBE" THEN L
ET mo=mo-x
580 IF bu<0 THEN LET bu=0
590 IF mo<0 THEN LET mo=0
600 RETURN
610 REM bullets subroutine
620 PRINT AT 20,0;"You find ";x;" bulle
ts that your gang has left behind-ENT
ER"
630 LET bu=bu+x
640 INPUT t$
650 RETURN
660 REM money subroutine
670 PRINT AT 20,0;"You find ";x;" bags
of money that your gang have left behi
nd-ENTER"
680 LET mo=mo+x
690 INPUT t$
700 RETURN
710 REM blank subroutine
720 PRINT AT 19,0;s$;
730 RETURN
740 REM gunshot noise subroutine

```



```
750 FOR i=32300 TO 32318: READ a: POKE  
i,a: NEXT i  
760 RETURN  
770 DATA 33,0,10,43,126,246,14,211,254,  
6,2,5,32,-3,175,132,200,24,-16  
780 REM end
```


FRACTION CAR CHASE



We might have named this program 'Duel' after the film of the same name as, like the hero of the film, you are being chased by a juggernaut driver.

As you turn right, the juggernaut turns right; turn left and it still follows you.

Coming up in the near distance is an archway. You **must** escape through the arch before the lumbering truck rolls over you.

Your only answer is to work out how far across the road the centre of the arch is. Guess wrongly and you hit the arch damaging your car. Too many wrong guesses and your car will be immobilised leaving you the defenceless victim of the fast approaching juggernaut.

How to play

The computer will think of a number whose numerator (top half) and denominator (bottom half) are both less than ten. You must guess the correct fraction and enter it in using the / symbol (eg 2/3) and RETURN. If your guess is too big, or small, you will be told. The guess closest to the correct answer, will be displayed on the arch. The lower guess will be shown on the left hand pillar and the higher guess, closest to the correct answer, will be shown on the right hand pillar.

If your answer is displayed on the arch then you know that you are almost correct. You have nine lives.

This is more difficult than it sounds, after all do you know which is the larger, $\frac{3}{8}$ or $\frac{4}{9}$? You will be amazed at what you find out about fractions. A hint is that to make a fraction bigger, increase its numerator (top half) or reduce its denominator (bottom half) or both. Do the opposite to make a fraction smaller.

Programming hints

To make the game easier, reduce the range of fractions allowed. This is done by reducing the tens in line 255. To make it more difficult you may increase these numbers to maximum values of 99 each.

If you want to allow more guesses, increase the 9 in line 300.

Program

```
10 REM car chase
```



```

20 REM ?
30 DEF FN d$(i$,n)=i$( TO n)
40 DEF FN e$(i$,n)=i$(n TO )
50 PAPER 6: CLS : GO TO 130
60 DEF FN b$(n$,n,a)=n$(n TO a)
70 LET tf=0
80 FOR l=0 TO 7
90 LET tf=tf*(2^l)*VAL FN b$(n$,8-l,1)
100 NEXT l
110 IF tf=1 THEN GO TO 120
130 FOR m=0 TO 7: READ r: POKE USR "p"+
m,r
140 NEXT m
145 DATA 0,0,126,66,255,255,255,66
150 PAPER 6: INK 0: CLS : LET max=10: L
ET min=0: LET a$="?": LET m$="0": LET b$
=" ": LET x$="1": LET z$=" "
160 REM draw arch
170 REM
190 INK 4: LET x=47: FOR y=47 TO 159: L
ET r=40
200 PLOT x,y: DRAW r,0: NEXT y: IF y=15
9 THEN GO TO 210
210 LET x=183: FOR y=47 TO 159: LET r=4
0
220 PLOT x,y: DRAW r,0: NEXT y: IF y=15
9 THEN GO TO 230
230 LET x=87: FOR y=127 TO 159: LET r=9
6
240 PLOT x,y: DRAW r,0: NEXT y: IF y=15
9 THEN GO TO 230
250 REM think of a fraction
255 LET f=INT (RND*9)+1: LET g=INT (RND
*9)+1
260 GO SUB 820
270 IF f/g>1 OR f/g=INT (f/g) OR g/f=IN
T (g/f) THEN GO TO 255
280 IF g<f THEN LET h=g: LET g=f: LET
f=h
290 PAPER 6: INK 0: PRINT AT 15,16:a$

```



```

300 FOR t=1 TO 9
310 REM : PAPER 6: INK 1: PRINT AT 17,0
;TAB 90
320 PRINT PAPER 6: INK 0: AT 21,0: "Guess
  the fraction. Use /      "
330 INPUT i$: IF i$="" THEN GO TO 330
340 REM check entry
345 IF LEN i$<>3 THEN GO TO 400
350 FOR i=1 TO 3
360 LET c$=FN b$(i$,i,i)
370 IF i=2 AND c$<>"/" THEN GO TO 400
375 IF (i=1 OR i=3) AND (CODE c$<49 OR
CODE c$>57 ) THEN GO TO 400
380 NEXT i
390 LET k$=FN d$(i$,1): LET d$=FN e$(i$,
3): GO TO 420
400 BEEP .3,10: BEEP .5,23: BEEP .7,4:
PRINT AT 21,0: "ERROR, WRONG FORMAT USE "
"a/b""": PAUSE 100: GO TO 320
420 REM
430 REM display fraction between arch
440 REM
450 INK 0: PRINT AT 8,16: k$: PRINT AT 9
,15: "----": AT 10,16: d$
460 INK 0: PRINT PAPER 6: INK 1: AT 0,1
2: "Guess ": t
470 IF k$=STR$ (f) AND d$=STR$ (g) THEN
  PRINT INK 0: PAPER 6: AT 1,10: "That's
right": GO SUB 790: GO TO 600
490 LET v=VAL (i$)
510 IF v<f/g THEN PRINT PAPER 6: INK
1: AT 1,12: "Too small": LET p$=a$: LET o$
=" ": LET u$=" ": GO SUB 790
520 IF v>f/g THEN PRINT PAPER 6: INK
1: AT 1,12: "Too big ": LET p$=" ": LET o
$=" ": LET u$=a$: GO SUB 790
530 IF v<max AND v>f/g THEN LET max=v:
LET x$=k$: LET z$=d$: GO TO 570
540 IF v>min AND v<f/g THEN LET min=v:
LET m$=k$: LET b$=d$

```



```

550 INK 0: PAPER 4: PRINT AT 11,8;" ";A
T 11,8;m$
560 PRINT AT 12,7;"---";AT 13,8;b$: GO
TO 630
570 PRINT PAPER 4: INK 0:AT 11,25;x$
580 PRINT PAPER 4: INK 0:AT 12,24;"---
";AT 13,25;z$
590 GO TO 630
600 PRINT INK 0: PAPER 6:AT 20,0:TAB 3
2: PRINT AT 21,0;"You escaped - Phew!
": GO TO 700
610 INPUT "Another guess? Y/N";r$
620 IF r$="n" AND r$="N" THEN GO TO 68
0
630 NEXT t
650 REM
660 REM end of guesses
670 REM
680 PRINT INK 5: PAPER 1:AT 20,0:TAB 3
2: PRINT AT 21,0;"The juggernaut closes
in "
690 PRINT "The fraction is ";f;"/";g;"
"
700 INPUT "Do you want more? Y/N";r$
710 IF r$<>"n" AND r$<>"N" THEN GO TO
140
720 GO TO 870
730 STOP
790 REM car
800 PRINT INK 6: PAPER 4:AT 15,8;p$: P
RINT PAPER 6:AT 15,16;o$:: PRINT INK 6
: PAPER 4:AT 15,25;u$
810 RETURN
820 REM reduce
830 FOR i=2 TO 9
840 IF f/i=INT (f/i) AND g/i=INT (g/i)
THEN LET f=f/i: LET g=g/i: GO TO 840
850 NEXT i
860 RETURN
870 STOP

```


BAR CHARTER



This is a versatile program that will enable you to record your expenses, club accounts or any collections you have. You could also use the printouts to impress the boss. It is easy to use and allows a maximum of 32 bars to be drawn. As you key in data you watch the bar chart grow. After you have done this, you have have an option of printing out the bar chart on your printer or saving as SCREEN\$.

How to use it

First you are asked for the labels of the bars in the bar chart. There may be any number but all the labels must fit

on one display line. When you have keyed in a line of labels press RETURN once. Then you use the left and right ARROW keys to move a pointer at the bottom of the screen. When the pointer (symbol ↑ is positioned under the label you wish to point to, press 7 and the bar above that label will increase in height. Press ↓ and the bar will decrease in height. Press 'K' to save the charts as a SCREEN\$. Press 'Z' to copy the screen via the printer and press 'H' to give height of column marked with arrow. Remember to use Caps. Shift.

Program

```

10 REM
20 REM ?
30 REM
40 BORDER 6: PAPER 6: INK 1: CLS
42 DIM Y(32): DIM A$(31)
45 LET X=16: FOR F=1 TO 19: LET Y(F)=0
: NEXT F
50 REM
60 REM INPUT LABELS
70 REM
80 INPUT "WHAT ARE THE LABELS?"
  ";A$
100 PRINT AT 20,1;A$
112 PRINT AT 21,X;"^"
115 FOR F=0 TO 19: PRINT AT F,0;"-": NE
XT F
120 REM KEY IN DATA
130 REM
135 PAUSE 25
140 LET B$=INKEY$: IF B$="" THEN GO TO
140
150 IF CODE B$=53 OR CODE B$=56 THEN G
O SUB 500: GO TO 120
160 IF CODE B$<>55 THEN GO TO 180
165 LET Y(X)=Y(X)+1: IF Y(X)>19 THEN L

```



```


ET Y(X)=Y(X)-1: PRINT AT 21,0: OVER 1:"C
OLUMN TOO HIGH ": PAUSE 90: PAUSE 10: GO
  TO 120
  170 GO SUB 600: GO TO 120
  180 IF CODE B$<>54 THEN GO TO 210
  190 LET Y(X)=Y(X)-1: IF Y(X)<0 THEN LE
T Y(X)=Y(X)+1: GO TO 120
  200 GO SUB 600: GO TO 120
  210 IF CODE B$=90 THEN COPY : GO TO 12
0
  220 IF CODE B$=72 THEN GO SUB 700: GO
TO 120
  230 IF CODE B$=75 THEN INPUT "INPUT NA
ME: ";C$: SAVE C$SCREEN$ : GO TO 120
  240 GO TO 120
  497 REM
  498 REM MOVE ARROW
  499 REM
  500 IF CODE B$=53 AND X=1 THEN RETURN
  510 IF CODE B$=56 AND X=31 THEN RETURN
  520 IF CODE B$=53 THEN LET X=X-1
  530 IF CODE B$=56 THEN LET X=X+1
  540 PRINT AT 21,0:,,
  550 PRINT AT 21,X: FLASH 1:"^"
  555 PAUSE 10: PAUSE 10
  560 RETURN
  600 REM
  610 REM DRAW COLUMN
  620 REM
  630 FOR F=19 TO 20-Y(X) STEP -1: PRINT
AT F,X:"?": NEXT F
  640 FOR F=(19-Y(X)) TO 0 STEP -1: PRINT
AT F,X:" ": NEXT F: RETURN
  650 PRINT AT E,X:"U"
  660 NEXT E
  670 RETURN
  700 REM
  710 REM GIVE COLUMN HEIGHT
  720 REM

```


110

```
730 PRINT AT 21,0;"HEIGHT OF """:A$(X);  
""=";Y(X);" UNITS (HIT ""C"")"  
740 PAUSE 0: RETURN
```


WORD SEARCH



This is a brainteaser you have probably come across in puzzle magazines, but that doesn't make it any easier.

The words which are hidden in the screen spaghetti are all four letter — related to food or drink.

How to play

When you have found one of the twenty words on the screen, key it in and press RETURN.

If your guess is correct your word will be ticked, if wrong it will be crossed. Your score will be displayed at the top.

To change the screen key in NEXT and press RETURN.

Programming hints

Two methods are used to reduce the memory required in this program. First, all the numerical arrays are integer arrays. Secondly the possible words are stored one after another in a string, instead of an array.

Another change that you could make is to alter the words that can be found. There are 57 of them in order to make the puzzles as random as possible. These words are stored in the variable W\$ on line 70. If you think of other four-letter words to do with food and drink, then just replace some of the words with those you have chosen. If you want to put in words on a different subject, then think of a subject and replace words in W\$ with your words all joined together. Remember there must be 57 of them, and they must all have four letters.

If you wish to use longer or shorter words, all words must still be of the same length as each other. Change the words in W\$ so the total number of letters is still the same. Then change ID in line 240 so 4 is replaced by the number of letters in each word, and 57 is replaced by the maximum number of words in W\$. The minimum value of ID must be 1 so 3 should be changed accordingly. The 3 in line 280 should also be changed. If the word length is increased more elements of array L\$ must be checked to be empty and then assigned a letter in lines 290 to 310. Also the 80 (which is 20 words of 4 letters) and 4 in line 520 should be changed. The 3 in line 530, and the 3 and 4 in line 570 should also be changed.

Program

```

10 REM WORD SEARCH
20 REM COPYRIGHT (C) G.LUDINSKI 1983
30 CLS
40 DIM L$(24,18): DIM C$(20,14)
50 DIM E$(80): DIM D$(4)
60 DIM P$(20)
70 LET W$="FISHMEATCAKESOUPEASSALTCHO
PCORNWINEBEERLIMEBRANBEANVEALROLLHAKEPIK
EROCKSPAMMALTROLLMINTLAMBPOPKBEEFTARTCAN
ENUTSTUNARICESAKISAGOLOAFGAMEHERBPEARML
KLARDCHIPSTEWODATSPATESAGEMACECRABMASHCOL
APITHPEELSOYALEEKDUCKDILLYOLKBALMSUETSOD
A"
80 LET P$(1)=CHR$(240)
90 REM
100 REM GENERATE LETTERS
110 REM
120 CLS
130 LET E$="": LET CR=0
140 FOR I=1 TO 14
150 FOR J=1 TO 20
160 LET L$(J,I)=" "
170 LET C$(J,I)=CHR$(0)
180 NEXT J
190 NEXT I
200 FOR I=1 TO 20
210 LET D=INT (RND*3+1)
220 LET R=INT (RND*10+1): IF D=2 THEN
LET R=INT (RND*14+1)
230 LET C=INT (RND*16+1): IF D=1 THEN
LET C=INT (RND*20+1)
240 LET ID=4*INT (RND*57)+1
250 FOR Q=0 TO I-1: IF ID=CODE (P$(Q+1)
) THEN GO TO 240
260 NEXT Q
270 LET P$(I)=CHR$(ID)
280 LET D$=W$(ID TO ID+3)
290 IF D=1 AND L$(C,R)=" " AND L$(C,R+1

```



```

) = " " AND L$(C,R+2) = " " AND L$(C,R+3) = "
" THEN FOR K=0 TO 3: LET L$(C,R+K)=D$(K
+1): LET C$(C,R+K)=CHR$(I): NEXT K: GO
TO 330

```

```

300 IF D=2 AND L$(C,R) = " " AND L$(C+1,R
) = " " AND L$(C+2,R) = " " AND L$(C+3,R) = "
" THEN FOR K=0 TO 3: LET L$(C+K,R)=D$(K
+1): LET C$(C+K,R)=CHR$(I): NEXT K: GO
TO 330

```

```

310 IF D=3 AND L$(C,R) = " " AND L$(C+1,R
+1) = " " AND L$(C+2,R+2) = " " AND L$(C+3,R
+3) = " " THEN FOR K=0 TO 3: LET L$(C+K,R
+K)=D$(K+1): LET C$(C+K,R+K)=CHR$(I): N
EXT K: GO TO 330

```

```

320 GO TO 210

```

```

330 LET E$(I*4-3 TO I*4)=D$

```

```

340 NEXT I

```

```

350 REM

```

```

360 REM DISPLAY LETTERS

```

```

370 REM

```

```

380 FOR I=1 TO 14

```

```

390 FOR J=1 TO 20

```

```

400 IF L$(J,I) = " " THEN PRINT AT I,J;C
HR$(65+INT (RND*26));: GO TO 420

```

```

410 PRINT AT I,J;L$(J,I);

```

```

420 NEXT J

```

```

430 NEXT I

```

```

440 REM

```

```

450 REM CHECK ANSWER

```

```

460 REM

```

```

470 FOR N=1 TO 20

```

```

480 PRINT AT 19,0;"WHAT FOOD AND DRINK
WORDS CAN YOU FIND"

```

```

500 INPUT I$

```

```

505 PRINT AT 19,0;"

```

```

"

```

```

510 IF I$="NEXT" THEN GO TO 120

```

```

520 FOR M=1 TO 77 STEP 4

```

```

530 IF I$<>E$(M TO M+3) THEN GO TO 610

```

```


540 PRINT AT 10,23;"CORRECT";AT 12,25;I

```



```
$;: LET CR=CR+1: PRINT AT 5,23;"SCORE:";  
CR;  
550 FOR I=1 TO 14  
560 FOR J=1 TO 20  
570 IF C$(J,I)=CHR$ ((M+3)/4) THEN PRI  
NT AT I,J;" ";  
580 NEXT J  
590 NEXT I  
595 LET E$(M TO M+3)=" "  
600 GO TO 630  
610 NEXT M  
620 PRINT AT 10,23;"WRONG ";AT 12,25;" "  
";  
625 GO TO 480  
630 NEXT N  
640 STOP
```


DECISIVE HERO



The wicked Baron has captured your love, Loretta, and tied her to the railroad track. Only you can save her from a grisly fate, but you will have to think fast and act even quicker. Wherever the Baron has taken her, you can be sure it will be in a town far away from you, and you must work out the three possibilities, key in your answers and stop the train.

Please act quickly, as the thought of losing Loretta is too terrible to contemplate.

How to play

The names of eight towns will be displayed on the screen

with letters A to H. Against each of the letters you will be shown a combination of numbers.

You must decide which three series of numbers are the highest, type them in and stop the train.

Example: from the screen shown above you will see that the correct answer is c, g and h. You don't have to key in your answers in alphabetical order, just key them in correctly and quickly. If you stop the train or, unfortunately for Loretta, the train reaches the end of the screen, you will be asked if you wish to continue or end the program.

Press c and ENTER to continue, or e and ENTER to end the game.

Skill rating

When the game ends, a score sheet will be displayed showing your total, giving a qualitative rating and an IQ level of your decisiveness. This is not a true IQ level as intelligence is made up of reasoning ability, memory etc. but this result will be an indication of your IQ decisiveness level.

Classifications below Fair are omitted, as I know that if you are using this book you are above average!

Programming hints

If you wish to increase the time allowed to guess the answers then increase the distance the smoke travels. To do this increase the 3 in line 960 to a maximum of 12.

After thinking about this, you may decide to **reduce** the distance travelled by the smoke and thereby decrease your thinking time.

Program

```

10 REM Decisive hero
20 REM Copyright ? G.Ludinski 1983
30 DIM a$(3,12): DIM x(12): DIM y(12):
DIM n(3,8): DIM s(8): DIM t$(8,10): DIM
t(8): DIM w(50)
40 POKE 23658,0
50 LET shapes=1190: LET train=840: LET
smoke=810: LET iq=1050
60 CLS
70 LET s$=""
"
80 REM
90 REM store town names and trin shape
100 REM
110 GO SUB shapes
120 FOR i=1 TO 8: READ t$(i): NEXT i
130 LET a$(1)=" ??? ??? "+CHR$ 160+CHR$
162+"?"
140 LET a$(2)=" ??? ??? "+CHR$ 144+CHR$
147+"?"
150 LET a$(3)=" ???-???-???"
160 REM
170 REM store positions of smoke
180 REM
190 FOR i=1 TO 2
200 LET x(i)=12-i
210 LET y(i)=2-i
220 NEXT i
230 FOR i=3 TO 12
240 LET y(i)=2
250 LET x(i)=13-i
260 NEXT i
270 LET te=0: LET er=0: LET cr=0

```



```

280 REM
290 REM the action starts here
300 REM
310 CLS
320 LET te=te+1
330 REM
340 REM store lists of numbers and thei
r sum
350 REM
360 FOR k=1 TO 7: LET s(k)=0: NEXT k
370 FOR j=1 TO 8
380 FOR i=1 TO 3
390 LET n(i,j)=INT (RND*9+1)
400 LET s(j)=s(j)+n(i,j)
410 NEXT i
420 NEXT j
430 FOR i=1 TO 8: LET t(i)=i: NEXT i
440 REM
450 REM bubble sort of the sums of each
list
460 REM
470 FOR j=1 TO 7
480 FOR i=1 TO 7
490 IF s(i)<s(i+1) THEN LET tp=s(i): L
ET s(i)=s(i+1): LET s(i+1)=tp: LET tp=t(
i): LET t(i)=t(i+1): LET t(i+1)=tp
500 NEXT i
510 NEXT j
520 REM
530 REM check for any duplicates
540 REM
550 LET tw=3: FOR i=4 TO 8
560 IF s(i)=s(1) OR s(i)=s(2) OR s(i)=s
(3) THEN LET tw=i
570 NEXT i
580 REM
590 REM display problem
600 REM
610 PRINT : PRINT : PRINT : PRINT : PRI
NT : PRINT

```


120

```

620 PRINT "
_";: INK 6: PRINT "?";: INK 0: PRINT "_"
630 PRINT : PRINT : PRINT
640 FOR j=1 TO 8
650 PRINT s$( TO 6);t$(j)(1);" ";t$(j)(
2 TO );" ";
660 FOR i=1 TO 3
670 PRINT STR$ (n(i,j));" ";
680 NEXT i
690 PRINT
700 NEXT j
710 PRINT
720 LET cr1=0: LET ix=0: LET w(1)=0: LE
T w(2)=0: LET w(3)=0
730 PRINT AT 0,0;: GO SUB train
740 BEEP 2,-4: BEEP 1,-10
750 FOR h=1 TO 10: LET z$=INKEY$: NEXT
h
760 PRINT AT 21,0;"Press c to continue
or e to end": INPUT c$
770 IF c$="c" THEN GO TO 310
780 GO SUB iq
790 GO TO 1450
800 REM
810 REM smoke subroutine
820 PRINT AT y(i),x(i)+1;CHR$ 149;
830 RETURN
840 REM train subroutine
850 BEEP 0.5,36.5: BEEP 0,0: BEEP 1,36.
5
860 FOR l=1 TO 18
870 LET i$=INKEY$
880 IF i$="" THEN GO TO 930
890 FOR j=1 TO twn
900 IF i$=CHR$ (96+t(j)) AND i$<>CHR$
(w(1)+96) AND i$<>CHR$ (96+w(2)) AND i$<
>CHR$ (96+w(3)) THEN LET cr1=cr1+1: LET
ix=ix+1: LET w(ix)=t(j): BEEP .2,13: GO
TO 930
910 NEXT j
920 LET er=er+1

```



```

930 IF cr1=3 THEN LET cr=cr+1: GO TO 1
040
940 INK 1: PRINT AT 3,1;a$(1);AT 4,1;a$
(2);AT 5,1;a$(3)
950 LET i=1: INK 0: GO SUB smoke
960 FOR i=2 TO 3
970 INK 0: GO SUB smoke
980 LET i=i-1: INK 7: GO SUB smoke
990 LET i=i+1: INK 0: GO SUB smoke
1000 NEXT i
1010 LET i=i-1: INK 7: GO SUB smoke: INK
0
1020 NEXT 1
1030 BEEP 0.5,36.5: BEEP 0,0: BEEP 1,36.
5
1040 RETURN
1050 REM IQ subroutine
1060 CLS
1070 PRINT : PRINT "Number of tests comp
leted = ";te
1080 PRINT : PRINT "Number of tests corr
ect = ";cr
1090 PRINT : PRINT "Number of incorrect
answers = ";er
1100 LET sc=INT (((er*3)+((te-cr)*10))/t
e)
1110 PRINT
1120 IF sc<5 THEN PRINT "This is classe
d as SUPERIOR (upper 10%": GO TO 11
50
1130 IF sc<7 THEN PRINT "This is classe
d as GOOD (upper 30%": GO TO 1150
1140 IF sc<9 THEN PRINT "This classed a
s FAIR (upper 60%)"
1150 IF sc=0 THEN LET iqu=150: GO TO 11
70
1160 LET iqu=INT (760/sc): IF iqu>150 TH
EN LET iqu=150
1170 PRINT : PRINT "Your I.Q. level (dec
isiveness) =";iqu

```




```

1180 RETURN
1190 REM shapes subroutine
1200 RESTORE
1210 REM DATA 255,129,129,129,129,129,1
29,255
1220 LET en=BIN 01000010: LET gn=BIN 111
11111: LET e1=BIN 00001100: LET e2=BIN 0
0110000
1230 DATA 0,0,gn,gn,e1,e1,e1,e1
1240 FOR i=0 TO 7
1250 READ row: POKE USR "Q"+i,row
1260 NEXT i
1270 DATA e1,e1,e1,e1,gn,gn,gn,gn
1280 FOR i=0 TO 7
1290 READ row: POKE USR "A"+i,row
1300 NEXT i
1310 DATA 0,0,BIN 11110000,BIN 11110000,
e2,e2,e2,e2
1320 FOR i=0 TO 7
1330 READ row: POKE USR "S"+i,row
1340 NEXT i
1350 DATA e2,e2,e2,e2,gn,gn,gn,gn
1360 FOR i=0 TO 7
1370 READ row: POKE USR "D"+i,row
1380 NEXT i
1390 DATA BIN 01111110,gn,gn,gn,gn,gn,g
n,BIN 01111110
1400 FOR i=0 TO 7
1410 READ row: POKE USR "F"+i,row
1420 NEXT i
1430 RETURN
1440 DATA "Aldershot ", "Bracknell ", "Cam
berley ", "Dorking ", "Egham ", "Farn
ham ", "Guildford ", "Henley "
1450 REM end

```


WHO DUNNIT



Looking through the window you see him standing in his study. Then you hear a gun shot and he falls to the ground. You walk into the house and go into his study.

There are four men there. You know their names. You find a note which he must have written before he died. This is a clue to the murderer. You must decide which of the four men is the murderer before they slip out the room.

How to play

The victim's note is by the man lying down. You must work out which of the names of the other men has some connection with this word. For example, in the screen

shown above, Mr Lager is the murderer as Lager and Cider are both drinks. Alternatively words that are related may have the same or opposite meanings. For example, Big and Large, also Hot and Cold are related.

Key in the number below the suspected murderer, (3 in this case) before the four men disappear off the screen.

If you are right, you hear police sirens as the police cars approach. If you are wrong or too late, you do not. The score is given on the top line. Press RETURN to play again.

Programming hints

If you want to add more words to the game, add some more DATA statements at the end of the program. Put in sets of three words that are related. Read the other words in lines 740 to 760 for ideas. Make sure that each set is not related to the other words in those lines. When you have added the extra words, count up the total number of sets of words from line 740 and assign it to TT in line 310.

Program

```

10 REM WHODUNNIT
20 REM COPYRIGHT (C) G.LUDINSKI 1983
30 CLS
40 DIM W$(30,3,10): DIM N(5): DIM X(4)
: DIM Y(4): DIM P$(2,10): DIM Q$(2,10)
45 DIM v$(5)
47 DIM T$(20): DIM Z$(20)
48 DIM U$(20)
50 LET X(1)=0: LET Y(1)=7: LET X(2)=10
: LET Y(2)=7: LET X(3)=0: LET Y(3)=14: L
ET X(4)=10: LET Y(4)=14
60 LET SC=0: LET TU=0
70 GO TO 200

```



```

180 REM SHAPES OF MEN
190 REM
200 RESTORE 900
210 FOR N=0 TO 7: READ D: POKE USR "a"+
n,D: NEXT n
220 FOR n=0 TO 7: READ d: POKE USR "b"+
n,d: NEXT n
230 FOR n=0 TO 7: READ d: POKE USR "c"+
n,d: NEXT n
240 FOR n=0 TO 7: READ d: POKE USR "d"+
n,d: NEXT n
250 LET v$=CHR$ 146+CHR$ 147
260 LET bl=0: LET rd=1: LET ye=2: LET w
h=3
270 PAPER bl: INK wh
280 REM
290 REM Read words
291 RESTORE
300 REM
310 LET tt=25
320 FOR J=1 TO TT
330 READ T$: LET W$(J,1)=T$: READ T$: L
ET W$(J,2)=T$: READ T$: LET W$(J,3)=T$
340 NEXT J
360 REM
370 REM UPRIGHT MAN AND GUN SHOT
380 REM
390 CLS : PAPER BL: INK WH: PRINT AT 20
,0:CHR$ 144:AT 21,0:CHR$ 145
410 REM
420 FOR I=1 TO 4
430 LET N(I)=INT (RND*TT)+1
440 NEXT I
450 IF N(1)=N(2) OR N(1)=N(3) OR N(1)=N
(4) OR N(2)=N(3) OR N(2)=N(4) OR N(3)=N(
4) THEN GO TO 390
460 REM
470 REM DRAW PEOPLE AND NAMES
480 REM
490 LET TU=TU+1
500 LET SN=INT (RND*4+1)
510 FOR I=1 TO 2

```



```

520 LET P$(I)=W$(N((2*I)-1),INT (RND*3)
+1): LET Q$(I)=W$(N(2*I),INT (RND*3+1))
530 INK WH: PRINT AT 7*I,0;CHR$ 144;AT
7*I+1,0;CHR$ 145;: INK YE: PRINT " MR ";
P$(I);: INK WH: PRINT AT 7*I,10;CHR$ 144
;AT 7*I+1,10;CHR$ 145;: INK YE: PRINT "
MR ";Q$(I)
540 PRINT AT (7*I)+3,0;2*I-1;AT (7*I)+3
,10;2*I
550 NEXT I
560 LET Z$=W$(N(SN),INT (RND*3+1)): IF
Z$=P$(1) OR Z$=P$(2) OR Z$=Q$(1) OR Z$=Q
$(2) THEN GO TO 560
570 LET U$=" "+Z$+" "
580 PRINT AT 21,0;" ";
590 INK WH: PRINT AT 20,0;V$;: PAPER WH
: INK WH: PRINT AT 19,10;U$;: INK RD: PR
INT AT 20,10;U$;: INK WH: PRINT AT 21,10
;U$: PAPER BL
600 LET K=1
610 LET f=0
611 LET i$=INKEY$: IF i$>="1" AND i$<="
4" THEN GO TO 620
612 LET f=f+1: IF f<>40 THEN GO TO 611
615 PRINT AT y(k),x(k);" ";AT y(k)+1,x(
k);" "
618 LET k=k+1: LET i$="0": IF k<5 THEN
GO TO 610
620 REM
630 REM POLICE SIREN
640 REM
650 IF VAL (I$)=SN THEN FOR K=1 TO 4:
BEEP .5,11: BEEP .5,7: NEXT K: LET SC=SC
+1
660 REM
670 REM SCORE
680 REM
690 INK WH: PRINT AT 1,0;SC;" SOLVED ";
TU;: IF TU>1 THEN PRINT " MURDERS": GO
TO 700

```



```
695 PRINT " MURDER"
700 INK WH: PRINT AT 2,0;"PRESS ENTER":
INPUT R$: GO TO 390
710 REM
720 REM DATA
730 REM
740 DATA "BIG","SMALL","LARGE","FAT","T
HIN","PLUMP","QUIET","LOUD","NOISY","WET
","DRY","DAMP"
750 DATA "HOT","COLD","WARM","A","Z","A
LPHA","GOOD","BAD","NICE","MAD","CRAZY",
"SANE","DULL","SHINY","MATT","SEE","HEAR
","FEEL","OLD","YOUNG","AGED","LAUGH","C
RY","WEEP","KID","CHILD","ADULT","AM","F
M","NOON","BIRD","FOWL","BEAST","SNOW","
ICE","SLEET","BEER","LAGER","CIDER"
760 DATA "KING","QUEEN","JACK","GIVE","
TAKE","GRASP","BBC","ITV","CH4","ILL","W
ELL","SICK","GYM","PT","PE","RED","AMBER
","GREEN","LOAD","SAVE","RUN","EYE","I",
"AYE"
790 DATA BIN 00010000,BIN 00111000,BIN
00111000,BIN 00010000,BIN 01111100,BIN 0
1111100,BIN 01111100,BIN 01111100
7910 DATA BIN 01111100,BIN 01111100,BIN
00111000,BIN 00111000,BIN 00111000,BIN 0
0111000,BIN 00111000,BIN 00111000
7920 DATA 0,0,0,0,BIN 00001111,BIN 01011
111,255,255
7930 DATA 0,0,0,0,BIN 11000001,255,255,2
55
```


BUSINESS PROGRAMMING

on your

SPECTRUM

This book is designed for
Sales and Marketing Managers
who have asked themselves the question
“How could I use our home computer
to help me with my day to day work
without having to spend a fortune on software?
Could I write my own programs
to handle sales forecasts,
customer record cards, graphs
and reduce my paper work load?”

The answer is **YES**
This book will show how it can be done.

Using Spectrum basic
the user will be shown
how to program,
build own files systems using examples,
design a “Data Base”
which will form the core
for countless record systems.

Available from good bookshops **£6.95**
or direct from

PHOENIX PUBLISHING ASSOCIATES
14, VERNON ROAD,
BUSHEY, HERTS.

£6.95p plus 55p p/p.

AVAILABLE NOW

BRAINTEASERS

FOR THE
SPECTRUM 48k

PROGRAMS TO PUZZLE AND AMUSE

Here at last is a collection of programs worthy of the title 'Brainteasers' and worthy of the computers for which they are designed. Built around a competition element you will be asked questions requiring logic, general knowledge and mathematical skills in your answers.

Only your quick powers of numeracy can save the lady on the railway track; escape with the takings from the bank; break open a safe.

Only your powers of deduction can solve the Whodunnit? Work out the wiring on the robot; catch the car thief.

All of the programs will exploit the graphic capabilities of your machine and, if you can face up to it, many of the programs will contain an IQ rating at the end of the program.

THE AUTHOR

Genevieve Ludinski is a widely experienced programmer and technical author and has her own software company specialising in educational material.

ISBN 0-9465-7610-6



PHOENIX
PUBLISHING ASSOCIATES
£5.95

BRAINTEASERS

FOR THE SPECTRUM 48k

PHOENIX
PUBLISHING ASSOCIATES

BRAINTEASERS

FOR THE
SPECTRUM 48k

G. LUDINSKI



PROGRAMS TO PUZZLE AND AMUSE